# TECHNICAL REPORT



First edition 2003-05

# Multimedia systems and equipment – Quality assessment – Audio-video communication systems

© IEC 2003 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия



W

For price, see current catalogue

# CONTENTS

| FO         | REWO                                 | DRD   | 4  |  |
|------------|--------------------------------------|---|----|--|
| 1          | Scop                                 | е   | 5  |  |
| 2          | Refe                                 | rences  | 5  |  |
| 3          | Term                                 | s and definitions   | 6  |  |
| 4          | Configuration for quality assessment |   |    |  |
| •          | 4 1                                  | Input and output channels   | 6  |  |
|            | 4.2                                  | Points of input and output terminals  |    |  |
| 5          | Video quality                        |   |    |  |
|            | 5.1                                  | Introduction  |    |  |
|            | 5.2                                  | End-to-end tone reproduction  |    |  |
|            | 5.3                                  | End-to-end colour reproduction  | 11 |  |
|            | 5.4                                  | End-to-end colour differences   | 12 |  |
|            | 5.5                                  | End-to-end peak-signal to noise ratio (PSNR)  | 16 |  |
|            | 5.6                                  | End-to-end objective assessment of video quality  | 20 |  |
| 6          | Audio quality                        |   |    |  |
|            | 6.1                                  | Perceived audio quality with full-reference signals   | 21 |  |
|            | 6.2                                  | Sampling rate and quantization resolution   | 23 |  |
|            | 6.3                                  | Delay   | 24 |  |
| 7          | Total                                | quality   | 24 |  |
|            | 7.1                                  | Synchronization of audio and video (lip sync)   | 24 |  |
|            | 7.2                                  | Scalability   | 25 |  |
|            | 7.3                                  | Overall quality   | 26 |  |
|            |                                      |   |    |  |
| Anr<br>hvn | iex A<br>otheti                      | (informative) PSNR's defined in three-dimensional spaces applied to<br>cal deterioration over the reference video sources | 27 |  |
| Δnr        | ex R                                 | (informative) End-to-end objective assessment of video quality in spatial   |    |  |
| frec       | luenc                                | y domain  | 31 |  |
| Anr        | iex C                                | (informative) PEAQ objective measurement method outline   |    |  |
|            |                                      |   |    |  |
| Bib        | liogra                               | ohy   | 40 |  |
|            | 0                                    |   |    |  |
| Fig        | ure 1                                | - Model of audio-video communication systems  | 7  |  |
| Fig        | ure 2                                | <ul> <li>Schematic diagram for quality assessment</li> </ul>  | 7  |  |
| Fig        | ure 3                                | – The image of the grey steps defined in IEC 61146-1  | 9  |  |
| Fig        | ure 4                                | <ul> <li>An example plot of tone reproduction</li> </ul>  | 10 |  |
| Fig        | ure 5                                | - The image of the colour reproduction chart defined in IEC 61146-1   | 11 |  |
| Fia        | ure 6                                | <ul> <li>Colour differences between reference and streamed video frames at 250 kbr</li> </ul>                             | os |  |
| and        | 30 fp                                | JS  | 15 |  |
| Fig        | ure 7                                | <ul> <li>Examples of PSNR assessment</li> </ul>   | 19 |  |
| Fig        | ure 8                                | <ul> <li>Basic concept for making objective measurements</li> </ul>   | 22 |  |
| Fig        | ure 9                                | - Representation of PEAQ model  | 22 |  |
| Fig        | ure B.                               | 1 – Assignment of the block numbers   | 31 |  |
| Fig        | ure B.                               | 2 – Example of wavelet decomposition visualised   | 31 |  |

| Figure B.3 – Trends of difference of coefficients of wavelet transform between reference and streamed video frames at 250 kbps and 30 fps | 34 |
|---|----|
| Figure C.1 – Basic concept for making objective measurements  | 36 |
| Figure C.2 – Representation of PEAQ model   | 37 |
| Figure C.3 – FFT based ear model, PEAQ basic version  | 37 |
| Figure C.4 – Filter bank based ear model, PEAQ advanced version   | 38 |
| Table 1 – An example of tone reproduction   | 10 |
| Table 2 – An example of colour reproduction   | 12 |
| Table 3 – Grand averages of colour differences  | 16 |
| Table 4 – Overall PNSR's averaged over the frames   | 20 |
| Table 5 – Test items and resulting DI and ODG values for the basic version  | 23 |
| Table 6 – Test items and resulting DI and ODG values for the advanced version   | 23 |
| Table A.1 – Reference video sources available for objective assessment  | 27 |
| Table A.2 – PSNR's in various colour spaces and the colour difference for SRC13         and SRC14   | 28 |
| Table A.3 – PSNR's in various colour spaces and the colour difference for SRC15         and SRC16   | 28 |
| Table A.4 – PSNR's in various colour spaces and the colour difference for SRC17         and SRC18   | 29 |
| Table A.5 – PSNR's in various colour spaces and the colour difference for SRC19 and SRC20   | 29 |
| Table A.6 – PSNR's in various colour spaces and the colour difference for SRC21         and SRC22   | 30 |
| Table B.1 – Summary of difference of coefficients of wavelet coefficients   | 35 |
| Table C.1 – Model output variables, PEAQ basic version  | 38 |
| Table C.2 – Model output variables, PEAQ advanced version   | 39 |

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## MULTIMEDIA SYSTEMS AND EQUIPMENT – QUALITY ASSESSMENT – AUDIO-VIDEO COMMUNICATION SYSTEMS

#### FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this technical report may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

Technical reports do not necessarily have to be reviewed until the data they provide are considered to be no longer valid or useful by the maintenance team.

IEC 62251, which is a Technical Report, has been prepared by IEC technical committee 100: Audio, Video and Multimedia Systems and Equipment.

The text of this technical report is based on the following documents:

| Enquiry draft | Report on voting |
|---------------|------------------|
| 100/561/DTR   | 100/662/RVC      |

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

## MULTIMEDIA SYSTEMS AND EQUIPMENT – QUALITY ASSESSMENT – AUDIO-VIDEO COMMUNICATION SYSTEMS

#### 1 Scope

This Technical Report specifies items to be measured by objective methods, methods of measurement together with measuring conditions, processing of the measured data and presentation of acquired information for objective assessment of end-to-end quality of audio-video communication systems over digital networks. The measurements are supposed to be conducted in a double-ended and a full reference. The systems are assumed to have electrical interface channels at the input and at the output of audio-video signals for objective assessment.

The extension for systems that do not have such channels is left for further study.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies

IEC 60268-4, Sound system equipment – Part 4: Microphones

IEC 60268-5, Sound system equipment – Part 5: Loudspeakers

IEC 61146-1:1994, Video cameras (PAL/SECAM/NTSC) – Methods of measurement – Part 1: Non-broadcast single-sensor cameras

IEC 61146-2:1997, Video cameras (PAL/SECAM/NTSC) – Methods of measurement – Part 2: Two- and three-sensor professional cameras

IEC 61966-2-1:1999, Multimedia systems and equipment – Colour measurement and management – Part 1: Colour management – Default RGB colour space – sRGB

Amendment 1 (2003)

IEC 61966-2-1, Multimedia systems and equipment – Colour measurement and management – Part 2-1: Colour management – Default RGB colour space – sRGB

IEC 61966-3:2000, Multimedia systems and equipment – Colour measurement and management – Part 3: Equipment using cathode ray tubes

IEC 61966-4:2000, Multimedia systems and equipment – Colour measurement and management – Part 4: Equipment using liquid crystal display panels

IEC 61966-5:2000, Multimedia systems and equipment – Colour measurement and management – Part 5: Equipment using plasma display panels

IEC 61966-9:2000, Multimedia systems and equipment – Colour measurement and management – Part 9: Digital cameras CIE 15.2:1986, Colorimetry

ITU-R BS.1387-1 :2001, Method for objective measurements of perceived audio quality

ITU-R BT.601-5 :1995, Studio encoding parameters of digital television for standard 4:3 and wide-screen 16:9 aspect ratios

ITU-T J.144 :2001, Objective perceptual video quality measurement techniques for digital cable television in the presence of a full reference

ITU-T P.931 :1998, Multimedia communications delay, synchronization and frame rate measurement