

TECHNICAL REPORT

IEC TR 62380

First edition
2004-08

Reliability data handbook – Universal model for reliability prediction of electronics components, PCBs and equipment

:

© IEC 2004 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE **XC**

For price, see current catalogue

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 Conditions of use	10
4.1 Introductory remarks	10
4.2 Assumptions adopted for TR 62380	11
4.3 Influencing factors	13
4.4 How to use the data	14
4.5 Uses and aims of a reliability prediction	15
5 Environment influence	16
5.1 General remarks	16
5.2 Environment types defined	16
5.3 Electrical environment conditions	20
5.4 Validity model according to environment	20
5.5 Components choice	20
5.6 Learning during the deployment phase of new equipment	21
5.7 Mission profile	22
5.8 Mission profile examples	23
6 Equipped printed circuit boards and hybrid circuits (IEC 60326)	25
6.1 Failure rate calculation of an equipped printed circuit board	25
6.2 Hybrid circuits	26
7 Integrated circuits	27
7.1 Validity domain	27
7.2 Junction temperature evaluation of an integrated circuit	27
7.3 The reliability model	30
8 Diodes and thyristors, transistors, optocouplers (IEC 60747-xx)	36
8.1 Evaluating the junction temperature of diodes and transistors	36
8.2 Low power diodes	38
8.3 Power diodes	40
8.4 Low power transistors	42
8.5 Power transistors	44
8.6 Optocouplers	46
9 Optoelectronics	49
9.1 Light emitting diodes diode modules (IEC 60747-12-2, IEC 62007)	49
9.2 Laser diodes modules - Failure rate	52
9.3 Photodiodes and receiver modules for telecommunications (IEC 60747-12)	53
9.4 Passive optic components	54
9.5 Miscellaneous optic components	54
10 Capacitors and thermistors (ntc)	55
10.1 Fixed plastic, paper, dielectric capacitors - Radio interference suppression capacitors (plastic, paper)	55

	(IEC 60384)	56
10.3	Fixed ceramic dielectric capacitors – Non defined temperature coefficient – Class II – Radio interference suppression capacitors (Ceramic, class II)	57
10.4	Tantalum capacitors, solid electrolyte (IEC 60384).....	58
10.5	Aluminum, non-solid electrolyte capacitors - Life expectancy	59
10.6	Aluminum electrolytic capacitor, solid electrolyte	61
10.7	Aluminum electrolytic capacitor, polymer electrolyte (IEC 60384)	62
10.8	Variable ceramic capacitors, disks (Dielectric ceramic) (IEC 60384).....	63
10.9	Thermistors with negative temperature coefficient (NTC) (IEC 60539)	64
11	Resistors and potentiometers (IEC 60115).....	65
11.1	Fixed, low dissipation film resistors – High stability (rs), general purpose (rc), “minimelf”	65
11.2	Hot molded carbon composition, fixed resistors (IEC 60115)	66
11.3	Fixed, high dissipation film resistors (IEC 60115).....	67
11.4	Low dissipation wirewound resistors (IEC 60115).....	68
11.5	High dissipation wirewound resistors (IEC 60115).....	69
11.6	Fixed, low dissipation surface mounting resistors and resistive array (IEC 60115)	70
11.7	Non wirewound cermet potentiometer (one or several turn) (IEC 60393).....	71
12	Inductors and transformers (IEC 61248)	73
13	Microwave passive components, piezoelectric components and surface acoustic wave filters (IEC 61261, IEC 61019, IEC 60368).....	74
13.1	Microwave passive components	74
13.2	Piezoelectric components.....	74
13.3	Surface acoustic wave filters	74
14	Relays	75
14.1	Evaluating voltage and current (vt, it) in transient conditions	75
14.2	Mercury wetted reed relays, low power (IEC 60255).....	78
14.3	Dry reed relays (IEC 60255)	80
14.4	Electromechanical relays, miniature or card – European type, thermal relays (power up to 500 W) (IEC 60255)	82
14.5	Industrial relays, high voltage vacuum relays, power mercury wetted relays (IEC 60255).....	84
15	Switches and keyboards (IEC 60948)	86
16	Connectors	87
16.1	Circular, rectangular.....	87
16.2	Coaxial connectors.....	87
16.3	Connectors for PCBs and related sockets	87
17	Displays, solid state lamps	88
17.1	Displays (IEC 61747)	88
17.2	Solid state lamps (IEC 60747)	88
18	Protection devices (IEC 60099, IEC 60269, IEC 60738, IEC 61051)	89
18.1	Thermistors (PTC).....	89
18.2	Varistors	89
18.3	Fuses	89
18.4	Arrestors.....	89
19	Energy devices, thermal management devices, disk drive	90
19.1	Primary batteries.....	90
19.2	Secondary batteries	90

19.4	Thermoelectric coolers	90
19.5	Disk drive	90
19.6	Converters (IEC 60146).....	90
Table 1	– Mission profiles for spatial.....	10
Table 2	– Mission profiles for military.....	10
Table 3	– Description and typical applications of the commonest types of environment.....	17
Table 4	– Mechanical conditions according to the environment: characteristic shocks and vibrations.....	18
Table 5	– Mechanically active substances.....	19
Table 6	– Chemically active substances.....	19
Table 7	– Typical conditions for each environment type according to Table 3 (mechanically and chemically active substances and climatic conditions)	19
Table 8	– Table of climates.....	23
Table 9	– Mission profiles for Telecom.....	23
Table 10	– Mission profiles for military and civil avionics	24
Table 11	– Mission profiles for automotive	24
Table 12	– Thermal resistance as a function of package type, the pin number and airflow factor	28
Table 13	– Typical values of the air flow speed V, and the air flow factor K.....	29
Table 14	– Thermal expansion coefficients α_s and α_c	32
Table 15	– Failure distribution (for non interfaces integrated circuits)	32
Table 16	– Values of λ_1 and λ_2 for integrated circuits families	33
Table 17a	– λ_3 values for integrated circuits as a function of S (pin number of the package).....	34
Table 17b	– λ_3 values for surface mounted integrated circuits packages as a function of D (package diagonal).....	35
Table 18	– Values of λ_B and junction resistances for active discrete components	37
Figure 1	– Time dependant failure rate of a new electronic printed circuit board.....	21
Figure 1	– Time-dependant failure rate of a new electronic printed circuit board	21
Figure 2	– Equivalent diagram representing the circuit of a relay contact	75
Figure 3	– Positions of capacitors in the real circuit diagram for which the values must be counted in C.....	75
Figure 4	– Regions adopted for the purposes of Figures 5, 6 and 7	76
Figure 5	– Evaluating the ratios V_t/V and I_t/I according to $R=R_1+R_2$, C, L, and C_p , L_p (R in k Ω , C, C_p in nF ; L, L_p in mH).....	76
Figure 6	– Evaluating ratios V_t/V and I_t/I when L and C are not known	77
Figure 7	– Default values of V_t/V and I_t/I when nothing is known about the electrical circuit of the contact.....	77

RELIABILITY DATA HANDBOOK – UNIVERSAL MODEL FOR RELIABILITY PREDICTION OF ELECTRONICS COMPONENTS, PCBs AND EQUIPMENT

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 62380, which is a technical report, has been prepared by IEC technical committee 47: Semiconductor devices.

The text of this standard is based on the following documents:

Enquiry draft	Report on voting
47/1705/DTR	47/1722A/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This is a preview of "IEC/TR 62380 Ed. 1.0...". [Click here to purchase the full version from the ANSI store.](#)

Part 2 of the ISO/IEC Directives.

NOTE This technical report has been reproduced without significant modification to its original content or drafting.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

This is a preview of "IEC/TR 62380 Ed. 1.0...". [Click here to purchase the full version from the ANSI store.](#)

INTRODUCTION

This reliability calculation guide for electronic and optical card, is an important progress compared to older guides. Calculation models take directly into account the influence of the environment. The thermal cycling seen by cards, function of mission profiles undergone by the equipment, replace environment factor which is difficult to evaluate. These models can handle permanent working, on/off cycling and dormant applications. On the other hand, failure rate related to the component soldering, is henceforth-included in component failure rate.

~~RELIABILITY DATA HANDBOOK~~
**UNIVERSAL MODEL FOR RELIABILITY PREDICTION
OF ELECTRONICS COMPONENTS, PCBs AND EQUIPMENT**

1 Scope

This technical report provides elements to calculate failure rate of mounted electronic components. It makes equipment reliability optimization studies easier to carry out, thanks to the introduction of influence factors.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60086 (all parts), *Primary batteries*

IEC 60099 (all parts), *Surge arresters*

IEC 60115 (all parts), *Fixed arrestors for use in electronic equipment*

IEC 60146, (all parts), *Semiconductor convertors – General requirements and line commutated convertors*

IEC 60255 ((all parts), *Electrical relays*

IEC 60269 (all parts), *Low-voltage fuses*

IEC 61951 (all parts), *Secondary cells and batteries containing alkaline or other non-alkaline electrolytes – Portable sealed rechargeable single cells*

IEC 60326 (all parts), *Printed boards*

IEC 60368 (all parts), *Piezoelectric filters of assessed quality*

IEC 60384 (all parts), *Fixed capacitors for use in electronic equipment*

IEC 60393 (all parts), *Potentiometers for use in electronic equipment*

IEC 60535, *Jet fans and regulators*

IEC 60539 (all parts), *Directly heated negative temperature coefficient thermistors*

IEC 60721-3 (all Parts 3), *Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities*

IEC 60738 (all parts), *Thermistors - Directly heated positive step-function temperature coefficient*

IEC 60747 (all parts) *Semiconductor devices - Discrete devices*

IEC 60747-12 (all Parts 12) *Semiconductor devices - Part 12: Optoelectronic devices*

This is a preview of "IEC/TR 62380 Ed. 1.0...". [Click here to purchase the full version from the ANSI store.](#)

specification for laser diode modules with pigtail for fibre optic systems and sub-systems

IEC 60748 (all parts) *Semiconductor devices – Integrated circuits*

IEC 60879, *Performance and construction of electric circulating fans and regulators*

IEC 60948, *Numeric keyboard for home electronic systems (HES)*

IEC 61019 (all parts), *Surface acoustic wave (SAW) resonators*

IEC 61051 (all parts), *Varistors for use in electronic equipment*

IEC 61248 (all parts), *Transformers and inductors for use in electronic and telecommunication equipment*

IEC 61747 (all parts), *Liquid crystal and solid-state display devices*

IEC 61261 (all parts), *Piezoelectric ceramic filters for use in electronic equipment – A specification in the IEC quality assessment system for electronic components (IECQ)*

IEC 61951 (all parts), *Secondary cells and batteries containing alkaline or other non-acid electrolytes*

IEC 61951-1, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Portable sealed rechargeable single cells*

IEC 61951-2, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Nickel-metal hydride*

IEC 62007 (all parts), *Semiconductor optoelectronic devices for fibre optic system applications*

IEC 62255 (all parts), *Multicore and symmetrical pair/quad cables for broadband digital communications (high bit rate digital access telecommunication networks) - Outside plant cables*

ETS 300 019, *Environmental engineering (EE); Environmental conditions and environmental tests for telecommunications equipment*

ISO 9000:2000, *Quality management systems – Fundamentals and vocabulary*

UTE C 96-024:1990, *Modèles thermiques simplifiés des circuits intégrés monolithiques*