



TECHNICAL SPECIFICATION



Marine energy – Wave, tidal and other water current converters – Part 2: Design requirements for marine energy systems

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.140

ISBN 978-2-8322-3580-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	10
1 Scope.....	11
1.1 General.....	11
1.2 Applications	11
2 Normative references.....	12
3 Terms and definitions	13
4 Symbols and abbreviated terms	13
5 General considerations	15
5.1 General.....	15
5.2 Regulations.....	15
5.3 Suitability and/or relevance of standards.....	15
5.4 Quality assurance and quality control	15
5.5 Safety levels	16
5.6 Design principles – structure and foundations	17
5.7 Load definition and load combinations	17
5.8 Other considerations	18
5.8.1 Stability and watertight integrity.....	18
5.8.2 Electrical, mechanical, instrumentation and control systems.....	18
5.8.3 Reliability issues	18
5.8.4 Corrosion protection.....	18
5.8.5 Design for operation, inspection, maintenance and decommissioning	18
5.9 Operational and structural resonance	18
5.10 Basis of design	19
6 External conditions	19
6.1 General.....	19
6.2 Waves	19
6.2.1 Normal sea state (NSS).....	19
6.2.2 Normal wave height (NWH)	19
6.2.3 Extreme sea state (ESS).....	20
6.2.4 Extreme wave height (EWH).....	20
6.2.5 Breaking waves.....	21
6.2.6 Wave run-up	21
6.3 Sea currents	21
6.3.1 General	21
6.3.2 Sub-surface currents.....	21
6.3.3 Wind-generated near-surface currents.....	22
6.3.4 Tidal currents.....	22
6.3.5 Breaking wave-induced surf currents	22
6.3.6 Normal current model (NCM).....	23
6.3.7 Extreme current model (ECM)	23
6.3.8 Normal turbulence model (NTM).....	23
6.3.9 Extreme turbulence model (ETM)	23
6.4 Wind conditions.....	24
6.5 Water level.....	24
6.5.1 General	24

6.5.2	Normal water level range (NWLRL)	25
6.5.3	Extreme water level range (EWLR)	25
6.6	Sea and river ice	25
6.7	Earthquakes	26
6.8	Marine growth	26
6.9	Seabed movement and scour	26
6.10	Ship collisions	26
6.11	Other environmental conditions	26
7	Loads and load effects	26
7.1	General	26
7.2	Loads	26
7.3	Design situations and load cases	28
7.3.1	General	28
7.3.2	Interaction with waves, currents, wind, water level and ice	28
7.3.3	Design categories	29
7.3.4	Limit states	29
7.3.5	Partial safety factors	30
7.3.6	Simulation requirements	31
7.3.7	Design conditions	32
8	Materials	40
8.1	General	40
8.2	Material selection criteria	41
8.3	Environmental considerations	42
8.4	Structural materials	42
8.4.1	General	42
8.4.2	Metals	42
8.4.3	Concrete	43
8.4.4	Composites	43
8.5	Compatibility of materials	45
9	Design of primary structures for wave and tidal/current energy converters	45
9.1	General	45
9.2	Design of steel structures	45
9.2.1	General	45
9.2.2	Load and resistance factor design (LRFD)	46
9.2.3	Ultimate limit state	46
9.2.4	Fatigue limit state	47
9.2.5	Serviceability limit state	47
9.3	Design of concrete structures	47
9.3.1	General	47
9.3.2	Limit states	47
9.3.3	Bending moment and axial force	48
9.3.4	Slender structural members	48
9.3.5	Transverse shear	48
9.3.6	Torsional moments	48
9.3.7	Bond strength and anchorage failure	48
9.3.8	Fatigue limit state	48
9.3.9	Serviceability limit state	49
9.3.10	Stresses in pre-stressed reinforcement	49
9.3.11	Stresses in concrete	49

9.3.12	Detailing of reinforcement	49
9.3.13	Corrosion control	49
9.4	Design of grouted connections	49
9.4.1	General	49
9.4.2	Design principles	49
9.5	Design of composite structures.....	49
9.5.1	General	49
9.5.2	Design principles	50
9.5.3	Joints and interfaces	52
10	Electrical, mechanical, instrumentation and control systems	52
10.1	Overview.....	52
10.2	General requirements.....	52
10.3	Abnormal operating conditions safeguard	53
11	Mooring and foundation considerations	54
11.1	Overview.....	54
11.1.1	General	54
11.1.2	Unique challenges for wave energy converters	54
11.1.3	Unique challenges for tidal energy converters.....	54
11.2	Tethered floating structures	54
11.3	Fixed structures	55
11.4	Compound MEC structures.....	55
12	Inspection requirements.....	57
12.1	General.....	57
12.2	Consideration during the design stage	57
12.3	Inspection and maintenance planning	58
12.4	Data management.....	58
12.5	Condition assessment and integrity evaluation (against performance requirements).....	59
12.6	Maintenance execution.....	59
13	Life cycle considerations.....	60
13.1	General.....	60
13.2	Planning	62
13.2.1	General	62
13.2.2	Installation conditions.....	62
13.2.3	Site access	62
13.2.4	Environmental conditions	62
13.3	Documentation.....	63
13.4	Receiving, handling and storage.....	63
13.5	Assembly of and installation of MECs	63
13.5.1	General	63
13.5.2	Access.....	64
13.6	Fasteners and attachments	64
13.7	Cranes, hoists and lifting equipment.....	64
13.8	Decommissioning	64
Annex A (normative)	Load definition and load combinations.....	66
A.1	Load combinations	66
A.2	Load calculations	67
A.3	Floating and moored devices	69

A.4	Flow analysis methodology.....	69
Annex B (normative)	Reliability issues.....	71
B.1	General.....	71
B.2	Structure and foundation	71
B.3	Mechanical system.....	71
B.4	Electrical system.....	72
B.5	Control and protection system	72
B.6	Instrumentation	72
B.7	Testing during qualification.....	72
Annex C (normative)	Corrosion protection	73
C.1	General.....	73
C.2	Steel structures.....	73
C.2.1	General	73
C.2.2	Corrosion rates	74
C.2.3	Protective coatings.....	74
C.3	Cathodic protection	74
C.3.1	General	74
C.3.2	Closed compartments.....	75
C.3.3	Stainless steel	75
C.4	Concrete structures	75
C.4.1	General	75
C.4.2	Provision of adequate cover	75
C.4.3	Use of stainless steel or composite reinforcement.....	76
C.4.4	Cathodic protection of reinforcement	76
C.5	Non-ferrous metals.....	76
C.6	Composite structures	77
C.7	Compatibility of materials	77
C.8	Chains, steel wire and fibre rope	77
Annex D (normative)	Operational and structural resonance.....	78
D.1	General.....	78
D.2	Control systems	78
D.3	Exciting frequencies	78
D.4	Natural frequencies	78
D.5	Analysis.....	79
D.6	Balancing of the rotating components	79
Annex E (informative)	Requirements for a basis of design.....	80
E.1	General.....	80
E.2	Design life.....	82
E.3	Design standards	82
E.4	Regional regulations	82
E.5	Environmental conditions	82
E.5.1	General	82
E.5.2	Meteorology and climatology	82
E.5.3	Air/water conditions.....	82
E.5.4	Water level	83
E.5.5	Currents	83
E.5.6	Waves	83

E.5.7	Marine life.....	83
E.6	Seabed conditions.....	83
E.6.1	General	83
E.6.2	Bathymetry and coastal topography.....	83
E.7	Material standards and testing.....	84
Annex F (informative)	Wave spectrum	85
F.1	Overview.....	85
F.2	The Pierson-Moskowitz spectrum	85
F.3	Relationship between peak and zero crossing periods.....	88
F.4	Wave directional spreading	88
Annex G (informative)	Shallow water hydrodynamics and breaking waves.....	89
G.1	Selection of suitable wave theories.....	89
G.2	Modelling of irregular wave trains	90
G.3	Breaking waves.....	90
Annex H (informative)	Guidance on calculation of hydrodynamic loads.....	93
H.1	General.....	93
H.2	Large bodies	94
H.3	Hybrid structures.....	94
H.4	Short term statistics	95
H.5	Breaking wave loads	95
H.6	Dynamic loads due to turbulent flow	96
Bibliography	97
Figure 1	– Definition of water levels (see IEC 61400-3).....	24
Figure 2	– Examples of compound position mooring systems for wave (a, b) and tidal (c, d) energy conversion systems	56
Figure C.1	– Profile of the thickness loss resulting from corrosion of an unprotected steel structure in seawater (1 mil = 0,025 4 mm).....	73
Figure E.1	– Quality assurance system.....	81
Figure F.1	– PM spectrum.....	86
Figure F.2	– JONSWAP and PM spectrums for typical North Sea storm sea state.....	87
Figure G.1	– Regions of applicability of stream functions, stokes V, and linear wave theory.....	89
Figure G.2	– Breaking wave height dependent on still water depth.....	91
Figure G.3	– Transitions between different types of breaking waves as a function of seabed slope, wave height in deep waters and wave period.....	92
Figure H.1	– Relative importance of mass, viscous drag and diffraction forces on marine structures.....	93
Table 1	– Safety levels.....	16
Table 2	– Types of loads that shall be considered.....	27
Table 3	– ULS combinations of uncorrelated extreme events	29
Table 4	– Design categories.....	29
Table 5	– ULS partial load safety factors γ_f for design categories.....	31
Table 6	– Design load cases for WEC	33
Table 7	– Design load cases for TEC	35
Table 8	– ISO test standards.....	44

This is a preview of "IEC/TS 62600-2 Ed. 1...". [Click here to purchase the full version from the ANSI store.](#)

Table 9 – Material factors γ_M for buckling	46
Table 10 – Summary of model factors	52

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

Part 2: Design requirements for marine energy systems

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a Technical Specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical Specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62600-2, which is a Technical Specification, has been prepared by IEC technical committee 114: Marine energy – Wave, tidal and other water current converters.

This is a preview of "IEC/TS 62600-2 Ed. 1...". [Click here to purchase the full version from the ANSI store.](#)

The text of this Technical Specification is based on the following documents:

Enquiry draft	Report on voting
114/168/DTS	114/176A/RVC

Full information on the voting for the approval of this Technical Specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62600 series, published under the general title *Marine energy – Wave, tidal and other water current converters*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International Standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 62600 outlines minimum design requirements for marine energy converters and is not intended for use as a complete design specification or instruction manual.

Several different parties may be responsible for undertaking the various elements of the design, manufacture, assembly, installation, erection, commissioning, operation and maintenance of a marine energy system and for ensuring that the requirements of this document are met. The division of responsibility between these parties is a contractual matter and is outside the scope of this document.

Any of the requirements of this document may be altered if it can be suitably demonstrated that the safety of the system is not compromised. Compliance with this document does not relieve any person, organization, or corporation from the responsibility of observing other applicable regulations.

MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

Part 2: Design requirements for marine energy systems

1 Scope

1.1 General

This part of IEC 62600 provides the essential design requirements to ensure the engineering integrity of wave, tidal and other water current energy converters, referred to as marine energy converters (MECs), for a specified design life. Its purpose is to provide an appropriate level of protection against damage from all hazards that may lead to failure of the primary structure, defined as the collective system comprising the structural elements, foundation, mooring and anchors, piles, and device buoyancy designed to resist global loads.

This document includes requirements for subsystems of MECs such as control and protection mechanisms, internal electrical systems, mechanical systems and mooring systems as they pertain to the structural viability of the device under site-specific external environmental conditions. This document applies to wave, tidal and other water current converters and to structures that are either floating or fixed to the seafloor or shore. This document applies to structures that are unmanned during operational periods.

This document addresses site-specific conditions, safety factors for critical structures and structural interfaces, external load cases (including extreme load magnitude, duration, and frequency), failure probability and failure consequences for critical structures and structural interfaces (overall risk assessment), and failsafe design practices (demonstration of adequate redundancy). The effect of subsystem failure on the primary structure is also addressed.

This document does not address the effects of MECs on the physical or biological environment (unless noted by exception). This document is used in conjunction with the appropriate IEC and ISO standards, as well as regional regulations that have jurisdiction over the installation site.

1.2 Applications

This document is applicable to MEC systems designed to operate from ocean, tidal and river current energy sources, but not systems associated with hydroelectric impoundments or barrages. This document is also applicable to wave energy converters. It is not applicable to ocean thermal energy conversion (OTEC) systems or salinity gradient systems.

Although important to the overall objectives of the IEC 62600 series, this document does not address all aspects of the engineering process that are taken into account during the full system design of MEC systems. Specifically, this document does not address energy production, performance efficiency, environmental impacts, electric generation and transmission, ergonomics, or power quality.

This document, to the extent possible, adapts the principles of existing applicable standards already in use throughout the marine industry (structure, moorings, anchors, corrosion protection, etc.) and by reference, defers to the appropriate international documents. This document adheres to a Load Resistance Factor Design (LRFD) approach and the principles of limit state design as described in ISO 2394.

MECs designed to convert hydrokinetic energy from significant hydrodynamic forces into other forms of usable energy, such as electrical, hydraulic, or pneumatic may be different from

other types of marine structures. Many MECs are designed to operate in resonance or conditions close to resonance. Furthermore, MECs are hybrids between machines and marine structures. The control forces imposed by the power takeoff (PTO) and possible forces from faults in the operation of the PTO distinguish MECs from other marine structures.

The goal of this document is to adequately address relevant design considerations for MECs that have progressed to an advanced prototype design stage or beyond. This refers to technology concepts that have been proven either through analysis, open water test data, scale model testing in tanks or dry land test facilities, and that are ready for commercialization. It is anticipated that this document will be used in certification schemes for design conformity.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60812, Analysis techniques for system reliability – Procedure for failure mode and effects analysis (FMEA)

IEC 61400-1, *Wind turbines – Part 1: Design requirements*

IEC 61643-11, *Low voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods*

IEC 62305-3, *Protection against lightning – Part 3: Physical damage to structures and life hazard*

IEC TS 62600-1, *Marine energy – Wave, tidal and other water current converters – Part 1: Terminology*

IEC TS 62600-10, *Marine energy – Wave, tidal and other water current converters – Part 10: Assessment of mooring system for marine energy converters (MECs)*

ISO 527-1, *Plastics – Determination of tensile properties – Part 1: General principles*

ISO 2394, *General principles on reliability for structures*

ISO 12473, *General principles of cathodic protection in sea water*

ISO 13003, *Fibre-reinforced plastics – Determination of fatigue properties under cyclic loading conditions*

ISO 14125, *Fibre-reinforced plastic composites – Determination of flexural properties*

ISO 14126, *Fibre-reinforced plastic composites – Determination of compressive properties in the in-plane direction*

ISO 14129, *Fibre-reinforced plastic composites – Determination of the in-plane shear stress/shear strain response, including the in-plane shear modulus and strength, by the $\pm 45^\circ$ tension test method*

ISO 14130, *Fibre-reinforced plastic composites – Determination of apparent interlaminar shear strength by short-beam method*

This is a preview of "IEC/TS 62600-2 Ed. 1...". [Click here to purchase the full version from the ANSI store.](#)

ISO 15024, *Fibre-reinforced plastic composites – Determination of mode I interlaminar fracture toughness, G_{IC} , for unidirectionally reinforced materials*

ISO 19900, *Petroleum and natural gas industries – General requirements for offshore structures*

ISO 19901-4, *Petroleum and natural gas industries – Specific requirements for offshore structures – Part 4: Geotechnical and foundation design considerations*

ISO 19902:2007, *Petroleum and natural gas industries – Fixed steel offshore structures*

ISO 19903, *Petroleum and natural gas industries – Fixed concrete offshore structures*

EN 12495, *Cathodic protection for fixed steel offshore structures*

EN 13173, *Cathodic protection for steel offshore floating structures*