



Edition 3.0 2026-07

INTERNATIONAL STANDARD

**Surface cleaning appliances -
Part 2: Dry vacuum cleaners for household or similar use - Methods for
measuring the performance**

FOREWORD	6
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 General conditions for testing	12
4.1 Atmospheric conditions	12
4.2 Test equipment and materials	12
4.2.1 General	12
4.2.2 Pile direction	13
4.3 Voltage and frequency	13
4.4 Running-in of dry vacuum cleaner	13
4.5 Equipment of the dry vacuum cleaner	13
4.6 Operation of the dry vacuum cleaner	14
4.6.1 General	14
4.6.2 Operation of water filter vacuum cleaners, additional requirements	15
4.7 Conditioning prior to each test	16
4.8 Mechanical operator	16
4.9 Number of samples	16
4.10 Carpets for testing	16
4.11 Stroke length and test area	17
4.12 Stroke speed	17
5 Dry vacuum cleaning test	17
5.1 Dust removal from hard flat floors	17
5.1.1 Test equipment	17
5.1.2 Test area and stroke length	17
5.1.3 Removal of remaining dust	17
5.1.4 Distribution of test dust	18
5.1.5 Preconditioning of dust receptacle	18
5.1.6 Determination of dust removal ability	18
5.2 Dust removal from hard floors with crevices	19
5.2.1 General	19
5.2.2 Test surface and crevice	19
5.2.3 Distribution of test dust	20
5.2.4 Determination of dust removal ability	20
5.3 Debris removal from hard floors	21
5.3.1 Test equipment	21
5.3.2 Test surface	21
5.3.3 Distribution of debris	21
5.3.4 Determination of debris removal ability	21
5.4 Dust removal from carpets	23
5.4.1 General	23
5.4.2 Test carpet and equipment	23
5.4.3 Test area and stroke length	23
5.4.4 Conditioning of test carpet	23
5.4.5 Distribution of test dust	24
5.4.6 Embedding of dust into carpet	24
5.4.7 Preconditioning of dust receptacle	24

This is a preview of IEC 62885-2 Ed. 3.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

5.5	Debris removal from carpet	25
5.5.1	Test equipment.....	25
5.5.2	Distribution of debris	26
5.5.3	Determination of debris removal ability	26
5.6	Dust removal along walls	27
5.6.1	Test equipment and materials	27
5.6.2	Distribution of test dust	28
5.6.3	Determination of dust removal ability along walls	28
5.7	Fibre removal from carpets	29
5.7.1	General	29
5.7.2	Test carpet	29
5.7.3	Distribution of fibres	29
5.7.4	Determination of fibre removal ability from carpets	30
5.8	Fibre removal from upholstery.....	32
5.8.1	General	32
5.8.2	Test cushion	32
5.8.3	Distribution of fibres	32
5.8.4	Determination of fibre removal ability from upholstery.....	33
5.9	Thread removal from carpets	34
5.9.1	Test carpet	34
5.9.2	Distribution of threads	34
5.9.3	Determination of thread removal ability.....	35
5.10	Maximum usable volume of the dust receptacle	35
5.10.1	General	35
5.10.2	Conditions for test	35
5.10.3	Introduction of moulding granules	36
5.10.4	Determination of maximum usable volume of dust receptacle	36
5.11	Air data.....	36
5.11.1	General	36
5.11.2	Test conditions	37
5.11.3	Test equipment and apparatus.....	37
5.11.4	Test procedure	37
5.11.5	Reporting.....	42
5.12	Performance with loaded dust receptacle.....	42
5.12.1	General	42
5.12.2	Determination of suction pressure change with loaded dust receptacle.....	42
5.12.3	Throttling to simulate loaded dust receptacle	44
5.12.4	Determination of performance with loaded dust receptacle	45
5.13	Total emissions while vacuum cleaning.....	45
5.13.1	General	45
5.13.2	Test conditions	45
5.13.3	Test equipment.....	45
5.13.4	Test carpet	45
5.13.5	Test chamber setup and conditioning.....	45
5.13.6	Test sample and material setup	45
5.13.7	Positioning the test (unit)	46
5.13.8	Test procedure	46
5.13.9	Reporting.....	47

This is a preview of IEC 62885-2 Ed. 3.0 en:2026. Click here to purchase the full version from the ANSI store.

5.14.1	General	47
5.14.2	Test conditions	47
5.14.3	Determining the test dust quantity	47
5.14.4	Dust re-emission for the entire range of particle size	48
5.14.5	Fractional filtration efficiency	53
6	Miscellaneous tests	56
6.1	General.....	56
6.2	Motion resistance.....	56
6.2.1	Purpose	56
6.2.2	Test carpet, hard floor surface, and test equipment	56
6.2.3	Determination of motion resistance.....	56
6.3	Cleaning under furniture	57
6.3.1	Purpose	57
6.3.2	Distribution of test dust.....	57
6.3.3	Determination of free furniture height.....	57
6.4	Radius of operation.....	57
6.4.1	Purpose	57
6.4.2	Conditions for measurement	58
6.4.3	Determination of radius of operation	58
6.5	Impact resistance for detachable cleaning heads	58
6.5.1	Purpose	58
6.5.2	Test equipment.....	58
6.5.3	Determination of impact resistance	58
6.6	Deformation of hose and connecting tubes.....	58
6.6.1	Purpose	58
6.6.2	Test equipment.....	58
6.6.3	Determination of permanent deformation	58
6.7	Bump test	59
6.7.1	Purpose	59
6.7.2	Test equipment.....	59
6.7.3	Test cycle	60
6.7.4	Test procedure	61
6.8	Flexibility of the hose	61
6.8.1	Purpose	61
6.8.2	Preparation of test object.....	61
6.8.3	Determination of the flexibility of the hose	61
6.9	Durability of suction hoses	62
6.9.1	Primary hose testing	62
6.9.2	Secondary hose testing	64
6.10	Ability to maintain air flow performance.....	65
6.10.1	Purpose	65
6.10.2	Test dust	65
6.10.3	Procedure.....	65
6.11	Mass.....	65
6.12	Weight in hand.....	66
6.13	Specific cleaning time	66
6.14	Dimensions.....	66
6.15	Airborne acoustical noise	66

This is a preview of IEC 62885-2 Ed. 3.0 en:2026. Click here to purchase the full version from the ANSI store.

6.16.1	General	67
6.16.2	Energy consumption when vacuuming carpets	67
6.16.3	Energy consumption with vacuuming of hard floors and hard floors with crevices	69
6.16.4	Energy consumption of cordless active dry nozzles for use with mains-powered dry vacuum cleaners	69
6.17	Operational motor lifetime test	71
6.17.1	General	71
6.17.2	Procedure.....	71
7	Test material and equipment	72
7.1	General.....	72
7.2	Test carpets.....	72
7.2.1	General	72
7.2.2	Quantity and size of carpets	72
7.3	Equipment for tests	73
7.3.1	Floor test plate	73
7.3.2	Weighing machine	73
7.3.3	Total emissions test.....	73
7.3.4	Dust collection box	74
8	Instructions for use	75
Annex A (informative)	Information on materials	76
Annex B (informative)	Information at the point of sale	77
Annex C (informative)	Maximum operational power (Not applicable to cordless dry vacuum cleaners)	78
Annex D (normative)	Cordless dry vacuum cleaners for household or similar use - Additional requirements	79
Bibliography		83
Figure 1 – Right-angled T		28
Figure 2 – Determination of cleaning area.....		29
Figure 3 – Stencil for distribution of fibres on test carpets.....		30
Figure 4 – Zigzag stroke pattern		31
Figure 5 – Frame for test cushion		32
Figure 6 – Stencil for distribution of fibres on upholstery		33
Figure 7 – Arrangement of threads in the thread removal test		34
Figure 8 – Stroke length in tests		35
Figure 9 – Air data curves.....		38
Figure 10 – Connecting tube opening.....		43
Figure 11 – Test dust for loading dust receptacle.....		43
Figure 12 – Insertion depth		57
Figure 13 – Position of test object and cross-section for measurement of deformation		59
Figure 14 – Profile of threshold		60
Figure 15 – Arrangements for bump test		60
Figure 16 – Configurations of vacuum cleaners with primary or secondary hoses		63
Figure 17 – Interconnecting hose		63

This is a preview of IEC 62885-2 Ed. 3.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

Figure D.1 – Air data curves	82
Table 1 – Confidence limits of a Poisson distribution for 95 % confidence range	52
Table D.1 – Modifications to the text of this document	79

Surface cleaning appliances - Part 2: Dry vacuum cleaners for household or similar use - Methods for measuring the performance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62885-2 has been prepared by subcommittee 59F: Surface cleaning appliances, of IEC technical committee 59: Performance of household and similar electrical appliances. It is an International Standard.

This third edition of IEC 62885-2 cancels and replaces the second edition published in 2021. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) relocation of RSB annexes to [IEC TS 62885-1 \[1\]](#);
- b) relocation of remaining test materials, test dust, and equipment to [IEC TS 62885-1 \[1\]](#);
- c) reduced number of test strokes from 5 double strokes to 3 double strokes except as specifically required;

This is a preview of IEC 62885-2 Ed. 3.0 en:2026. Click here to purchase the full version from the ANSI store.

62885-4 [2] to a new Annex D;

- e) added definition and instructions for a universal dry nozzle;
- f) relocated air data equipment to IEC TS 62885-1 [1], relocated formulae to 5.11, and made revisions to air data requirements;
- g) relocated dust re-emission equipment to IEC TS 62885-1 [1].

The text of this International Standard is based on the following documents:

Draft	Report on voting
59F/569/FDIS	59F/576/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all the parts in the IEC 62885 series, under the general title *Surface cleaning appliances*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

This part of IEC 62885 is applicable for measurements of the performance of mains-operated and **cordless dry vacuum cleaners**, including water filter vacuum cleaners for household or similar use.

Table D.1 of **Annex D** is applicable to measurements of the performance of cordless dry vacuum cleaners for household use or under conditions similar to those in households. The results obtained under this annex are intended to be comparable to the results obtained for mains-operated vacuum cleaners. The purpose of **Annex D** is to specify additional requirements for measurements of **cordless dry vacuum cleaners**.

NOTE 1 **Annex D** is not intended for mains-operated vacuum cleaners or cleaning robots.

NOTE 2 Cleaning robots are evaluated to **IEC/ASTM 62885-7 [3]**.

NOTE 3 Handheld dry vacuum cleaners are excluded, except for **5.10.2** and **5.11**.

NOTE 4 Measurements of the performance of mains-operated commercial dry vacuum cleaners are found in **IEC 62885-8 [4]**.

The purpose of this document is to specify essential performance characteristics of dry vacuum cleaners which are of interest to users and to describe methods for measuring these characteristics.

NOTE 5 Due to the influence of environmental conditions, variations in time, origin of test materials and proficiency of the operator, some of the described test methods will give more reliable results when applied for comparative testing of a number of appliances at the same time, in the same laboratory and by the same operator.

NOTE 6 The methods here can be applied with modifications for surface-cleaning product types or technologies not currently covered within the scope.

For safety requirements, reference is made to **IEC 60335-1:2020 [5]** and **IEC 60335-2-2 [6]**.

A recommendation on information for the consumer at the point of sale is given in **Annex B**.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60704-2-1, *Household and similar electrical appliances - Test code for the determination of airborne acoustical noise - Part 2-1: Particular requirements for dry vacuum cleaners*

IEC 62301:2011, *Household electrical appliances - Measurement of standby power*

IEC TS 62885-1:2026, *Surface cleaning appliances - Part 1: General requirements on test material and test equipment*

ISO 29463-1, *High efficiency filters and filter media for removing particles in air — Part 1: Classification, performance, testing and marking*

EN 1822-1, *High efficiency air filters (EPA, HEPA, and ULPA) - Part 1: Classification, performance testing, marking*.

IEC 60335-2-2:2019, *Household and similar electrical appliances - Safety - Part 2-2: Particular requirements for vacuum cleaners and water-suction cleaning appliances*

- [1] IEC TS 62885-1, *Surface cleaning appliances - Part 1: General requirements on test material and test equipment*
- [2] IEC 62885-4, *Surface cleaning appliances - Part 4: Cordless dry vacuum cleaners for household or similar use - Methods for measuring the performance*
- [3] IEC/ASTM 62885-7, *Surface cleaning appliances - Part 7: Dry-cleaning robots for household or similar use - Methods for measuring the performance*
- [4] IEC 62885-8, *Surface cleaning appliances - Part 8: Dry vacuum cleaners for commercial use - Methods for measuring the performance*
- [5] IEC 60335-1:2020, *Household and similar electrical appliances - Safety - Part 1: General requirements*
- [6] IEC 60335-2-2, *Household and similar electrical appliances - Safety - Part 2-2: Particular requirements for vacuum cleaners and water-suction cleaning appliances*
- [7] IEC TS 62885-1:2026, *Surface cleaning appliances - Part 1: General requirements on test material and test equipment*
- [8] ASTM F431, *Standard Specification for Air Performance Measurement Plenum Chamber for Vacuum Cleaners*
- [9] ISO 5167-1:2022, *Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full — Part 1: General principles and requirements*
- [10] ASTM F2608, *Standard Test Method for determining the change in Room Air Particulate Count as a result of the Vacuum Cleaning process*
- [11] ASTM F1977, *Standard Test Method for determining Initial, Fractional, Filtration Efficiency of a Vacuum Cleaner System*
- [12] IEC 60704-3, *Household and similar electrical appliances - Test code for the determination of airborne acoustical noise - Part 3: Procedure for determining and verifying declared noise emission values*
- [13] IEC 62885-4, *Surface cleaning appliances - Part 4: Cordless dry vacuum cleaners for household or similar use - Methods for measuring the performance*
- [14] IEC 62885-10, *Battery-related items for surface cleaning appliances for household or similar use - Methods for measuring the performance*