This is a preview of "IEEE 2401-2019". Click here to purchase the full version from the ANSI store.



IEEE Standard Format for LSI-Package-Board Interoperable Design

IEEE Computer Society

Developed by the Design Automation Standards Committee

IEEE Std 2401[™]-2019 (Revision of IEEE Std 2401[™]-2015)





IEEE Std 2401[™]-2019 (Revision of IEEE Std 2401-2015)

IEEE Standard Format for LSI-Package-Board Interoperable Design

Developed by the

Design Automation Standards Committee of the IEEE Computer Society

Approved 7 November 2019

IEEE SA Standards Board

Copyrights and permissions

All figures in this standard are reprinted with permission from JEITA.¹

Abstract: A method is provided for specifying a common interoperable format for electronic systems design. The format provides a common way to specify information/data about the project management, netlists, components, design rules, and geometries used in the large-scale integration-package-board designs. The method provides the ability to make electronic systems a key consideration early in the design process; design tools can use it to seamlessly exchange information/data.

Keywords: common interoperable format, components, design analysis, design rules, geometries, IEEE 2401[™], large-scale integration (LSI), netlists, packages for LSI circuits, printed circuit board, project management, Verilog-HDL

The Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2019 by The Institute of Electrical and Electronics Engineers, Inc. All rights reserved. Published 27 January 2020. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-6325-6 STD23988 Print: ISBN 978-1-5044-6326-3 STDPD23988

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html.

¹ Every effort has been made to secure permission to reprint borrowed material contained in this document. If omissions have been made, please bring them to our attention.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important notices and disclaimers concerning IEEE Standards documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading "Important notices and disclaimers concerning IEEE standards documents." They can also be obtained on request from IEEE or viewed at <u>http://standards.ieee.org/IPR/disclaimers.html</u>.

Notice and disclaimer of liability concerning the use of IEEE Standards documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association ("IEEE SA") Standards Board. IEEE ("the Institute") develops its standards through a consensus development process, approved by the American National Standards Institute ("ANSI"), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied "AS IS" and "WITH ALL FAULTS."

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE SA Standards Board 445 Hoes Lane Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Xplore at http://ieeexplore.ieee.org/ or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE SA Website at http://standards.ieee.org.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE SA Website at the following URL: <u>http://standards.ieee.org/findstds/errata/index.html</u>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at http://standards.ieee.org/about/sasb/patcom/patents.html. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

This is a preview of "IEEE 2401-2019". Click here to purchase the full version from the ANSI store.

Participants

At the time this IEEE standard was completed, the Standard Format for LSI-Package-Board Interoperable Design Working Group had the following membership:

Yoshinori Fukuba, Chair Genichi Tanaka, Vice Chair

Takahiro Aoki Norman Chang Kazuhiro Kadota Michael Mirmak Takuya Moriya Tamio Nagano Takashi Otsuki John Park Atsushi Tomishima Tom Whipple

The following members of the entity balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Cadence Design Systems, Inc. Ericsson AB Intel Corporation Japan Electronics and Information Technology Industries Association (JEITA) Siemens Corporation Toshiba Corporation

When the IEEE SA Standards Board approved this standard on 7 November 2019, it had the following membership:

Gary Hoffman, Chair Ted Burse, Vice Chair Jean-Philippe Faure, Past Chair Konstantinos Karachalios, Secretary

Masayuki Ariyoshi Stephen D. Dukes J. Travis Griffith Guido Hiertz Christel Hunter Thomas Koshy Joseph L. Koepfinger* Thomas Koshy

*Member Emeritus

John D. Kulick David J. Law Joseph Levy Howard Li Xiaohui Liu Kevin Lu Daleep Mohla Andrew Myles Annette D. Reilly Dorothy Stanley Sha Wei Phil Wennblom Philip Winston Howard Wolfman Feng Wu Jingyi Zhou

Introduction

This introduction is not part of IEEE Std 2401-2019, IEEE Standard Format for LSI-Package-Board Interoperable Design.

To deal with the increasing difficulty of design and the cost competitiveness of the global market, and to shorten the development term, innovative design methodologies should be implemented. It has been difficult to achieve the optimization of an entire set of large-scale integration (LSI), package, and board (LPB) using individual design processes for each LPB part.

One possibility for optimization is to have a certain section design the whole LPB; however, gathering knowledge and integrating the design environment of each LPB part is difficult. Dedicated professional technicians of individual LPB parts, who have the best knowledge and performance of their own part's design tools, intend to create design optimization by having proper interoperable information exchanges among all LPB parties. In order to achieve a design that optimizes the balance between cost and performance, information about and the results of design should be well shared among cooperating LPB design sections.

The standard format of LSI package board interoperable design (hereinafter called *LPB Format*) was developed to make it easier to exchange information among LPB design departments, so that optimal design will be carried out quickly.

The LPB interoperable design process has the following issues:


- Netlist not unified on each LPB
- Complexity of the representation of the relationship as a whole arrangement of the LPB
- Differences in how to give the design constraints, lack of design information, and many discrepancies in design rules
- Databases not unified in each LPB, or among different vendors
- No unified terms

Various problems caused by these issues include the following:

- A large effort is required for conversion of formats.
- The occurrence of conversion errors and connection errors is difficult to detect because there is a lack of the information needed to do so.
- It takes a long time to gather information, resulting in a long period of design and analysis.
- It is difficult to make optimal design changes because the entire verification process is difficult.
- Electronic design automation (EDA) tool cost increase because of additional development required to support multiple formats.
- It is time consuming for designers to communicate their intentions in a way that others understand.

Based on this analysis, the interface LPB Format has been developed which can address these issues.


As the one of the case studies of the LPB interoperable design process, the power distribution network (PDN) should be designed with information about the other LPB parts to reduce the noise (see Figure i).



Reprinted with permission from JEITA.

Figure i—Power distribution network

Resonance is caused by a capacitance and inductance present in the various parts in the LPB PDN. Impedance at the resonant frequency will be extremely large. If each part of the overall LPB design is not accurately simulated in the PDN model, the power supply circuit cannot be correctly designed (see Figure ii).



Reprinted with permission from JEITA.

Figure ii—Example of PDN impedance

In order to run properly, this simulation should align a variety of information, such as the circuit model of power distribution network (PDN) of LSI, shape information about the package and board, electrical parameters of materials, and models of the components. It is difficult to make an efficient design when the specification or format of the design information is different in each part of the LPB, and the necessary parameters are not shared. When the format of the interface methods and models of the simulation are not consistent, the setup time and the cost of design/verification are enormous, which has become a barrier to cooperation in LPB design. The LPB Format will be evolved to create a mutual interface to enable a more efficient co-design environment.

Contents

| 1. Overview | |
|--|------|
| 1.1 Scope | |
| 1.2 Purpose | |
| 1.3 Key characteristics of the LSI-Package-Board Format | |
| 1.4 Contents of this standard | |
| 1.5 Word usage | |
| | |
| 2. Normative references | |
| | |
| 3. Definitions, acronyms, and abbreviations | |
| 3.1 Definitions | |
| 3.2 Acronyms and abbreviations | 16 |
| 4. Concept of the LPB Format | 18 |
| 4.1 Technical background | |
| 4.2 Conventional design | |
| 4.3 Common problems at the design site | 10 |
| 4.4 Concept of LPB interoperable design | |
| 4.5 Value creation by LPB interoperable design | |
| 4.6 LPB Format | |
| 4.7 Summary of LPB Format files | |
| | |
| 5. Language basics | |
| 5.1 General | |
| 5.2 Typographic and syntax conventions | |
| 5.3 Character information | |
| 5.4 Notation of the floating point number | |
| 5.5 File naming definitions | |
| 6. Common elements in M-Format, C-Format, and R-Format | 20 |
| | |
| 6.1 General 6.2 The <extensions> element</extensions> | |
| 6.3 The <header> element</header> | |
| | |
| 6.4 The <global> element</global> | |
| 7. M-Format | |
| 7.1 M-Format file structure | |
| 7.2 The <include> element</include> | |
| 7.3 The <current_phase> element</current_phase> | 49 |
| 7.4 The <class> element</class> | |
| 9 C Format | F.C. |
| 8. C-Format | |
| 8.1 C-Format file structure | |
| 8.2 The <module> element</module> | |
| 8.3 The <component> element</component> | |
| 9. R-Format | |
| 9.1 R-Format file structure | |
| 9.2 The <physicaldesign> element</physicaldesign> | |
| 9.3 The <constraintrule> element</constraintrule> | |
| | |

| 10. N-Format | |
|--|-----|
| 10.1 Purpose of the N-Format file | |
| 10.2 How to identify the power/ground network | |
| 10.3 Example | |
| | |
| 11. G-Format | 212 |
| 11.1 Language basics of G-Format. | |
| 11.2 Structure | |
| 11.3 Header section | |
| 11.4 Material section | |
| 11.5 Layer section | |
| 11.6 Shape section | |
| 11.7 Board geometry section | |
| 11.8 Padstack section | |
| 11.9 Part section | |
| | |
| 11.10 Component section | |
| 11.11 Net attribute section | |
| 11.12 Netlist section | |
| 11.13 Via section | |
| 11.14 Bondwire section | |
| 11.15 Route section | |
| Annex A (informative) Bibliography | |
| Annex B (informative) Examples of utilization | 235 |
| B.1 Understanding the function of the LPB Format | |
| B.2 Test bench | |
| B.3 Design flow example | |
| B.4 Growth of the sample files in the LPB Format | |
| B.5 Simulations using the sample files in the LPB Format | |
| - · · · · · · · · · · · · · · · · · · · | |
| Annex C (informative) XML Encryption | |
| | |
| Annex D (informative) MD5 checksum | |
| | |
| Annex E (informative) Chip-Package Interface Protocol | |
| E.1 General | |
| E.2 Comparison of C-Format with Chip-Package Interface Protocol | |
| ,,,,,,, | |
| Annex F (informative) M-Format usage examples | |
| F.1 General | 284 |
| F.2 Bundling files for a product | |
| F.3 Bundling files for a library | |
| F.4 Managing design versions using M-Format | |
| r managing acorgin versions asing m r official | |
| Annex G (informative) Example of how to express the connector parts as terminals | 288 |
| G.1 General | |
| | |

IEEE Standard Format for LSI-Package-Board Interoperable Design

1. Overview

1.1 Scope

This standard defines a common interoperable format that will be used for the design of a) large-scale integration (LSI), b) packages for such LSI, and c) printed circuit boards on which the packaged LSIs are interconnected. Collectively, such designs are referred to as *LSI-Package-Board (LPB)* designs. The format provides a common way to specify information/data about the project management, netlists, components, design rules, and geometries used in LPB designs.

1.2 Purpose

The general purpose of this standard is to develop a common format that LPB design tools can use to exchange information/data seamlessly, as opposed to having to work with multiple different input and output formats.

1.3 Key characteristics of the LSI-Package-Board Format

The LPB Format will facilitate the exchange of design information. This functionality provides the ability to plan the entire design at an early stage. In effect, post-design analysis will be possible throughout the entire LPB design process. Analysis of each part of the design can be examined in relation to all other parts of the design to determine the optimal point to give feedback for appropriate design changes throughout the LPB. This will promote the overall optimization of the design process.

The LPB Format is constructed out of the following five formats (see Figure 1):

- a) Project Management (M-Format)
- b) Netlist (N-Format)
- c) Component (C-Format)
- d) Design Rule (R-Format)
- e) Geometry (G-Format)