



# Approved Method: **Measuring Lumen Maintenance of LED Light Sources**

**IES Approved Method for  
Measuring Lumen Maintenance of  
LED Light Sources**

**Publication of this Committee report has been approved by IES.  
Suggestions for revision should be directed to IES**

**Prepared by: The Subcommittee on Solid State Light Sources  
of the IESNA Testing Procedures Committee**

*Copyright 2008 by the Illuminating Engineering Society of North America.*

*Approved by the IES Board of Directors, September 22, 2008, as a Transaction of the Illuminating Engineering Society of North America.*

*All rights reserved. No part of this publication may be reproduced in any form, in any electronic retrieval system or otherwise, without prior written permission of the IES.*

Published by the Illuminating Engineering Society of North America, 120 Wall Street, New York, New York 10005.

IES Standards and Guides are developed through committee consensus and produced by the IES Office in New York. Careful attention is given to style and accuracy. If any errors are noted in this document, please forward them to Rita Harrold, Director Educational and Technical Development, at the above address for verification and correction. The IES welcomes and urges feedback and comments.

ISBN # 978-0-87995-227-3

*Printed in the United States of America.*

#### **DISCLAIMER**

IES publications are developed through the consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on lighting recommendations. While the IES administers the process and establishes policies and procedures to promote fairness in the development of consensus, it makes no guaranty or warranty as to the accuracy or completeness of any information published herein. The IES disclaims liability for any injury to persons or property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document

In issuing and making this document available, the IES is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the IES undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The IES has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the IES list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or statement of compliance with the requirements of this document shall not be attributable to the IES and is solely the responsibility of the certifier or maker of the statement.

**Prepared by the Subcommittee on Solid State Lighting of the IESNA Testing Procedures Committee**

**Solid State Lighting Subcommittee**

Kevin J. Dowling, Chair

S. K. Aanegola	P. F. Keebler*
C. K. Andersen	M. Kotrebai
R. C. Berger	K. K. Krueger
R. S. Bergman	J. P. Marella
E. Bretschneider*	M. J. Mayer
M. T. Dyble*	G. McKee
S. D. Ellersick*	D. M. Mesh*
D. Ellis*	C. C. Miller
M. Grather	Y. Ohno
P. J. Havens*	E. Radkov
S. Herman*	M. L. Riebling*
A. Jackson*	M. B. Sapcoe*
D. R. Jenkins*	L. Stafford*
J. Jiao	G. Trott*
M. A. Kalkas*	R. C. Tuttle
D. Karambelas	J. W. Yon*
H. S. Kashani*	J. X. Zhang

**IES Testing Procedures Committee**

Michael Grather, Chair

C. K. Andersen	J. Lawton*
L. M. Ayers	L. E. Leetzow*
W. E. Beakes	K. C. Lerbs*
R. C. Berger	R. E. Levin*
R. P. Bergin*	I. Lewin
R. S. Bergman	R. Low*
R. C. Dahl*	J. P. Marella
R. O. Daubach*	G. McKee
K. J. Dowling	S. W. McKnight*
D. Ellis	D. C. Mertz**
A. M. Foy*	C. C. Miller
P. J. Franck*	B. Mosher
R. V. Heinisch*	W. A. Newland
T. T. Hernandez*	Y. Ohno*
R. E. Horan	D. W. Parkansky*
J. Hospodarsky	D. N. Randolph
D. E. Husby**	D. Rector
D. R. Jenkins*	M. B. Sapcoe
J. Jiao*	D. C. Smith*
M. A. Kalkas	R. C. Speck**
D. Karambelas	L. Stafford*
M. Kotrebai	G. A. Steinberg
K. K. Krueger	N. Stuffer**
B. Kuebler*	T. G. Yahraus*
E. Ladouceur*	J. X. Zhang

\* Advisory Member

\*\* Honorary Member

## Contents

<b>1.0</b>	<b>Scope</b>	<b>1</b>
<b>2.0</b>	<b>References</b>	<b>1</b>
<b>2.1</b>	<b>Normative References</b>	<b>1</b>
2.1.1		1
2.1.2		1
<b>2.2</b>	<b>Non-Normative References</b>	<b>1</b>
2.2.1		1
2.2.2		1
2.2.3		1
2.2.4		1
2.2.5		2
2.2.6		2
2.2.7		2
<b>3.0</b>	<b>Definitions</b>	<b>2</b>
<b>3.1</b>	<b>Measurement Units</b>	<b>2</b>
<b>3.2</b>	<b>LED Source</b>	<b>2</b>
<b>3.3</b>	<b>Lumen Maintenance</b>	<b>2</b>
<b>3.4</b>	<b>Lumen Maintenance Life</b>	<b>2</b>
<b>3.5</b>	<b>LED Source Failure</b>	<b>2</b>
<b>3.6</b>	<b>Rated Lumen Maintenance Life, (<math>L_p</math>)</b>	<b>2</b>
<b>3.7</b>	<b>Case Temperature, (<math>T_s</math>)</b>	<b>2</b>
<b>4.0</b>	<b>Ambient and Physical Conditions</b>	<b>2</b>
<b>4.1</b>	<b>General</b>	<b>2</b>
<b>4.2</b>	<b>LED Unit Marking</b>	<b>2</b>
<b>4.3</b>	<b>Sample Selection</b>	<b>2</b>
<b>4.4</b>	<b>Environmental Conditions</b>	<b>3</b>
4.4.1	Vibration	3
4.4.2	Temperature and Humidity	3
4.4.3	Airflow	3
4.4.4	Operating orientation and LED Unit Spacing	3
<b>5.0</b>	<b>Electrical and Thermal Conditions</b>	<b>3</b>
<b>5.1</b>	<b>Input Voltage and Current</b>	<b>3</b>
<b>5.2</b>	<b>Line Voltage Waveshape</b>	<b>3</b>
<b>5.3</b>	<b>Input Current Regulation</b>	<b>3</b>
<b>5.4</b>	<b>Auxiliary Equipment including Drivers</b>	<b>3</b>
<b>5.5</b>	<b>Case Temperature</b>	<b>3</b>
<b>6.0</b>	<b>Test and Measurement Procedures</b>	<b>3</b>
<b>6.1</b>	<b>Instrumentation</b>	<b>3</b>
<b>6.2</b>	<b>Photometry Measurement</b>	<b>4</b>
<b>6.3</b>	<b>Photometry Measurement Temperature</b>	<b>4</b>
<b>7.0</b>	<b>Lumen Maintenance Testing Method for LED Light Sources</b>	<b>4</b>
<b>7.1</b>	<b>Lumen Maintenance Testing Duration and Interval</b>	<b>4</b>
<b>7.2</b>	<b>Operating Cycle</b>	<b>4</b>
<b>7.3</b>	<b>Recording Failures</b>	<b>4</b>
<b>7.4</b>	<b>Chromaticity</b>	<b>4</b>
<b>8.0</b>	<b>Test Report</b>	<b>4</b>

# IESNA Approved Method for Lumen Maintenance Testing of LED Light Sources

## Introduction

This approved method, LM-80, covers the measurement of lumen maintenance of inorganic LED-based packages, arrays and modules.<sup>1</sup> LM-80 does not attempt to induce any failure modes other than the maintenance of lumen output. In this document the use of the term 'sources' refers to packages, arrays and modules only.

This approved method describes the procedures by which LED light sources can be operated under controlled conditions to obtain optimally comparable data on changes in light output during the life of the lamp. These sources must be operated on external auxiliary devices.

LEDs typically exhibit very long operational life characteristics and, depending on drive current and use conditions, can be in use for 50,000 hours or longer. Like all light sources, the light output from LEDs slowly decreases in output over time. Unlike traditional light sources, LEDs do not tend to fail catastrophically. Therefore, over time, lumen maintenance can result in lower light output than intended in the specification or required by codes, standard practices or regulations.

LEDs may also undergo gradual shifts in the emitted spectra over time that may result in unacceptable appearance or color rendering. These changes may affect the lumen maintenance due to changes in the lumen output resulting from a varying spectral power distribution.

It is important to know the light output, efficacy, and lumen maintenance as well as the life of these light sources. For information on the photometry of the LED light source, see Reference 2.1.2, LM-79. The term 'lifetime' is often used to describe end-of-life criteria such as when lumen maintenance falls below a defined threshold. This standard establishes procedures for the measurement of lumen maintenance.

Performance of LED light sources is typically affected by variables such as operating cycle, conditions imposed by auxiliary equipment and fixtures, ambient temperature, airflow and orientation. Test conditions and programs should be designed to give comparable results when adopted by various laboratories. The recommendations of this approved method have been made with this objective.

<sup>1</sup>See IES Publication RP-16-05 Nomenclature and Definitions for Illumination Engineering. Addendum A.

---

## 1.0 SCOPE

---

This approved method is one of a continuing series of IESNA Approved Methods, which are written to permit reliable comparison of test results among laboratories by establishing uniform test methods. It addresses the measurement of lumen maintenance testing for LED light sources designed and certified to meet lighting industry standards.

This document provides the methods of the measurement of lumen maintenance of sources including LED packages, arrays and modules only. Lumen maintenance is a characteristic measured under controlled conditions. Performance in a particular application may be different. This approved method does not provide guidance or make any recommendation regarding predictive estimations or extrapolation for lumen maintenance beyond the limits of the lumen maintenance determined from actual measurements.

---

## 2.0 REFERENCES

---

### 2.1 Normative References

**2.1.1** Measurement of LEDs (2<sup>nd</sup> ed.), CIE 127:2007, ISBN 978 3 901 906 58 9

**2.1.2** IESNA Testing Procedures Committee. IESNA LM-79-2008 *Approved Method for the Electrical and Photometric Measurements of LED Light Sources*, New York: Illuminating Engineering Society of North America, 2008.

### 2.2 Non-Normative References

**2.2.1** ASSIST Recommends: *LED Life Testing*. Vol. 1-6, 2005. Lighting Research Center, Rensselaer Polytechnic Institute, Troy, NY, 2005.

**2.2.2** ANSI/IESNA Testing Procedures Committee, IESNA RP-16-07, *Nomenclature and Definitions for Illuminating Engineering*. See also Addendum A on solid-state lighting (Document is now continuously updated)

**2.2.3** IESNA Testing Procedures Committee, IESNA LM-40-01, *Approved Method for Life Performance Testing of Fluorescent Lamps*, New York: Illuminating Engineering Society of North America, 2001.