

Recommended Practice for

# Sports and Recreational Area Lighting



The  
LIGHTING  
AUTHORITY®

# IESNA RP-6-01

## Recommended Practice for Sports and Recreational Area Lighting

Publication of this Committee Report has been approved by the IESNA. Suggestions for revisions should be directed to the IESNA.

**Prepared by:**

**The IESNA Sports and Recreational Areas Lighting Committee**

*Copyright 2001 by the Illuminating Engineering Society of North America.*

*Approved by the IESNA Board of Directors, August 5, 2001 as a Transaction of the Illuminating Engineering Society of North America.*

*All rights reserved.* No part of this publication may be reproduced in any form, in any electronic retrieval system or otherwise, without prior written permission of the IESNA.

Published by the Illuminating Engineering Society of North America, 120 Wall Street, New York, New York 10005.

IESNA Standards and Guides are developed through committee consensus and produced by the IESNA Office in New York. Careful attention is given to style and accuracy. If any errors are noted in this document, please forward them to Rita Harrold, Director Educational and Technical Development, at the above address for verification and correction. The IESNA welcomes and urges feedback and comments.

*Printed in the United States of America.*

#### **DISCLAIMER**

IESNA publications are developed through the consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on lighting recommendations. While the IESNA administers the process and establishes policies and procedures to promote fairness in the development of consensus, it makes no guaranty or warranty as to the accuracy or completeness of any information published herein. The IESNA disclaims liability for any injury to persons or property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document.

In issuing and making this document available, the IESNA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the IESNA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The IESNA has no power, nor does it undertake, to police or enforce compliance with the contents of this document. Nor does the IESNA list, certify, test or inspect products, designs, or installations for compliance with this document. Any certification or statement of compliance with the requirements of this document shall not be attributable to the IESNA and is solely the responsibility of the certifier or maker of the statement.

Prepared by the IESNA Sports and Recreational Areas Lighting Committee

**RP Task Force**

J. Delvin Armstrong, Chair

**IESNA Sports and Recreational Areas Lighting Committee**

Russ Owens, Chair

[Michael Owens, Chair – July, 1998 to July, 2000]

S.W. Annoh\*  
J.D. Armstrong  
A.S.C. Chong\*  
D.L. Crawford\*  
C. Douglas  
C.P. Franks  
J. Frey  
P.J. Hunt  
D.E. Husby\*  
E.K. Jensen  
J.A. Kirchner  
D.S. Ku  
T.M. Lemons  
J.F. Lindstrom  
S.W. McKnight\*  
R.D. Mosier  
M. Owens  
M. Szalay\*  
W.K.Y. Tao\*

\*Advisory

## Contents

<b>1.0 Introduction</b>	
<b>1.1 Purpose and Scope</b>	1
<b>1.2 Class of Play and Facilities</b>	1
<b>1.3 Types of Sports</b>	2
1.3.1 Aerial Sports	2
1.3.2 Ground Level Sports	2
<b>1.4 Power and Energy</b>	2
<b>2.0 Fundamentals of Good Illumination</b>	3
<b>2.1 General</b>	3
<b>2.2 Quantity of Light</b>	3
2.2.1 Illuminance	3
2.2.2 Horizontal Illuminance	4
2.2.3 Vertical Illuminance	4
2.2.4 Initial and Maintained Illuminances	4
2.2.5 Average Illuminance	5
<b>2.3 Quality of Light</b>	5
2.3.1 General	5
2.3.2 Uniformity (Horizontal)	6
2.3.3 Glare	7
2.3.4 Luminance Contrast	8
2.3.5 Color Contrast	9
2.3.6 Modeling	9
2.3.6.1 Flat Illumination	9
2.3.6.2 Directional Illumination	9
2.3.7 Flicker Index	10
2.3.8 Stroboscopic Effect	10
<b>2.4 Spill Light</b>	10
<b>2.5 Television Broadcasting</b>	11
2.5.1 General	11
2.5.2 Factors Affecting Illumination Criteria	11
2.5.3 Illumination Criteria	12
<b>3.0 Equipment and Design Factors</b>	12
<b>3.1 General</b>	12
<b>3.2 Light Sources</b>	12
3.2.1 General	12
3.2.2 High Intensity Discharge	12
3.2.2.1 Metal Halide	13
3.2.2.2 High Pressure Sodium	13
3.2.3 Fluorescent	13
3.2.4 Special Design Considerations	13
3.2.5 Characteristics of Light Sources	13
<b>3.3 Luminaires</b>	13
3.3.1 General	13
3.3.2 Floodlight Classifications	13
3.3.3 Beam Type	14
3.3.4 Luminaire Luminance Control	14
3.3.5 Photometric Data	14
3.3.6 Special Considerations	14
<b>3.4 Design Considerations for Indoor Applications</b>	15
3.4.1 General	15
3.4.2 Choice of Indoor Systems	16
3.4.3 Choice of Indoor Equipment	17
3.4.4 Design Factors	17
<b>3.5 Design Considerations for Outdoor Applications</b>	17

## Contents

3.5.1 General	17
3.5.2 Choice of Outdoor Systems	18
3.5.3 Choice of Outdoor Equipment	18
3.5.4 Design Factors	18
<b>3.6 Illuminance Calculations</b>	18
3.6.1 General	18
3.6.2 Initial vs. Maintained Illuminance	18
3.6.3 Playing Area	18
3.6.4 Calculation Methods	19
<b>3.7 Field Measurements</b>	19
<b>3.8 Floodlight Aiming</b>	19
<b>3.9 Maintenance</b>	19
<b>3.10 Economic Analysis</b>	19
<b>4.0 Power and Wiring</b>	20
<b>4.1 Electrical Power Service</b>	20
<b>4.2 Distribution Voltage Selection</b>	20
<b>4.3 Voltage Drop Limits</b>	20
<b>4.4 Significance of Voltage Selection</b>	20
<b>4.5 Ballast Mounting</b>	20
<b>4.6 Power Distribution System Configuration</b>	20
<b>4.7 Equipment Construction</b>	21
<b>4.8 Switching and Controls</b>	21
<b>4.9 Safety and Security Lighting</b>	21
<b>4.10 Effective Energy Use</b>	21
<b>5.0 Lighting for Indoor Sports</b>	23
<b>5.1 General</b>	23
<b>5.2 General Purpose Facilities</b>	23
5.2.1 Types of Facilities	23
5.2.2 Design Considerations	24
<b>5.3 Archery</b>	25
5.3.1 Illuminance Criteria	25
5.3.2 Design Considerations	26
<b>5.4 Basketball</b>	26
5.4.1 Illuminance Criteria	26
5.4.2 Design Considerations	26
<b>5.5 Bowling</b>	27
5.5.1 Illuminance Criteria	27
5.5.2 Design Considerations	27
<b>5.6 Boxing and Wrestling</b>	28
5.6.1 Illuminance Criteria	28
<b>5.7 Curling</b>	28
5.7.1 Illuminance Criteria	28
5.7.2 Design Considerations	29
<b>5.8 Gymnastics</b>	29
5.8.1 Illuminance Criteria	29
5.8.2 Design Considerations	29
<b>5.9 Handball, Racquetball, and Squash</b>	29
5.9.1 Illuminance Criteria	29
5.9.2 Design Considerations	30
<b>5.10 Ice/Roller Hockey</b>	30
5.10.1 Illuminance Criteria	30
5.10.2 Design Considerations	31
<b>5.11 Ice Skating (Figure)</b>	31
5.11.1 Illuminance Criteria	31
5.11.2 Design Considerations	31

## Contents

<b>5.12 Ice Skating (Speed)</b> .....	31
5.12.1 Illuminance Criteria .....	31
5.12.2 Design Considerations .....	31
<b>5.13 Rifle and Pistol Ranges</b> .....	31
5.13.1 Illuminance Criteria .....	31
5.13.2 Design Considerations .....	31
<b>5.14 Rodeo</b> .....	32
5.14.1 Illuminance Criteria .....	32
5.14.2 Design Considerations .....	32
<b>5.15 Roller Skating</b> .....	32
5.15.1 Illuminance Criteria .....	32
5.15.2 Design Considerations .....	32
<b>5.16 Indoor Soccer - Arena Football</b> .....	32
<b>5.17 Swimming (Water Sports)</b> .....	33
5.17.1 Illuminance Criteria (Pool) .....	33
5.17.2 Illuminance Criteria (Pool Basin) .....	34
5.17.3 Design Considerations .....	35
<b>5.18 Tennis</b> .....	35
5.18.1 Illuminance Criteria .....	36
5.18.2 Lighting Systems and Special Considerations .....	37
<b>5.19 Volleyball</b> .....	39
5.19.1 Illuminance Criteria .....	39
5.19.2 Design Considerations .....	39
<b>5.20 Specialty Sports</b> .....	39
5.20.1 Animal Shows .....	39
5.20.2 Billiards and Pool .....	40
5.20.3 Exercise Rooms .....	40
5.20.4 Fencing .....	40
5.20.5 Jai Alai .....	40
5.20.6 Shuffleboard .....	40
5.20.7 Table Tennis .....	41
<b>5.21 Summary of Recommendations</b> .....	41
<b>6.0 Lighting for Outdoor Sports</b> .....	43
<b>6.1 General</b> .....	43
<b>6.2 Athletic Fields</b> .....	43
<b>6.3 Stadiums</b> .....	43
<b>6.4 Archery</b> .....	43
6.4.1 Illuminance Criteria .....	43
6.4.2 Design Considerations .....	44
<b>6.5 Baseball</b> .....	44
6.5.1 Illuminance Criteria .....	45
6.5.2 Design Considerations .....	46
<b>6.6 Basketball</b> .....	47
6.6.1 Illuminance Criteria .....	47
6.6.2 Design Considerations .....	47
<b>6.7 Bicycle Racing</b> .....	47
6.7.1 Illuminance Criteria .....	47
6.7.2 Design Considerations .....	47
<b>6.8 Dog Racing</b> .....	48
6.8.1 Illuminance Criteria .....	48
6.8.2 Design Considerations .....	48
<b>6.9 Drag Racing</b> .....	48
6.9.1 Illuminance Criteria .....	48
6.9.2 Design Considerations .....	49
<b>6.10 Field Hockey</b> .....	49
6.10.1 Illuminance Criteria .....	49
6.10.2 Design Considerations .....	49

## Contents

<b>6.11 Football</b>	49
6.11.1 Illuminance Criteria	49
6.11.2 Design Considerations	49
<b>6.12 Golf Courses</b>	50
6.12.1 Illuminance Criteria	50
6.12.2 Design Considerations	50
<b>6.13 Golf Driving Ranges</b>	51
6.13.1 Illuminance Criteria	52
6.13.2 Design Considerations	52
<b>6.14 Handball, Racquetball, and Squash</b>	53
6.14.1 Illuminance Criteria	53
6.14.2 Design Considerations	53
<b>6.15 Horse Racing</b>	54
6.15.1 Illuminance Criteria	54
6.15.2 Design Considerations	54
<b>6.16 Ice/Roller Hockey</b>	55
6.16.1 Illuminance Criteria	55
6.16.2 Design Considerations	55
<b>6.17 Ice Skating (Speed)</b>	55
6.17.1 Illuminance Criteria	55
6.17.2 Design Considerations	55
<b>6.18 Lacrosse</b>	55
<b>6.19 Motor Racing</b>	56
6.19.1 Illuminance Criteria	56
6.19.2 Design Considerations	56
<b>6.20 Platform Tennis</b>	56
6.20.1 Illuminance Criteria	56
6.20.2 Design Considerations	56
<b>6.21 Rifle and Pistol Ranges</b>	57
6.21.1 Illuminance Criteria	57
6.21.2 Design Considerations	57
<b>6.22 Rodeo and Animal Shows</b>	58
6.22.1 Illuminance Criteria	58
6.22.2 Design Considerations	58
<b>6.23 Skeet and Trap Shooting</b>	58
6.23.1 Illuminance Criteria	58
6.23.2 Design Considerations	59
<b>6.24 Skiing</b>	59
6.24.1 Illuminance Criteria	59
6.24.2 Design Considerations	60
<b>6.25 Soccer</b>	60
6.25.1 Illuminance Criteria	61
6.25.2 Design Considerations	61
<b>6.26 Softball</b>	61
6.26.1 Illuminance Criteria	61
6.26.2 Design Considerations	61
<b>6.27 Swimming</b>	61
<b>6.28 Tennis</b>	61
6.28.1 Illuminance Criteria	62
6.28.2 Design Considerations	62
<b>6.29 Track and Field</b>	64
6.29.1 Illuminance Criteria	64
6.29.2 Design Considerations	64
<b>6.30 Volleyball</b>	64
6.30.1 Illuminance Criteria	64
6.30.2 Design Considerations	64



## Contents

6.31 Specialty Sports .....	65
6.32 Summary of Recommendations .....	65
Annex A – Illuminance Calculations .....	68
Annex B – Field Measurements and Performance Evaluations .....	75
Annex C – Floodlight Aiming .....	78
Annex D – Light Loss and Maintenance .....	81
Annex E – Lighting Economics .....	83
Annex F – Glossary .....	85
Annex G – References .....	91
Annex H – Credits .....	92

## Recommended Practice for Sports and Recreational Area Lighting

### 1.0 INTRODUCTION

#### 1.1 Purpose and Scope

As the population of North America has grown and prospered, the amount of leisure time devoted to recreation has increased. An important consequence has been growth in the demand for lighted stadiums to accommodate the large numbers of people who want to participate in sporting events. From the 1980s and continuing through the 1990s, light source efficacies have improved. This has allowed for improved lighting quantity and quality without additional electrical energy consumption. Lighted ball fields and other sports facilities are now quite common, and new construction continues. Sports lighting has become a very significant industry that serves a large, growing audience seeking desirable leisure time activities that are healthy and fun.

The use of computers helps experienced lighting designers improve their designs. A computer will *not* help the inexperienced designer produce better designs, nor will it suggest modifications to improper designs. Therefore, lighting designers need a thorough understanding of illuminating engineering principles and the associated calculation software.

The purpose of this Recommended Practice is to provide design criteria for new lighting systems and for the evaluation of existing installations. This Practice includes illuminance recommendations for major sports, such as baseball, tennis, basketball, and football as well as for recreational and social activities such as horseshoe pitching and croquet. Recommendations are also given for lighting general purpose facilities and multi-sport stadiums. This Practice revises and replaces the previous edition last published in 1988.<sup>1</sup>

This Practice consists of several major sections. They include: fundamentals of good illumination, equipment and design factors, power and wiring, illumination recommendations for indoor and outdoor sports, and five Annexes. The Annexes cover illuminance calculations, field measurements, floodlight aiming, maintenance of light levels, and lighting economics. There is also an extensive glossary of lighting terms and a reference list that pertains to sports lighting design.

#### 1.2 Class of Play and Facilities

The traditional way of classifying sports as amateur and professional is no longer meaningful. Modern practices frequently allow amateurs and professionals to compete

against each other, such as in golf tournaments and tennis matches. Furthermore, "amateur" basketball and football are now played in the same facilities and at practically the same skill level as professional sports.

In general, as the skill level is elevated, players and spectators require a better and more sophisticated luminous environment. A correlation exists between the size of a facility and the level of play, e.g., a higher skill level attracts a greater number of spectators. As the number of spectators increases their distance from the playing surface increases and their need for increased illuminance to see players and tasks requires the values to increase. Accordingly, facilities should be designed to satisfy the most talented players and accommodate the greatest potential spectator capacity. In large facilities which seat over 10,000 spectators the lighting criteria is usually governed by the needs of television, which will be covered by a future Design Guide. To determine illumination criteria, this Practice groups facilities into four classes based on the skill levels of the players and the anticipated number of spectators (see **Table 1**):

- *Class I* - Competition play before a large group (5000 or more spectators). However, for the purpose of this Practice, illumination criteria for individual sports are limited to a spectator capacity of 10,000 or less (see **Figure 1**). Lighting criteria for major stadiums and arenas require special design considerations such as vertical and horizontal illuminance values not covered by this Practice, which may be defined by individual sports and/or broadcasting organizations.
- *Class II* - Competition play with facilities for up to 5000 spectators (see **Figure 2** in color insert).
- *Class III* - Competition play with some spectator facilities.
- *Class IV* - Competition or recreational play only (no provision for spectators).



**Figure 1.** This racetrack is lit by clustered banks on individual structural towers to provide the lighting needs of both contestants and a large number of spectators.