INSTITUTE OF ENVIRONMENTAL SCIENCES AND TECHNOLOGY

Contamination Control Division Recommended Practice 022.2

IEST-RP-CC022.2

Electrostatic Charge in Cleanrooms and Other Controlled Environments

INSTITUTE OF ENVIRONMENTAL SCIENCES AND TECHNOLOGY

Arlington Place One 2340 S. Arlington Heights Road, Suite 100 Arlington Heights, IL 60005-4516 Phone: (847) 981-0100 • Fax: (847) 981-4130

E-mail: iest@iest.org • Web: www.iest.org



This is a preview of "IEST-RP-CC022.2". Click here to purchase the full version from the ANSI store.



This is a preview of "IEST-RP-CC022.2". Click here to purchase the full version from the ANSI store.

This Recommended Practice is published by the INSTITUTE OF ENVIRONMENTAL SCIENCES AND TECHNOLOGY to advance contamination control and the technical and engineering sciences. Its use is entirely voluntary, and determination of its applicability and suitability for any particular use is solely the responsibility of the user.

This Recommended Practice was prepared by and is under the jurisdiction of Working Group 022 of the IEST Contamination Control Division.

Copyright © 2004 by the Institute of Environmental Sciences and Technology

Second printing, January 2004

ISBN 978-1-877862-88-5

PROPOSAL FOR IMPROVEMENT: The Working Groups of the INSTITUTE OF ENVIRONMENTAL SCIENCES AND TECHNOLOGY are continually working on improvements to their Recommended Practices and Reference Documents. Suggestions from those who use these documents are welcome. If you have a suggestion regarding this document, please use the online Proposal for Improvement form found on the IEST website at www.iest.org/proposal/form.html.

INSTITUTE OF ENVIRONMENTAL SCIENCES AND TECHNOLOGY

Arlington Place One 2340 S. Arlington Heights Road, Suite 100 Arlington Heights, IL 60005-4516

Phone: (847) 981-0100 • Fax: (847) 981-4130 E-mail: iest@iest.org • Web: www.iest.org This is a preview of "IEST-RP-CC022.2". Click here to purchase the full version from the ANSI store.



Electrostatic Charge in Cleanrooms and Other Controlled Environments

IEST-RP-CC022.2

CONTENTS

SECTION

1	SCOPE AND LIMITATIONS	
2	REFERENCES	7
3	TERMS AND DEFINITIONS	9
4	BACKGROUND AND PURPOSE	11
5	ELECTROSTATIC CHARGE CONTROL SYSTEMS	11
6	EQUIPMENT AND PROCEDURES	13
TAB	BLE	
1	TYPICAL SOURCES OF ELECTROSTATIC CHARGE IN CONTROLLED ENVIRONMENTS	12
2	TYPICAL ELECTROSTATIC VOLTAGE LEVELS GENERATED BY PRODUCTION PERSONNEL	12
3	LIMITS ON STATIC DECAY TIME	16
4	RELEVANT STANDARDS FOR EVALUATING CHARACTERISTICS OF PLASTIC PACKAGING AND HANDLING MATERIALS	18
5	STANDARD TEST METHODS RELEVANT TO THE EVALUATION OF CONTAMINATION PROPERTIES OF MATERIALS	22
6	EXAMPLE OF A TRAINING LOG	23
FIGU	URE	
	1 ESD LABELS AND AWARENESS SIGNS	22
A1(A		
A1(I	B) TEST LOCATIONS FOR OVERHEAD; TOP VIEW	25
A1(0	C) TEST LOCATION FOR OVERHEAD BLOWERS; FRONT VIEW	25
A	A2 TEST PLATE POSITION FOR BLOW-OFF GUN	26

A	TEST POSITIONS FOR UNIDIRECTIONAL-FLOW BENCHES A3(A) END VIEW, VERTICAL FLOW	
	A3(B) END VIEW, VERTICAL FLOW A3(B) END VIEW, HORIZONTAL FLOW	26
A	TEST POSITIONS FOR ROOM IONIZATION; EXAMPLE FOR AC GRIDS (LESS THAN 100% COVERAGE) AND PULSED OR STEADY-STATE DC BARS; TP1 IS DIRECTLY UNDER THE GRID OR BAR, WHILE TP2 IS CENTERED BETWEEN IONIZERS	27
A	TEST POSITIONS FOR ROOM IONIZATION; EXAMPLE FOR SINGLE-POLARITY EMITTER-TYPE DC IONIZATION SYSTEM; THREE MEASUREMENTS ARE REQUIRED	27
A	TEST POSITIONS FOR ROOM IONIZATION; EXAMPLE FOR DUAL DC LINE IONIZATION SYSTEM; THREE MEASUREMENTS ARE REQUIRED	27
A	TEST POSITIONS FOR ROOM IONIZATION; EXAMPLE FOR PULSED DC EMITTER IONIZATION SYSTEM; TWO MEASUREMENTS ARE REQUIRED	27
APP]	ENDIX	
A	AIR IONIZER TESTS	24
В	BIBLIOGRAPHY	28

INSTITUTE OF ENVIRONMENTAL SCIENCES AND TECHNOLOGY Contamination Control Division Recommended Practice 022.2

Electrostatic Charge in Cleanrooms and Other Controlled Environments

IEST-RP-CC022.2

1 SCOPE AND LIMITATIONS

1.1 Scope

This Recommended Practice (RP) discusses methods for specifying and evaluating the effectiveness of techniques for controlling electrostatic charge. Proper control of electrostatic charge may reduce particulate contamination on surfaces and the likelihood of electrostatic discharge. This document, which describes typical control systems and their applications, also lists methods of testing and measurement of charge generation, charge neutralization, resistivity of surfaces and materials, and static field attenuation.

1.2 Limitations

This RP excludes specific evaluation and qualification related to the protection of ordnance, flammable materials, and explosives. This RP does not prescribe design or control limits; quality acceptance standards; process issues; or health, safety, and environmental issues and practices outside of contamination control issues. Users should establish their own quality standards.

2 REFERENCES

2.1 Documents

2.1.1 ASTM

- D257-78 Standard Test Methods for DC Resistance or Conductance of Insulating Materials
- E595-93 Standard Test Method for Total Mass Loss and Collected Volatile Condensable Materials from Outgassing in a Vacuum Environment
- E1235-01 Standard Test Method for Gravimetric Determination of Nonvolatile Residue (NVR) in Environmentally Controlled Areas for Spacecraft
- F331 Test Method for Nonvolatile Residue Extract from Aerospace Components (Using Flash Evaporator)

2.1.2 EIA

EIA-583 Packaging Material Standards for Moisture Sensitive Items

2.1.3 ESD

ESD ADVI.0-1994 for Electrostatic Discharge Terminology – Glossary