

## *Institute of Environmental Sciences and Technology*

# **IEST-RP-CC034.4**

Contamination Control Division  
Recommended Practice 034.4

## **HEPA and ULPA Filter Leak Tests**



Arlington Place One  
2340 S. Arlington Heights Road, Suite 620  
Arlington Heights, IL 60005-4510  
Phone: (847) 981-0100 • Fax: (847) 981-4130  
E-mail: [information@iest.org](mailto:information@iest.org) • Web: [www.iest.org](http://www.iest.org)

COPYING IS ILLEGAL

---

This Recommended Practice was prepared by and is under the jurisdiction of Working Group 34 of the IEST Contamination Control Division (WG-CC034). The following WG voting members contributed to the development of this edition of this Recommended Practice:

R. Vijayakumar, WG-CC034 Chair, AERFIL

Taguhi Arakelian, Jet Propulsion Laboratory

Eugene Bryan, Milholland & Associates

Joe Carver, TEC Services, Inc.

Anthony Caughron, TEC Services, Inc.

Daniel Dennison, NNE Pharmaplan, Inc.

Keith Flyzik, Micro-Clean, Inc.

Nick Karlowsky, Filtech, Inc.

Donna Kasper, Hollingsworth & Vose

Carl LaBella, Consultant

Don Largent, Air Techniques International

Timothy McDiarmid, Air Techniques International

Rick Meyer, Superior Laboratory Service, Inc.

Dan Milholland, Milholland & Associates

Kartik Potukuchi, Graver Technologies, LLC

David M. Smith, Allometrics

Matt Smyers, TSS, Inc.

Andrew Stillo, Camfil USA, Inc.

David Swinehart, Consultant

Copyright © 2016 by the Institute of Environmental Sciences and Technology

First printing, April 2016

ISBN 978-1-937280-25-3

**PROPOSAL FOR IMPROVEMENT:** The Working Groups of the Institute of Environmental Sciences and Technology are continually working on improvements to their Recommended Practices and Reference Documents. Suggestions from users of these documents are welcome. If you have a suggestion regarding this document, please use the online Proposal for Improvement form found on the IEST website at [www.iest.org](http://www.iest.org).

Institute of Environmental Sciences and Technology

Arlington Place One

2340 S. Arlington Heights Road, Suite 620

Arlington Heights, IL 60005-4510

Phone: (847) 981-0100 • Fax: (847) 981-4130

---

**NOTICE AND DISCLAIMER:** This Recommended Practice is published by the Institute of Environmental Sciences and Technology (IEST) to advance the technical and engineering sciences. Use of this document is entirely voluntary, and determination of its applicability and suitability for any particular use is solely the responsibility of the user. Use of this Recommended Practice does not imply any warranty or endorsement by IEST.

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among all persons participating in the development of this document.

IEST standards, recommended practices, and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and seeks out the views of persons who have an interest in the topic covered by this publication. While IEST administers the process to promote fairness in the development of consensus, the organization does not write the document and does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in IEST standards, recommended practices, and guideline publications.

IEST disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. IEST disclaims and makes no guaranty or warranty, express or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of the particular purposes or needs of users of the document. IEST does not guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, IEST is not undertaking to render professional or other services for or on behalf of any person or entity, nor is IEST undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

IEST has no power, nor does it undertake to police or enforce compliance with the contents of this document. IEST does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to IEST and is solely the responsibility of the certifier or maker of the statement.

# HEPA and ULPA Filter Leak Tests

## IEST-RP-CC034.4

### CONTENTS

#### SECTION

1	SCOPE AND LIMITATIONS.....	7
2	REFERENCES.....	7
3	TERMS AND DEFINITIONS.....	9
4	BACKGROUND AND PURPOSE.....	12
5	CHOICE OF TESTS.....	12
6	GENERAL CONSIDERATIONS FOR LEAK TESTING.....	14
7	RECOMMENDED TEST PROCEDURES FOR FACTORY TESTING.....	18
8	RECOMMENDED TEST PROCEDURES FOR <i>IN-SITU</i> TESTING.....	26

#### FIGURES

1	EXAMPLE OF A SCANNING PROBE.....	17
F1	EFFECT OF THE NUMBER OF PARTICLES USED TO CHARACTERIZE A DESIGNATED LEAK ...	42
G1	EFFECT OF MEDIA VARIABILITY ON LEAK DETECTION.....	44

#### TABLES

1	GUIDE FOR SELECTING APPROPRIATE LEAK-TESTING STRATEGIES.....	13
2	DESIGNATED-LEAK SIZES FOR VARIOUS EFFICIENCIES OF FILTERS.....	21
3	RECOMMENDED VALUES FOR $N_p$ , $S_R$ , $D_p$ , AND $C_C$ .....	26
F1	AEROSOL CONCENTRATION FOR DIFFERENT $N_p$ .....	42
F2	PROBABILITIES OF MISSING LEAKS AND FALSE INDICATIONS.....	43
H1	RECOMMENDED VALUES FOR $N_p$ , $S_R$ , $D_p$ , AND $C_C$ .....	48

#### APPENDIXES

A	CONSIDERATIONS IN LEAK TESTING.....	32
B	CALCULATION OF AEROSOL CHALLENGE.....	35
C	EXAMPLE CALCULATION OF SPATIAL AND TEMPORAL CHALLENGE UNIFORMITY.....	37
D	EXAMPLE CONDITIONS FOR FILTER LEAK SCAN TEST: AEROSOL PHOTOMETER METHOD.....	39
E	DILUTION OF CHALLENGE AEROSOL FOR DPCS.....	40
F	EXAMPLE CONDITIONS FOR FILTER LEAK SCAN TEST AND NP CONSIDERATIONS: DPC METHOD.....	41
G	EXCESSIVE WIDESPREAD NON-SITE-SPECIFIC PENETRATION IN LEAK TESTING.....	44
H	FILTER INSTALLATION (IN-SITU) LEAK TEST: DPC SCAN TEST METHOD.....	45
I	BIBLIOGRAPHY.....	50

COPYING IS ILLEGAL

---

**Institute of Environmental Sciences and Technology**  
Contamination Control Division  
Recommended Practice 034.4

# HEPA and ULPA Filter Leak Tests

## IEST-RP-CC034.4

### 1 SCOPE AND LIMITATIONS

#### 1.1 Scope

This Recommended Practice (RP) covers definitions, equipment, and procedures for leak testing high-efficiency particulate air (HEPA) filters and ultralow-penetration air (ULPA) filters in the factory as they are produced, at the job site before they are installed, and after they are installed in cleanrooms and in unidirectional-flow, clean-air devices. When used in conjunction with other RPs, including IEST-RP-CC001, IEST-RP-CC002, IEST-RP-CC006, IEST-RP-CC007, IEST-RP-CC021, IEST-RP-CC028, and IEST-RP-CC036, this RP may be used to define the basis of an agreement between the customer and supplier in the specification and procurement of HEPA and ULPA filters, and in the testing of these filters in unidirectional-flow, clean-air devices and cleanrooms. This RP also includes procedures for measuring the uniformity of the aerosol challenge approaching the filter under test.

Although the scanning methods in the factory and *in situ* (in the field) appear similar, they are not identical, mainly due to increased variability for *in-situ* testing. In this revision of the RP, the recommended procedures for factory and *in-situ* testing are separated for ease of use. In factory and *in-situ* testing, if a leak is detected while scanning a filter, it is recommended that the magnitude of the leak be quantified with the scanning probe stationary over the detected leak.

#### 1.2 Limitations

This document does not cover in-place testing of banks of filters in nuclear power or nuclear research applications, nor does it cover biological safety or containment cabinets except for scanning of the filters for leaks. This document does not cover leak testing of filters in high-temperature environments. This document provides values of acceptance limits for guidance; however, it is the responsibility of the customer and supplier to specify which leak-test method is used and the acceptance criteria for each application. A brief guideline on *in-situ* leak testing based on the procedures recommended in this RP is provided in section 8.

**CAUTION:** Testing in accordance with this RP may involve hazardous materials, operations, and equipment. This RP does not purport to address all of the safety problems associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to determine the applicability of regulatory limitations prior to use of this RP.

### 2 REFERENCES

The following documents are incorporated into this RP to the extent specified herein. If no specific edition is cited, the most recent edition should be used. Where specific editions are cited, subsequent revisions of these publications do not automatically supersede the cited editions and users should investigate the applicability of revised editions.

#### 2.1 Reference documents

*IEST-RP-CC001: HEPA and ULPA Filters*

*IEST-RP-CC002: Unidirectional-Flow, Clean-Air Devices*

*IEST-RP-CC006: Testing Cleanrooms*