INCITS/ISU/IEC 19784-1:2000/AWI1:2007[R2013]

INCITS/ISO/IEC 19784-1:2006/AM1-2007[2008] ISO/IEC 19784-1:2006/AM1-2007, IDT) Information technology — BioAPI — Biometric Application Programming Interface — Part 1: BioAPI Specification — AMENDMENT 1: BioGUI specification

Developed by



Where IT all begins



FUF UISCIAIITIE

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Adopted by INCITS (InterNational Committee for Information Technology Standards) as an American National Standard.

Date of ANSI Approval: 7/1/2008

Published by American National Standards Institute, 25 West 43rd Street, New York, New York 10036

Copyright 2008 by Information Technology Industry Council (ITI). All rights reserved.

These materials are subject to copyright claims of International Standardization Organization (ISO), International Electrotechnical Commission (IEC), American National Standards Institute (ANSI), and Information Technology Industry Council (ITI). Not for resale. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of ITI. All requests pertaining to this standard should be submitted to ITI, 1250 Eye Street NW, Washington, DC 20005. Printed in the United States of America

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical AS Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO/IEC 19784-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 37, *Biometrics*.

It defines a new version of BioAPI (BioAPI 2.1) that:

- a) extends and improves the "application-controlled GUI" feature of BioAPI;
- b) produces alignment between BioAPI and ISO/IEC 19785-1:2006, Information technology Common Biometric Exchange Formats Framework Data element specification
- c) provides for other standards to modify BioAPI framework behaviour to support the use of biometric service providers (BSPs) that are remote from the controlling applications.

Introduction

With this amendment, ISO/IEC 19784-1 specifies two versions of BioAPI: 2.0 and 2.1. All the provisions that apply only to one version of BioAPI (either 2.0 or 2.1) are labeled as such.

The main difference of BioAPI 2.1 from BioAPI 2.0 is the support it provides for BioGUI. BioGUI stands for "BioAPI Graphical User Interface". The functionality specified in this amendment enables an application to control the display of graphics at enrollment, verification and identification as an alternative to using the graphical user interface provided by BSPs.

Secondly, BioAPI 2.1 also aligns the values of the type definition BioAPI_BIR_BIOMETRIC_TYPE with those specified in ISO/IEC 19785-1:2006.

Thirdly, it provides additional functions and parameters that are redundant in a purely local implementation of BIoAPI, but which enable other standards (interworking standards - see 4.29) to modify the behaviour of a BioAPI framework to support interactions between an application and remote BSPs.

Finally, it provides improvements to some of the functions and parameters defined for BioAPI 2.0, particularly in relation to support for tenprint capture, the electronic capture of ten human fingerprints.

This amendment redefines (in the specificaton of BioAPI 2.1) portions of the BioAPI 2.0 specification that define BioAPI types, macros, functions and callback functions (particularly those related to the application-controlled GUI feature) with a new set of definitions that provide more functionality. Some of the old BioAPI 2.0 definitions are completely replaced by new definitions (with the same or with different names), while others are extended by the addition of one or more parameters. Some types and functions are entirely new in BioAPI 2.1.

The resulting specification is expected to better meet the needs of biometric applications that wish to have full control of the user interface during enrollment, verification and identification, that need to be able to work with remote BSPs, or that need added functionality for interaction with local BSPs.