

American National Standard

INCITS/ISO/IEC 11179-3:2013[2014]

(ISO/IEC 11179-3:2013, IDT)

Reaffirmed as
INCITS/ISO/IEC 11179-3:2013 (R2019)

*Information technology - Metadata registries
(MDR) - Part 3: Registry metamodel and basic
attributes*

Developed by



Where IT all begins



INCITS/ISO/IEC 11179-3:2013[2014]

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Adopted by INCITS (InterNational Committee for Information Technology Standards) as an American National Standard.

Date of ANSI Approval: 5/23/14

Published by American National Standards Institute,
25 West 43rd Street, New York, New York 10036

Copyright 2014 by Information Technology Industry Council
(ITI). All rights reserved.

These materials are subject to copyright claims of International Standardization Organization (ISO), International Electrotechnical Commission (IEC), American National Standards Institute (ANSI), and Information Technology Industry Council (ITI). Not for resale. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of ITI. All requests pertaining to this standard should be submitted to ITI, 1101 K Street NW, Suite 610, Washington DC 20005.
Printed in the United States of America

This is a preview of "INCITS/ISO/IEC 11179...". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword	xiii
Introduction.....	xv
1 Scope.....	1
1.1 Scope – Structure of a metadata registry	1
1.2 Scope – Basic attributes of metadata items	1
2 Normative references.....	1
3 Terms, definitions and abbreviated terms	1
3.1 Terms and definitions of metamodel constructs used in this part of ISO/IEC 11179	2
3.2 Terms for concepts used in this part of ISO/IEC 11179	4
3.3 Abbreviated terms	20
4 Conformance	21
4.1 Overview of conformance	21
4.2 Degree of conformance	21
4.2.1 General	21
4.2.2 Strictly conforming implementations.....	22
4.2.3 Conforming implementations	22
4.3 Conformance by clause.....	22
4.4 Registry conformance.....	23
4.4.1 Overview.....	23
4.4.2 Standard profiles for edition 3 registries	23
4.5 Obligation.....	23
4.6 Implementation conformance statement (ICS).....	23
4.7 Roles and responsibilities for registration	24
5 Structure of a metadata registry	24
5.1 Metamodel for a metadata registry.....	24
5.2 Application of the metamodel	24
5.3 Specification of the metamodel	25
5.3.1 Terminology used in specifying the metamodel.....	25
5.3.2 Choice of fonts	25
5.3.3 Use of UML Packages	25
5.3.4 Package dependencies.....	26
5.3.5 Use of UML Class diagrams and textual description	27
5.4 Types, instances and values.....	27
5.5 Types of items in an ISO/IEC 11179 metadata registry	28
5.5.1 Overview of types of items.....	28
5.5.2 Rules for types of items.....	29
5.6 Extensibility	31
5.7 Date references.....	31
6 Basic package.....	31
6.1 Overview of Basic package	31
6.2 Basic Types metamodel region	31
6.2.1 Overview of Basic Types	31
6.2.2 Boolean datatype.....	31
6.2.3 Date datatype	32
6.2.4 Datetime datatype.....	32
6.2.5 Integer datatype.....	32
6.2.6 Natural_Range datatype	32
6.2.7 Notation datatype	32
6.2.8 Phone_Number datatype	32

This is a preview of "INCITS/ISO/IEC 11179...". [Click here to purchase the full version from the ANSI store.](#)

6.2.9	Postal_Address datatype	32
6.2.10	Sign datatype	33
6.2.11	String datatype.....	33
6.2.12	Text datatype.....	33
6.2.13	Value datatype.....	33
6.3	Basic Classes metamodel region.....	33
6.3.1	Overview of Basic Classes	33
6.3.2	Contact class.....	34
6.3.3	Document_Type class	35
6.3.4	Individual class	35
6.3.5	Language_Identification class	37
6.3.6	Organization class	39
6.3.7	Reference_Document class.....	40
6.3.8	Registration_Authority_Identifier class.....	42
6.3.9	Role class	43
7	Identification, Designation and Definition package	45
7.1	Overview of this package.....	45
7.2	Identification metamodel region	45
7.2.1	Overview	45
7.2.2	Classes in the Identification metamodel region	46
7.2.3	Associations in the Identification metamodel region	51
7.3	Designation and Definition metamodel region	52
7.3.1	Overview	52
7.3.2	Classes in the Designation and Definition metamodel region.....	53
7.3.3	Association Classes in the Designation and Definition metamodel region	59
7.3.4	Associations in the Designation and Definition metamodel region.....	60
8	Registration package	62
8.1	Registration metamodel region.....	62
8.1.1	Overview	62
8.1.2	Classes in the Registration region.....	62
8.1.3	Classes referenced from the Basic package	75
8.1.4	Classes referenced from the Identification, Designation and Definition package	75
8.1.5	Association Classes in the Registration region	76
8.1.6	Associations in the Registration region.....	76
9	Concepts package	78
9.1	Concepts metamodel region	78
9.1.1	Overview	78
9.1.2	Classes in the Concepts metamodel region	79
9.1.3	Associations of the Concepts metamodel region	84
9.2	Classification metamodel region	87
9.2.1	Overview	87
9.2.2	Classes in the Classification metamodel region	88
9.2.3	Associations Classes in the Classification metamodel region	89
9.2.4	Associations in the Classification metamodel region	89
10	Binary Relations package	90
10.1	Binary Relations metamodel region	90
10.1.1	Overview	90
10.1.2	Classes in the Binary_Relations metamodel region	90
11	Data Description package	93
11.1	High-level Data Description metamodel region.....	93
11.1.1	Overview	93
11.1.2	Classes of High-level Data Description metamodel.....	93
11.1.3	Associations of the High Level Data Description metamodel	96
11.1.4	Constraints of the High Level Metamodel	97
11.2	Data Element Concept metamodel region	97
11.2.1	Overview	97
11.2.2	Classes in the Data_Element_Concept region	98

This is a preview of "INCITS/ISO/IEC 11179...". [Click here to purchase the full version from the ANSI store.](#)

11.2.3	Associations in the Data_Element_Concept region	99
11.3	Conceptual and Value_Domain metamodel region	100
11.3.1	Overview	100
11.3.2	Classes in the Conceptual and Value_Domain region	102
11.3.3	Associations in the Conceptual and Value_Domain region	110
11.3.4	Additional Constraints of the Conceptual and Value_Domain region	112
11.4	Measurement metamodel region	114
11.4.1	Overview	114
11.4.2	Classes in the Measurement region	114
11.4.3	Associations in the Measurement region	117
11.5	Data_Element metamodel region	118
11.5.1	Overview	118
11.5.2	Classes in the Data_Element Region	118
11.5.3	Associations in the Data_Element region	121
11.6	Consolidated Data Description Metamodel	123
11.7	Types of Concepts in the Data Description Metamodel	124
12	Basic attributes	124
12.1	Use of basic attributes	124
12.2	Common attributes	125
12.2.1	Identifying	125
12.2.2	Naming	125
12.2.3	Definitional	126
12.2.4	Administrative	126
12.2.5	Relational	126
12.3	Attributes specific to Data_Element_Concepts	127
12.4	Attributes specific to Data_Elements	127
12.5	Attributes specific to Conceptual_Domains	127
12.6	Attributes specific to Value_Domains	127
12.7	Attributes specific to Permissible_Values	128
12.8	Attributes specific to Value_Meanings	128
Annex A	(normative) Alphabetical list of terms and designations	129
Annex B	(normative) Consolidated Class Hierarchy	137
Annex C	(informative) Mapping the ISO/IEC 11179-3:1994 basic attributes to the ISO/IEC 11179-3:2011 metamodel and basic attributes	138
C.1	Introduction	138
C.1.1	Overview of Basic Attributes from ISO/IEC 11179-3:1994	138
C.1.2	Description of Table Structures in this Annex	139
C.2	Mapping the Basic Attributes	141
C.2.1	Common Identifying attributes	141
C.2.2	Common Naming attributes	143
C.2.3	Common Definitional attributes	147
C.2.4	Common Administrative attributes	148
C.2.5	Common Relational attributes	150
C.2.6	Attributes specific to Data_Element_Concepts	154
C.2.7	Attributes specific to Data_Elements	157
C.2.8	Attributes specific to Conceptual_Domains	164
C.2.9	Attributes specific to Value_Domains	165
C.2.10	Attributes specific to Permissible_Values	166
C.2.11	Attributes specific to Value_Meanings	167
Annex D	(informative) Mapping the ISO/IEC 11179-3:2003 metamodel to the ISO/IEC 11179-3:2011 metamodel	169
D.1	Introduction	169
D.2	Mapping the Edition 2 Administration and Identification Region	169
D.2.1	Administered_Item	169
D.2.2	Administration_Record	169
D.2.3	Contact	170
D.2.4	Item_Identifier	170

This is a preview of "INCITS/ISO/IEC 11179...". Click here to purchase the full version from the ANSI store.

D.2.5	Language_Identification	170
D.2.6	Organization	171
D.2.7	Reference_Document	171
D.2.8	Registrar	171
D.2.9	Registration_Authority	171
D.2.10	Registration_Authority_Identifier	172
D.2.11	Stewardship	172
D.2.12	Submission	172
D.3	Mapping the Edition 2 Naming and Definition Region	173
D.3.1	Context (for Administered_Item)	173
D.3.2	Terminological_Entry	173
D.3.3	Language_Section	173
D.3.4	Definition (of Administered_Item)	174
D.3.5	Designation (of Administered_Item)	174
D.4	Mapping the Edition 2 Classification Region	174
D.4.1	Classification_Scheme	174
D.4.2	Classification_Scheme_Item	175
D.4.3	Classification_Scheme_Item_Relationship	175
D.5	Mapping the Edition 2 Data_Element_Concept Region	175
D.5.1	Object_Class	175
D.5.2	Property	175
D.5.3	Data_Element_Concept	176
D.5.4	Concept_Relationship	176
D.6	Mapping the Edition 2 Conceptual and Value Domain Region	176
D.6.1	Conceptual_Domain	176
D.6.2	Enumerated_Conceptual_Domain	177
D.6.3	Value_Meaning	177
D.6.4	Non-enumerated_Conceptual_Domain	177
D.6.5	Value_Domain	178
D.6.6	Enumerated_Value_Domain	178
D.6.7	Permissible_Value	178
D.6.8	Value	179
D.6.9	Non-enumerated_Value_Domain	179
D.6.10	Datatype	179
D.6.11	Unit_of_Measure	179
D.7	Mapping the Edition 2 Data_Element Region	180
D.7.1	Data_Element	180
D.7.2	Representation_Class	180
D.7.3	Data_Element_Example	181
D.7.4	Derivation_Rule	181
D.7.5	Data_Element_Derivation	181
Annex E	(informative) Concept System Examples	182
E.1	Concept System Metamodels	182
E.2	SKOS Example	183
E.2.1	SKOS Metamodel	183
E.2.2	SKOS Example Thesaurus	184
E.2.3	Example Value Domain References	185
E.3	ORM Example	187
E.3.1	ORM Metamodel	187
E.3.2	Car Registration Model	189
E.4	OWL Example	194
E.4.1	OWL Metamodel	194
E.4.2	Car Registration Ontology	202
E.5	CLIF Example	216
E.5.1	CL Metamodel	216
E.5.2	CLIF Units Example from ISO/IEC 19763-3	217
Annex F	(informative) Representation Class as a Concept System	221
F.1	Introduction	221
F.2	Description of Representation Class	221

This is a preview of "INCITS/ISO/IEC 11179...". [Click here to purchase the full version from the ANSI store.](#)

F.3	Implementation of Representation Class as a Concept_System	222
Annex G (informative)	Comparison for Conformance Levels across Editions of this part of ISO/IEC 11179	223
G.1	Introduction.....	223
G.2	Conformance Levels for Edition 2 Level 2.....	223
G.3	Conformance Levels for Edition 2 Level 1 and Edition 1	223
Annex H (Normative)	Standard Conformance Profiles for this part of ISO/IEC 11179.....	224
H.1	Introduction.....	224
H.2	Profile for Concept Systems Registry.....	224
H.3	Profile for Extended Concept Systems Registry	224
H.4	Profile for Metadata Registry	224
H.5	Profile for Extended Metadata Registry	224
	Bibliography.....	225

Table of Figures

Figure 1 — Package dependencies	26
Figure 2 — Types of items	28
Figure 3 — Basic types metamodel region	31
Figure 4 — Basic classes metamodel region.....	33
Figure 5 — Identification metamodel region.....	45
Figure 6 — Designation and Definition metamodel region.....	53
Figure 7 — Registration metamodel region.....	64
Figure 8 — Concepts metamodel region.....	78
Figure 9 — Classification metamodel region.....	88
Figure 10 — Binary Relations metamodel region.....	90
Figure 11 — High-level Data Description metamodel	93
Figure 12 — Data_Element_Concept metamodel region	98
Figure 13 — Conceptual and value domain metamodel region	101
Figure 14 — Measurement metamodel region.....	114
Figure 15 — Data_Element metamodel region	118
Figure 16 — Consolidated Data Description metamodel	123
Figure 17 — Types of Concepts in the Data Description package	124
Figure 18 — Consolidated Class Hierarchy	137

This is a preview of "INCITS/ISO/IEC 11179...". [Click here to purchase the full version from the ANSI store.](#)

Figure 19 — Basic Attributes of Data elements..... 138

Figure 20— Car Registration Model in ORM..... 189

Figure 21 — Car Registration Ontology..... 202

Table of Tables

Table 1 – Rules for Types of Items..... 29

Table 2 – Rules for Types of Items as a Decision Table 30

Table 3 – Comparison of Designation to Scoped_Identifier 45

Table 4 – Examples of binary relations and their characterization..... 90

Table 5 – Template for attribute mapping..... 139

Table 6 – Attribute mapping for ‘identifier’ 141

Table 7 – Attribute mapping for ‘Registration Authority’ 142

Table 8 – Attribute mapping for ‘Version’..... 142

Table 9 – Attribute mapping for ‘Name’ 143

Table 10 – Attribute mapping for ‘Synonymous name’..... 143

Table 11 – Attribute mapping for ‘designation language’ 144

Table 12 – Attribute mapping for ‘Context name’ 144

Table 13 – Attribute mapping for ‘Context identifier’..... 145

Table 14 – Attribute mapping for ‘Context description’ 146

Table 15 – Attribute mapping for ‘Definition’..... 147

Table 16 – Attribute mapping for ‘Definition language’..... 147

Table 17 – Attribute mapping for ‘Definition source reference’ 148

Table 18 – Attribute mapping for ‘Comments’ 148

Table 19 – Attribute mapping for ‘Registration status’..... 148

Table 20 – Attribute mapping for ‘Responsible organization’ 149

Table 21 – Attribute mapping for ‘Submitting organization’ 150

Table 22 – Attribute mapping for ‘Classification scheme name’ 150

This is a preview of "INCITS/ISO/IEC 11179...". [Click here to purchase the full version from the ANSI store.](#)

Table 23 – Attribute mapping for ‘Classification scheme identifier’	151
Table 24 – Attribute mapping for ‘Classification scheme item value’	152
Table 25 – Attribute mapping for ‘Related metadata reference’	153
Table 26 – Attribute mapping for ‘Type of relationship’	154
Table 27 – Attribute mapping for ‘Object class name’	154
Table 28 – Attribute mapping for ‘Object class identifier’	155
Table 29 – Attribute mapping for ‘Property name’	156
Table 30 – Attribute mapping for ‘Property identifier’	156
Table 31 – Attribute mapping for ‘Representation category’	157
Table 32 – Attribute mapping for ‘Representation class’	157
Table 33 – Attribute mapping for ‘Value domain name’	158
Table 34 – Attribute mapping for ‘Value domain identifier’	159
Table 35 – Attribute mapping for ‘Datatype name’	159
Table 36 – Attribute mapping for ‘Datatype scheme reference’	160
Table 37 – Attribute mapping for ‘Maximum size’	161
Table 38 – Attribute mapping for ‘Minimum size’	162
Table 39 – Attribute mapping for ‘Layout of representation’	163
Table 40 – Attribute mapping for ‘Permissible data element values’	164
Table 41 – Attribute mapping for ‘Dimensionality’	164
Table 42 – Attribute mapping for ‘Datatype name’	165
Table 43 – Attribute mapping for ‘Datatype scheme reference’	165
Table 44 – Attribute mapping for ‘Unit of measure name’	166
Table 45 – Attribute mapping for ‘Value’	166
Table 46 – Attribute mapping for ‘Permissible value begin date’	167
Table 47 – Attribute mapping for ‘Permissible value end date’	167
Table 48 – Attribute mapping for ‘Value meaning description’	167
Table 49 – Attribute mapping for ‘Value meaning identifier’	168
Table 50 – Attribute mapping for ‘Value meaning begin date’	168
Table 51 – Attribute mapping for ‘Value meaning end date’	168
Table 52 – Mapping Edition 2 Administered_Item to Edition 3	169

This is a preview of "INCITS/ISO/IEC 11179...". [Click here to purchase the full version from the ANSI store.](#)

Table 53 – Mapping Edition 2 Administration_Record to Edition 3	169
Table 54 – Mapping Edition 2 Contact to Edition 3	170
Table 55 – Mapping Edition 2 Item_Identifier to Edition 3	170
Table 56 – Mapping Edition 2 Language_Identification to Edition 3	170
Table 57 – Mapping Edition 2 Organization to Edition 3	171
Table 58 – Mapping Edition 2 Reference_Document to Edition 3	171
Table 59 – Mapping Edition 2 Registrar to Edition 3	171
Table 60 – Mapping Edition 2 Registration_Authority to Edition 3	171
Table 61 – Mapping Edition 2 Registration_Authority_Identifier to Edition 3	172
Table 62 – Mapping Edition 2 Stewardship to Edition 3	172
Table 63 – Mapping Edition 2 Submission to Edition 3	172
Table 64 – Mapping Edition 2 Context to Edition 3	173
Table 65 – Mapping Edition 2 Terminological_Entry to Edition 3	173
Table 66 – Mapping Edition 2 Language_Section to Edition 3	173
Table 67 – Mapping Edition 2 Definition (of Administered_Item) to Edition 3	174
Table 68 – Mapping Edition 2 Designation (of Administered_Item) to Edition 3	174
Table 69 – Mapping Edition 2 Classification_Scheme to Edition 3	174
Table 70 – Mapping Edition 2 Classification_Scheme_Item to Edition 3	175
Table 71 – Mapping Edition 2 Classification_Scheme_Item_Relationship to Edition 3	175
Table 72 – Mapping Edition 2 Object_Class to Edition 3	175
Table 73 – Mapping Edition 2 Property to Edition 3	175
Table 74 – Mapping Edition 2 Property to Edition 3	176
Table 75 – Mapping Edition 2 Property to Edition 3	176
Table 76 – Mapping Edition 2 Conceptual_Domain to Edition 3	176
Table 77 – Mapping Edition 2 Enumerated_Conceptual_Domain to Edition 3	177
Table 78 – Mapping Edition 2 Value_Meaning to Edition 3	177
Table 79 – Mapping Edition 2 Non-enumerated_Conceptual_Domain to Edition 3	177
Table 80 – Mapping Edition 2 Value_Domain to Edition 3	178
Table 81 – Mapping Edition 2 Enumerated_Value_Domain to Edition 3	178
Table 82 – Mapping Edition 2 Permissible_Value to Edition 3	178

This is a preview of "INCITS/ISO/IEC 11179...". [Click here to purchase the full version from the ANSI store.](#)

Table 83 – Mapping Edition 2 Value to Edition 3	179
Table 84 – Mapping Edition 2 Non-enumerated_Value_Domain to Edition 3.....	179
Table 85 – Mapping Edition 2 Datatype to Edition 3.....	179
Table 86 – Mapping Edition 2 Unit_of_Measure to Edition 3.....	179
Table 87 – Mapping Edition 2 Data_Element to Edition 3.....	180
Table 88 – Mapping Edition 2 Representation_Class to Edition 3.....	180
Table 89 – Mapping Edition 2 Data_Element_Example to Edition 3	181
Table 90 – Mapping Edition 2 Derivation_Rule to Edition 3.....	181
Table 91 – Mapping Edition 2 Data_Element_Derivation to Edition 3	181
Table 92 – Correspondences of ISO/IEC 11179-3 concept system metamodel to selected notations	182
Table 93 – SKOS-CORE as an ISO/IEC 11179 Concept System	183
Table 94 – SKOS relations as ISO/IEC 11179 Binary Relations	184
Table 95 – SKOS Thesaurus Example – ISO/IEC 11179 Concept System	184
Table 96 – SKOS Thesaurus Example – ISO/IEC 11179 Concepts.....	185
Table 97 – SKOS Thesaurus Example – ISO/IEC 11179 Links.....	185
Table 98 – SKOS Thesaurus Example – ISO/IEC 11179 Conceptual Domains	186
Table 99 – SKOS Thesaurus Example – ISO/IEC 11179 Value Domains	186
Table 100 – ORM as an ISO/IEC 11179 Concept System	187
Table 101 – ORM Relations as ISO/IEC 11179 Binary Relations.....	188
Table 102 – ORM Roles as ISO/IEC 11179 Relation Roles	188
Table 103 – Car Registration Model in ORM – ISO/IEC 11179 Concept System	191
Table 104 – Car Registration Model in ORM – ISO/IEC 11179 Concepts.....	191
Table 105 – Car Registration Model in ORM – ISO/IEC 11179 Binary Relations.....	192
Table 106 – Car Registration Model in ORM – ISO/IEC 11179 Links	193
Table 107 – OWL constructs with directly corresponding ISO/IEC 11179-3 metamodel elements.....	194
Table 108 – OWL built-in constructs described in OWL metamodel.....	195
Table 109 – OWL as an ISO/IEC 11179 Concept System.....	195
Table 110 – OWL Concepts as ISO/IEC 11179 Concepts.....	196
Table 111 – OWL Binary Relations as ISO/IEC 11179 Binary Relations	197
Table 112 – OWL Relations (except Binary Relations) as ISO/IEC 11179 Relations.....	198

This is a preview of "INCITS/ISO/IEC 11179...". [Click here to purchase the full version from the ANSI store.](#)

Table 113 – OWL Constructs as ISO/IEC 11179 Relation Roles.....	198
Table 114 – OWL Constructs as ISO/IEC 11179 Links.....	200
Table 115 – Car Registration Model in OWL – ISO/IEC 11179 Concept System.....	207
Table 116 – Car Registration Model in OWL – ISO/IEC 11179 Concepts	207
Table 117 – Car Registration Model in OWL – ISO/IEC 11179 Binary Relations	208
Table 118 – Car Registration Model in OWL – ISO/IEC 11179 Relation Roles.....	208
Table 119 – Car Registration Model in OWL – ISO/IEC 11179 Links	209
Table 120 – Car Registration Model in OWL – ISO/IEC 11179 Assertions.....	214
Table 121 – CL Metamodel – ISO/IEC 11179 Concept System	216
Table 122 – CL Metamodel – ISO/IEC 11179 Binary Relations.....	216
Table 123 – CLIF Units Example – ISO/IEC 11179 Concept System.....	217
Table 124 – CLIF Units Example – ISO/IEC 11179 Concepts	218
Table 125 – CLIF Units Example – ISO/IEC 11179 Binary Relations	218
Table 126 – CLIF Units Example – ISO/IEC 11179 Relations Roles.....	219
Table 127 – CLIF Units Example – ISO/IEC 11179 Links.....	219
Table 128 – CLIF Units Example – ISO/IEC 11179 Assertions	220
Table 129 – Comparison for Conformance Levels across Editions of this part of ISO/IEC 11179	223

This is a preview of "INCITS/ISO/IEC 11179...". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 11179-3 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 32, *Data management and interchange*.

This third edition cancels and replaces the second edition (ISO/IEC 11179-3:2003) and ISO/IEC 11179-3:2003/Cor 1:2004. The changes are as follows:

Edition 3 of this part of ISO/IEC 11179 includes several enhancements to Edition 2, both in terms of the presentation of the metamodel, and its capabilities, as follows:

From a presentation perspective, these include:

- use of UML 2.4.1 instead of UML 1.4 to describe the metamodel;
- use of UML packages to show dependencies between various regions of the metamodel. (See 5.3.3 and 5.3.4.)

From a capability perspective, these include:

- introduction of different types of metadata items (see 5.5);
- support for registration of Concept Systems (see 9.1);
- finer-grained conformance options (see 4.3).

ISO/IEC 11179 consists of the following parts, under the general title *Information technology — Metadata registries (MDR)*:

— *Part 1: Framework*

— *Part 2: Classification*

— *Part 3: Registry metamodel and basic attributes*

— *Part 4: Formulation of data definitions*

This is a preview of "INCITS/ISO/IEC 11179...". [Click here to purchase the full version from the ANSI store.](#)

— *Part 5: Naming and identification principles*

— *Part 6: Registration*

Introduction

Data processing and electronic data interchange rely heavily on accurate, reliable, controllable and verifiable data recorded in databases. A prerequisite for correct and proper use and interpretation of data is that both users and owners of data have a common understanding of the meaning and representation of the data. To facilitate this common understanding, a number of characteristics, or attributes, of the data have to be defined. These characteristics of data are known as “metadata”, that is, “data that describes data”. This part of ISO/IEC 11179 provides for the attributes of data elements and associated metadata to be specified and registered as **metadata items** in a **metadata registry** (MDR).

The structure of a metadata registry is specified in the form of a conceptual data model. The metadata registry is used to keep information about data elements and associated concepts, such as “data element concepts”, “conceptual domains” and “value domains”. Generically, these are all referred to as “metadata items”. Such metadata are necessary to clearly describe, record, analyse, classify and administer data.

When considering data and metadata, it is important to distinguish between types of data/metadata, and instances of these types. Clause 5 through 11 of this part of ISO/IEC 11179 specify the types of metadata objects that form the structure of a metadata registry. A metadata registry will be populated with instances of these metadata objects (metadata items), which in turn define types of data, e.g. in an application database. In other words, instances of metadata specify types of application level data. In turn, the application database will be populated by the real world data as instances of those defined datatypes.

NOTE ISO/IEC 10027:1990, *Information technology — Information resource dictionary system (IRDS) Framework* and ISO/IEC TR 10032:2003, *Information technology — Reference model for data management* explain the concepts of different levels of modelling.

In this part of ISO/IEC 11179, clause 12 describes the basic attributes of metadata items for purposes where a complete metadata registry is not appropriate.

This part of ISO/IEC 11179 is of interest to information developers, information managers, data administrators, standards developers, application developers, business modellers and others who are responsible for making data understandable and shareable. ISO/IEC 11179 has broad applicability across subject area domains and information technologies.

This part of ISO/IEC 11179 applies to activities including:

- a) the definition, specification and contents of metadata registries, including interchanging or referencing among various collections of data elements;
- b) the design and specification of application-oriented data models, databases and message types for data interchange;
- c) the actual use of data in communications and information processing systems;
- d) interchange or reference among various collections of metadata;
- e) the registration and management of semantic artifacts that are useful for data management, data administration, and data analysis;
- f) the interrelation and mapping of concept systems with other concept systems, e.g., to support efforts to converge on consistency through harmonization and vetting activities;
- g) the interrelation of concept systems with data held in relational databases, XML databases, knowledgebases, text, and possibly graph databases deriving from natural language text understanding systems;

This is a preview of "INCITS/ISO/IEC 11179...". [Click here to purchase the full version from the ANSI store.](#)

- h) the provision of services for semantic computing: Semantics Service Oriented Architecture, Semantic Grids, semantics based workflows, Semantic Web, etc.;
- i) support for addressing semantic web considerations such as AAA (anyone can say anything about anything), non-unique names, and open world assumption;
- j) the capture of semantics with more formal techniques (in addition to natural language) -- First Order Logic (e.g., Common Logic), Description Logics (such as OWL-DL);
- k) support of Application Development and Maintenance;
- l) support of data migration, data mediation;
- m) support of portals, data marts, and data warehouses;
- n) support of data grids and online transaction networks;
- o) ontological reasoning with metadata;
- p) ontology entry point for browsing and searching metadata registries;
- q) capture of associations between the published identifiers used in the ontology(s), and the concepts registered in the registry;
- r) support for Ontology-driven Data Translation;
- s) support for data integration & data interoperation.

This is a preview of "INCITS/ISO/IEC 11179...". Click [here](#) to purchase the full version from the ANSI store.

Information technology — Metadata registries (MDR) —

Part 3: Registry metamodel and basic attributes

1 Scope

1.1 Scope – Structure of a metadata registry

Clauses 5 through 11 specify the structure of a metadata registry in the form of a conceptual data model.

While the model diagrams are presented in UML notation, this part of ISO/IEC 11179 does not assume nor endorse any specific system environment, database management system, database design paradigm, system development methodology, data definition language, command language, system interface, user interface, computing platform, or any technology required for implementation. This part of ISO/IEC 11179 does not directly apply to the actual use of data in communications and information processing systems.

1.2 Scope – Basic attributes of metadata items

Clause 12 specifies basic attributes which are required to describe metadata items, and which might be used in situations where a complete metadata registry is not appropriate (e.g. in the specification of other International Standards).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 11179-6, *Information technology — Metadata registries (MDR) — Part 6: Registration*

3 Terms, definitions and abbreviated terms

For the purposes of this document, the following terms, definitions and abbreviated terms apply.

NOTE 1 An alphabetical list of all terms used in this part of ISO/IEC 11179 is included in Annex A.

NOTE 2 Some definitions listed in this clause have one or more notes; some have a reference to another standard from which the definition is taken; and some have both notes and a reference. Where a definition has both one or more notes and a reference, notes that precede the reference come from the referenced source; notes that follow the reference have been added by this part of ISO/IEC 11179.