

American National Standard

INCITS/ISO/IEC 24752-2:2014 (2019)

(ISO/IEC 24752-2:2014, IDT)

*Information technology -- User interfaces --
Universal remote console -- Part 2: User
interface socket description*

Developed by



Where IT all begins



INCITS/ISO/IEC 24752-2:2014 (2019)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Adopted by INCITS (InterNational Committee for Information Technology Standards) as an American National Standard.

Date of ANSI Approval: 11/22/2019

Published by American National Standards Institute,
25 West 43rd Street, New York, New York 10036

Copyright 2019 by Information Technology Industry Council
(ITI). All rights reserved.

These materials are subject to copyright claims of International Standardization Organization (ISO), International Electrotechnical Commission (IEC), American National Standards Institute (ANSI), and Information Technology Industry Council (ITI). Not for resale. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of ITI. All requests pertaining to this standard should be submitted to ITI, 1101 K Street NW, Suite 610, Washington DC 20005.

Printed in the United States of America

Second edition
2014-12-15

Information technology — User interfaces — Universal remote console —

Part 2: User interface socket description

Technologies de l'information — Interfaces utilisateur — Console à distance universelle —

Partie 2: Description de "socket" d'interface utilisateur

Reference number
ISO/IEC 24752-2:2014(E)





COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "INCITS/ISO/IEC 24752...". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword	vii
Introduction	viii
1 Scope	1
2 Conformance	1
3 Normative references	1
4 Terms and definitions	2
5 Relation to other standards	2
5.1 Relation to XML.....	2
5.2 XPath expressions.....	3
5.2.1 General.....	3
5.2.2 Use of XPath 2.0 syntax and semantics.....	3
5.2.3 The undefined value.....	4
5.2.4 XPath functions.....	4
5.2.5 Additional functions.....	5
6 Structure of a socket description	9
6.1 General.....	9
6.2 The 'about' attribute.....	10
6.3 The 'id' attribute.....	10
6.4 The 'sufficient' attribute.....	10
6.5 The 'complete' attribute.....	10
6.6 The 'extends' attribute.....	10
6.7 The <dcterms:conformsTo> element.....	11
6.8 The <dcterms:modified> element.....	11
6.9 Socket description properties from DCMI.....	12
6.10 <variable> , <command> , <notify> , and <set> elements.....	12
6.11 XSD type schema elements.....	12
6.12 Platform-specific mapping information for sockets.....	12
7 Sets	13
7.1 General.....	13
7.2 Attribute 'id'.....	13
7.3 Attribute 'dim'.....	13
7.4 Set dependencies.....	14
7.4.1 General.....	14
7.4.2 The <relevant> dependency.....	14
7.4.3 The <write> dependency.....	14
7.4.4 The <insert> dependency.....	15
7.5 Platform-specific mapping information for sets.....	15
7.6 Set properties from DCMI.....	15
7.7 Set members.....	15

This is a preview of "INCITS/ISO/IEC 24752...". Click here to purchase the full version from the ANSI store.

8	Variables	16
8.1	General	16
8.2	The ‘id’ attribute	16
8.3	The ‘type’ attribute	16
8.3.1	General	16
8.3.2	Simple types	16
8.3.3	Space-Separated Value Lists	16
8.3.4	Comma-Separated Value (CSV) Lists	16
8.3.5	Stream types	17
8.3.6	Socket-internal types	18
8.3.7	Imported types	18
8.4	The ‘secret’ attribute	18
8.5	The ‘sensitive’ attribute	19
8.6	The ‘optional’ attribute	19
8.7	The ‘final’ attribute	19
8.8	The ‘dim’ attribute	19
8.9	Variable dependencies	20
8.9.1	General	20
8.9.2	The <relevant> dependency	21
8.9.3	The <write> dependency	21
8.9.4	The <insert> dependency	22
8.9.5	The <length> dependency	23
8.9.6	The <minLength> dependency	23
8.9.7	The <maxLength> dependency	23
8.9.8	The <pattern> dependency	24
8.9.9	The <minInclusive> dependency	24
8.9.10	The <maxInclusive> dependency	25
8.9.11	The <minExclusive> dependency	25
8.9.12	The <maxExclusive> dependency	25
8.10	Selection	26
8.10.1	General	26
8.10.2	The ‘closed’ attribute	26
8.10.3	Static and dynamic selection sets	26
8.11	Platform-specific mapping information for variables	27
8.12	Variable properties from DCMI	27

This is a preview of "INCITS/ISO/IEC 24752...". Click here to purchase the full version from the ANSI store.

9	Commands	28
9.1	General	28
9.2	The 'id' attribute	28
9.3	The 'type' attribute	28
9.3.1	General	28
9.3.2	uis:voidCommand	28
9.3.3	uis:basicCommand	28
9.3.4	uis:timedCommand	29
9.4	The 'sensitive' attribute	29
9.5	The 'sufficient' attribute	29
9.6	The 'complete' attribute	30
9.7	The 'optional' attribute	30
9.8	The 'dim' attribute	31
9.9	Command dependencies	31
9.9.1	General	31
9.9.2	The <relevant> dependency	32
9.9.3	The <write> dependency	32
9.9.4	The <insert> dependency	33
9.9.5	The <assert> dependency	33
9.10	Platform-specific mapping information for commands	34
9.11	Command properties from DCMI	34
9.12	Command parameters	34
9.12.1	General	34
9.12.2	The 'id' attribute (local parameter)	34
9.12.3	The 'idref' attribute (global parameter)	35
9.12.4	The 'dir' attribute	35
9.12.5	The 'type' attribute	36
9.12.6	The 'secret' attribute	36
9.12.7	The 'sensitive' attribute	37
9.12.8	The <selection> subelement	37
9.12.9	Platform-specific mapping information for command parameters	37
9.12.10	Command parameter properties from DCMI	37
10	Notifications	38
10.1	General	38
10.2	The 'id' attribute	38
10.3	The 'type' attribute	38
10.4	The 'category' attribute	40
10.5	The 'sensitive' attribute	40
10.6	The 'optional' attribute	40
10.7	The 'dim' attribute	40
10.8	The 'timeout' attribute	41
10.9	Notification dependencies	41
10.9.1	General	41
10.9.2	The <insert> dependency	42
10.10	Notification variables and commands	42
10.11	Platform-specific mapping information for notifications	43
10.12	Notification properties from DCMI	43
11	Type definitions	43
11.1	General	43
11.2	Facets	44
11.3	List of string values	44
11.4	Expressing structure within a type's value space	45
11.5	Socket-internal types	45
11.6	Schema import	45
11.7	References to socket-external types	46
11.8	Element definitions	46
12	Security considerations	46

This is a preview of "INCITS/ISO/IEC 24752...". [Click here to purchase the full version from the ANSI store.](#)

Annex A (informative) Documents for user interface socket descriptions	47
Bibliography	48

This is a preview of "INCITS/ISO/IEC 24752...". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](#).

The committee responsible for this document is ISO/IEC JTC 1, *Information technology*, Subcommittee SC 35, *User interfaces*.

This second edition cancels and replaces the first edition (ISO 24752-2:2008), which has been technically revised.

ISO/IEC 24752 consists of the following parts, under the general title *Information technology — User interfaces — Universal remote console*:

- *Part 1: Framework*
- *Part 2: User interface socket description*
- *Part 4: Target description*
- *Part 5: Resource description*
- *Part 6: Web service integration*

Introduction

This is the second edition of this part of ISO/IEC 24752. The main purpose of the revision is an alignment with recent developments in the Web service area, in particular with the new ISO/IEC 24752-6 on Web service integration, along with an overall simplification of the specified technologies.

A user interface socket is an abstract concept that, when implemented, exposes the functionality and state of a target in a machine-interpretable manner. A user interface socket is independent of any specific implementation platform.

A user interface socket contains variables, commands, and notifications, optionally structured in sets that may be nested in a hierarchical fashion. The variables include all of the dynamic data a user can perceive and/or manipulate, and may also include additional dynamic supporting data that is not presented to the user. Example variables include the volume of a television, the current floor of an elevator, or an internal variable representing the current state of a transaction that is used to control dynamic features of the interface. A command is a core function that a user can request a target to perform and that cannot be represented by a variable. The commands include all target functions that can be called by users. Examples include the 'search' command of an airline reservation system or the 'seek' command of a CD player. A user interface socket does not include commands for accessing the values of the variables. There are typically no commands that simply change the values of variables. An exception would be a 'reset' operation which puts the target into a specific state. The notifications are special states where normal operation is suspended, such as an exception state. Notifications are special states triggered by the target. Examples include an announcement made by a public address system in an airport, a clock alarm, or a response to invalid input for a field of a form.

A user interface socket specification is an XML document that uses the constructs defined in this part of ISO/IEC 24752 to describe a user interface socket.

See [Annex A](#) for an example user interface socket description.

NOTE Additional information is needed before the socket can be presented to a user, including natural language labels and help text associated with the elements of the user interface. This information is provided externally to the socket description. Resources reference socket elements using the socket's name (as given in the socket descriptions 'about' attribute value, see [6.2](#)) and the element 'id' attribute (see [7.2](#), [9.2](#) and [10.2](#)). Refer to ISO/IEC 24752-5 for further details.

This is a preview of "INCITS/ISO/IEC 24752...". Click here to purchase the full version from the ANSI store.

Information technology — User interfaces — Universal remote console —

Part 2: User interface socket description

1 Scope

ISO/IEC 24752 is a multi-part International Standard that aims to facilitate operation of information and electronic products through remote and alternative interfaces and intelligent agents.

A user interface socket is an abstract user interface that describes the functionality and state of a device or service (target) in a machine-interpretable manner that is independent of presentation and input capabilities of a user interaction device. This part of ISO/IEC 24752 defines an Extensible Markup Language (XML)-based language for describing a user interface socket. The purpose of the user interface socket is to expose the relevant information about a target so that a user can perceive its state and operate it. This includes data presented to the user, variables that can be manipulated by the user, commands that the user can activate, and exceptions that the user is notified about. The user interface socket specification is applicable to the construction and adaptation of user interfaces.

2 Conformance

An XML file conforms to this part of ISO/IEC 24752 (i.e. is a user interface socket description) if it fulfils all of the following requirements:

- a) it has an MIME type as specified in [6.1](#), if applicable;
- b) it is coded in UCS (see [6.1](#));
- c) its root element is the <uis:uiSocket> element (with uis representing the namespace "<http://openurc.org/ns/uissocketdesc-2>"), as specified in [Clause 6](#);
- d) it contains all required elements and attributes with their proper values, as specified in [Clause 6](#);
- e) if it contains recommended or optional elements or attributes with their values, these are presented as specified in [Clause 6](#).

NOTE 1 Strict language conformance (i.e. no additional elements or attributes allowed) is not required because future versions of this part of ISO/IEC 24752 might add new elements, attributes, and values. Therefore, URC manufacturers are encouraged to implement their URCs so that unrecognized markup is ignored without failing.

NOTE 2 Target manufacturers who want to add manufacturer-specific information to a socket description beyond the elements, attributes, and values specified in this part of ISO/IEC 24752 can do so by externally providing (proprietary) resource descriptions that point into the structure of a socket description. Refer to ISO/IEC 24752-5 for details.

3 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15836:2009, *Information and documentation — The Dublin Core metadata element set*