

American National Standard

INCITS/ISO/IEC 8825-2:2008[2014]

(ISO/IEC 8825-2:2008, IDT)

Information technology - ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)

Developed by



Where IT all begins



INCITS/ISO/IEC 8825-2:2008[2014]

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Adopted by INCITS (InterNational Committee for Information Technology Standards) as an American National Standard.

Date of ANSI Approval: 10/21/14

Published by American National Standards Institute,
25 West 43rd Street, New York, New York 10036

Copyright 2014 by Information Technology Industry Council
(ITI). All rights reserved.

These materials are subject to copyright claims of International Standardization Organization (ISO), International Electrotechnical Commission (IEC), American National Standards Institute (ANSI), and Information Technology Industry Council (ITI). Not for resale. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of ITI. All requests pertaining to this standard should be submitted to ITI, 1101 K Street NW, Suite 610, Washington DC 20005.
Printed in the United States of America

This is a preview of "INCITS/ISO/IEC 8825-...". [Click here to purchase the full version from the ANSI store.](#)

Fourth edition
2008-12-15

Information technology — ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)

*Technologies de l'information — Règles de codage ASN.1:
Spécification des règles de codage compact (PER)*

Reference number
ISO/IEC 8825-2:2008(E)



© ISO/IEC 2008

This is a preview of "INCITS/ISO/IEC 8825-...". [Click here to purchase the full version from the ANSI store.](#)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published by ISO in 2009

Published in Switzerland

This is a preview of "INCITS/ISO/IEC 8825-...". Click here to purchase the full version from the ANSI store.

CONTENTS

	<i>Page</i>
Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
2.1 Identical Recommendations International Standards	1
2.2 Additional references	1
3 Definitions	2
3.1 Specification of Basic Notation	2
3.2 Information Object Specification	2
3.3 Constraint Specification	2
3.4 Parameterization of ASN.1 Specification	2
3.5 Basic Encoding Rules	2
3.6 PER Encoding Instructions	2
3.7 Additional definitions	2
4 Abbreviations	5
5 Notation	5
6 Convention	5
7 Encoding rules defined in this Recommendation International Standard	5
8 Conformance	6
9 PER encoding instructions	6
10 The approach to encoding used for PER	7
10.1 Use of the type notation	7
10.2 Use of tags to provide a canonical order	7
10.3 PER-visible constraints	7
10.4 Type and value model used for encoding	9
10.5 Structure of an encoding	9
10.6 Types to be encoded	10
11 Encoding procedures	10
11.1 Production of the complete encoding	10
11.2 Open type fields	11
11.3 Encoding as a non-negative-binary-integer	11
11.4 Encoding as a 2's-complement-binary-integer	12
11.5 Encoding of a constrained whole number	12
11.6 Encoding of a normally small non-negative whole number	13
11.7 Encoding of a semi-constrained whole number	13
11.8 Encoding of an unconstrained whole number	14
11.9 General rules for encoding a length determinant	14
12 Encoding the boolean type	16
13 Encoding the integer type	17
14 Encoding the enumerated type	17
15 Encoding the real type	18
16 Encoding the bitstring type	18
17 Encoding the octetstring type	19
18 Encoding the null type	20
19 Encoding the sequence type	20
20 Encoding the sequence-of type	21
21 Encoding the set type	21

This is a preview of "INCITS/ISO/IEC 8825-...". Click here to purchase the full version from the ANSI store.

23	Encoding the choice type	22
24	Encoding the object identifier type	23
25	Encoding the relative object identifier type.....	23
26	Encoding the internationalized resource reference type.....	23
27	Encoding the relative internationalized resource reference type.....	23
28	Encoding the embedded-pdv type	23
29	Encoding of a value of the external type	24
30	Encoding the restricted character string types.....	25
31	Encoding the unrestricted character string type	26
32	Encoding the time type, the useful time types, the defined time types and the additional time types.....	27
32.1	General	27
32.2	Encoding subtypes with the "Basic=Date" property setting	31
32.3	Encoding subtypes with the "Basic=Time" property setting	33
32.4	Encoding subtypes with the "Basic=Date-Time" property setting.....	36
32.5	Encoding subtypes with the "Basic=Interval Interval-type=SE" property setting.....	36
32.6	Encoding subtypes with the "Basic=Interval Interval-type=D" property setting	37
32.7	Encoding subtypes with the "Basic=Interval Interval-type=SD" or "Basic=Interval Interval-type=DE" property setting.....	38
32.8	Encoding subtypes with the "Basic=Rec-Interval Interval-type=SE" property setting.....	39
32.9	Encoding subtypes with the "Basic=Rec-Interval Interval-type=D" property setting.....	39
32.10	Encoding subtypes with the "Basic=Rec-Interval Interval-type=SD" or "Basic=Rec-Interval Interval-type=DE" property setting.....	40
32.11	Encoding subtypes with mixed settings of the Basic property.....	41
33	Object identifiers for transfer syntaxes	43
Annex A	Example of encodings.....	44
A.1	Record that does not use subtype constraints.....	44
A.1.1	ASN.1 description of the record structure.....	44
A.1.2	ASN.1 description of a record value	44
A.1.3	ALIGNED PER representation of this record value	44
A.1.4	UNALIGNED PER representation of this record value	45
A.2	Record that uses subtype constraints.....	47
A.2.1	ASN.1 description of the record structure.....	47
A.2.2	ASN.1 description of a record value	47
A.2.3	ALIGNED PER representation of this record value	47
A.2.4	UNALIGNED PER representation of this record value	48
A.3	Record that uses extension markers	49
A.3.1	ASN.1 description of the record structure.....	49
A.3.2	ASN.1 description of a record value	50
A.3.3	ALIGNED PER representation of this record value	50
A.3.4	UNALIGNED PER representation of this record value	52
A.4	Record that uses extension addition groups	53
A.4.1	ASN.1 description of the record structure.....	53
A.4.2	ASN.1 description of a record value	54
A.4.3	ALIGNED PER representation of this record value	54
A.4.4	UNALIGNED PER representation of this record value	54
Annex B	Combining PER-visible and non-PER-visible constraints	56
B.1	General.....	56
B.2	Extensibility and visibility of constraints in PER	56
B.2.1	General.....	56
B.2.2	PER-visibility of constraints	57
B.2.3	Effective constraints.....	58
B.3	Examples.....	59
Annex C	Support for the PER algorithms	61

This is a preview of "INCITS/ISO/IEC 8825-...". [Click here to purchase the full version from the ANSI store.](#)

Annex E Tutorial annex on concatenation of PER encodings.....	63
Annex F Identification of Encoding Rules	64

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 8825-2 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as Rec. ITU-T X.691 (11/2008).

This fourth edition cancels and replaces the third edition (ISO/IEC 8825-2:2002), which has been technically revised. It also incorporates the Amendments ISO/IEC 8825-2:2002/Amd.1:2004, ISO/IEC 8825-2:2002/Amd.2:2007 and ISO/IEC 8825-2:2002/Amd.3:2008, and the Technical Corrigenda ISO/IEC 8825-2:2002/Cor.1:2006 and ISO/IEC 8825-2:2002/Cor.2:2006.

ISO/IEC 8825 consists of the following parts, under the general title *Information technology — ASN.1 encoding rules*:

- *Part 1: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)*
- *Part 2: Specification of Packed Encoding Rules (PER)*
- *Part 3: Specification of Encoding Control Notation (ECN)*
- *Part 4: XML Encoding Rules (XER)*
- *Part 5: Mapping W3C XML schema definitions into ASN.1*
- *Part 6: Registration and application of PER encoding instructions*

This is a preview of "INCITS/ISO/IEC 8825-...". [Click here to purchase the full version from the ANSI store.](#)

Introduction

The publications ITU-T Rec. X.680 | ISO/IEC 8824-1, ITU-T Rec. X.681 | ISO/IEC 8824-2, ITU-T Rec. X.682 | ISO/IEC 8824-3, ITU-T Rec. X.683 | ISO/IEC 8824-4 together describe Abstract Syntax Notation One (ASN.1), a notation for the definition of messages to be exchanged between peer applications.

This Recommendation | International Standard defines encoding rules that may be applied to values of types defined using the notation specified in ITU-T Rec. X.680 | ISO/IEC 8824-1. Application of these encoding rules produces a transfer syntax for such values. It is implicit in the specification of these encoding rules that they are also to be used for decoding.

There are more than one set of encoding rules that can be applied to values of ASN.1 types. This Recommendation | International Standard defines a set of Packed Encoding Rules (PER), so called because they achieve a much more compact representation than that achieved by the Basic Encoding Rules (BER) and its derivatives described in ITU-T Rec. X.690 | ISO/IEC 8825-1 which is referenced for some parts of the specification of these Packed Encoding Rules.