

American National Standard

INCITS/ISO/IEC 8825-3:2015 (2019)

(ISO/IEC 8825-3:2015, IDT)

Information technology -- ASN.1 encoding rules: Specification of Encoding Control Notation (ECN)

Developed by



Where IT all begins



INCITS/ISO/IEC 8825-3:2015 (2019)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Adopted by INCITS (InterNational Committee for Information Technology Standards) as an American National Standard.

Date of ANSI Approval: 11/22/2019

Published by American National Standards Institute,
25 West 43rd Street, New York, New York 10036

Copyright 2019 by Information Technology Industry Council
(ITI). All rights reserved.

These materials are subject to copyright claims of International Standardization Organization (ISO), International Electrotechnical Commission (IEC), American National Standards Institute (ANSI), and Information Technology Industry Council (ITI). Not for resale. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of ITI. All requests pertaining to this standard should be submitted to ITI, 1101 K Street NW, Suite 610, Washington DC 20005.

Printed in the United States of America

This is a preview of "INCITS/ISO/IEC 8825-...". [Click here to purchase the full version from the ANSI store.](#)

Third edition
2015-11-15

Information technology — ASN.1 encoding rules: Specification of Encoding Control Notation (ECN)

*Technologies de l'information — Règles de codage ASN.1:
Spécification de la notation de contrôle de codage (ECN)*

Reference number
ISO/IEC 8825-3:2015(E)



© ISO/IEC 2015

This is a preview of "INCITS/ISO/IEC 8825-...". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "INCITS/ISO/IEC 8825-...". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

This third edition cancels and replaces the second edition of ISO/IEC 8825-3:2008 which has been technically revised. It also incorporates ISO/IEC 8825-3:2008/Cor.1:2012.

ISO/IEC 8825-3 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology* Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T X.692 (08/2015).

This is a preview of "INCITS/ISO/IEC 825-...". [Click here to purchase the full version from the ANSI store.](#)

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

X.692

(08/2015)

SERIES X: DATA NETWORKS, OPEN SYSTEM
COMMUNICATIONS AND SECURITY

OSI networking and system aspects – Abstract Syntax
Notation One (ASN.1)

**Information technology – ASN.1 encoding rules:
Specification of Encoding Control Notation
(ECN)**

Recommendation ITU-T X.692

PUBLIC DATA NETWORKS	
Services and facilities	X.1–X.19
Interfaces	X.20–X.49
Transmission, signalling and switching	X.50–X.89
Network aspects	X.90–X.149
Maintenance	X.150–X.179
Administrative arrangements	X.180–X.199
OPEN SYSTEMS INTERCONNECTION	
Model and notation	X.200–X.209
Service definitions	X.210–X.219
Connection-mode protocol specifications	X.220–X.229
Connectionless-mode protocol specifications	X.230–X.239
PICS proformas	X.240–X.259
Protocol Identification	X.260–X.269
Security Protocols	X.270–X.279
Layer Managed Objects	X.280–X.289
Conformance testing	X.290–X.299
INTERWORKING BETWEEN NETWORKS	
General	X.300–X.349
Satellite data transmission systems	X.350–X.369
IP-based networks	X.370–X.379
MESSAGE HANDLING SYSTEMS	
DIRECTORY	
OSI NETWORKING AND SYSTEM ASPECTS	
Networking	X.600–X.629
Efficiency	X.630–X.639
Quality of service	X.640–X.649
Naming, Addressing and Registration	X.650–X.679
Abstract Syntax Notation One (ASN.1)	X.680–X.699
OSI MANAGEMENT	
Systems management framework and architecture	X.700–X.709
Management communication service and protocol	X.710–X.719
Structure of management information	X.720–X.729
Management functions and ODMA functions	X.730–X.799
SECURITY	
OSI APPLICATIONS	
Commitment, concurrency and recovery	X.850–X.859
Transaction processing	X.860–X.879
Remote operations	X.880–X.889
Generic applications of ASN.1	X.890–X.899
OPEN DISTRIBUTED PROCESSING	
INFORMATION AND NETWORK SECURITY	
SECURE APPLICATIONS AND SERVICES	
CYBERSPACE SECURITY	
SECURE APPLICATIONS AND SERVICES	
CYBERSECURITY INFORMATION EXCHANGE	
CLOUD COMPUTING SECURITY	

For further details, please refer to the list of ITU-T Recommendations.

Information technology – ASN.1 encoding rules: Specification of Encoding Control Notation (ECN)

Summary

Recommendation ITU-T X.692 | ISO/IEC 8825-3 defines the Encoding Control Notation (ECN) used to specify encodings (of ASN.1 types) that differ from those provided by standardized encoding rules such as the Basic Encoding Rules (BER) and the Packed Encoding Rules (PER).

History

Edition	Recommendation	Approval	Study Group	Unique ID*
1.0	ITU-T X.692	2002-03-08	17	11.1002/1000/5647
1.1	ITU-T X.692 (2002) Annex E	2002-03-08	17	11.1002/1000/6361
1.2	ITU-T X.692 (2002) Amd. 1	2004-08-29	17	11.1002/1000/7292
1.3	ITU-T X.692 (2002) Technical Cor. 1	2005-05-14	17	11.1002/1000/8514
1.4	ITU-T X.692 (2002) Amd. 2	2006-06-13	17	11.1002/1000/8840
2.0	ITU-T X.692	2008-11-13	17	11.1002/1000/9610
2.1	ITU-T X.692 (2008) Cor. 1	2011-10-14	17	11.1002/1000/11380
3.0	ITU-T X.692	2015-08-13	17	11.1002/1000/12485

* To access the Recommendation, type the URL <http://handle.itu.int/> in the address field of your web browser, followed by the Recommendation's unique ID. For example, <http://handle.itu.int/11.1002/1000/11830-en>.

FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications, information and communication technologies (ICTs). The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure, e.g., interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at <http://www.itu.int/ITU-T/ipr/>.

© ITU 2015

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

CONTENTS

	<i>Page</i>
Introduction	x
Information technology – ASN.1 encoding rules: Specification of Encoding Control Notation (ECN)	1
1 Scope	1
2 Normative references.....	1
2.1 Identical Recommendations International Standards	1
2.2 Additional references	2
3 Definitions.....	2
3.1 ASN.1 definitions.....	2
3.2 ECN-specific definitions	2
4 Abbreviations	5
5 Definition of ECN syntax.....	5
6 Encoding conventions and notation.....	5
7 The ECN character set.....	5
8 ECN lexical items.....	6
8.1 Encoding object references	6
8.2 Encoding object set references	6
8.3 Encoding class references	7
8.4 Reserved word items	7
8.5 Reserved encoding class name items	7
8.6 Non-ECN item	7
9 ECN Concepts	8
9.1 Encoding Control Notation (ECN) specifications	8
9.2 Encoding classes	8
9.3 Encoding structures	9
9.4 Encoding objects	9
9.5 Encoding object sets.....	9
9.6 Defining new encoding classes	10
9.7 Defining encoding objects.....	11
9.8 Differential encoding-decoding.....	11
9.9 Encoders options in encodings	12
9.10 Properties of encoding objects	12
9.11 Parameterization.....	12
9.12 Governors.....	13
9.13 General aspects of encodings	13
9.14 Identification of information elements	14
9.15 Reference fields and determinants	14
9.16 Replacement classes and structures.....	14
9.17 Mapping abstract values onto fields of encoding structures.....	15
9.18 Transforms and transform composites	16
9.19 Contents of Encoding Definition Modules.....	16
9.20 Contents of the Encoding Link Module	17
9.21 Defining encodings for primitive encoding classes.....	17
9.22 Application of encodings	19
9.23 Combined encoding object set	19
9.24 Application point.....	19
9.25 Conditional encodings.....	20
9.26 Other conditions for applying encodings	20
9.27 Encoding control for the open type	21
9.28 Changes to ASN.1 Recommendations International Standards.....	21

11.1	General	24
11.2	Built-in encoding classes used for implicitly generated encoding structures	25
11.3	Simplification and expansion of ASN.1 notation for encoding purposes	25
11.4	The implicitly generated encoding structure	27
12	The Encoding Link Module (ELM).....	28
12.1	Structure of the ELM.....	28
12.2	Encoding types	28
13	Application of encodings	29
13.1	General	29
13.2	The combined encoding object set and its application	29
14	The Encoding Definition Module (EDM)	32
15	The renames clause.....	33
15.1	Explicitly generated and exported structures.....	33
15.2	Name changes	34
15.3	Specifying the region for name changes	35
16	Encoding class assignments.....	36
16.1	General	36
16.2	Encoding structure definition	39
16.3	Alternative encoding structure	42
16.4	Repetition encoding structure.....	43
16.5	Concatenation encoding structure	43
17	Encoding object assignments.....	44
17.1	General	44
17.2	Encoding with a defined syntax	44
17.3	Encoding with encoding object sets	45
17.4	Encoding using value mappings.....	46
17.5	Encoding an encoding structure	46
17.6	Differential encoding-decoding.....	48
17.7	Encoding options.....	49
17.8	Non-ECN definition of encoding objects	50
18	Encoding object set assignments	50
18.1	General	50
18.2	Built-in encoding object sets	51
19	Mapping values	52
19.1	General.....	52
19.2	Mapping by explicit values	53
19.3	Mapping by matching fields.....	54
19.4	Mapping by #TRANSFORM encoding objects	55
19.5	Mapping by abstract value ordering.....	56
19.6	Mapping by value distribution	57
19.7	Mapping integer values to bits	58
20	Defining encoding objects using defined syntax	59
21	Types used in defined syntax specification	60
21.1	The Unit type	60
21.2	The EncodingSpaceSize type.....	60
21.3	The EncodingSpaceDetermination type.....	61
21.4	The UnusedBitsDetermination type.....	61
21.5	The OptionalityDetermination type	62
21.6	The AlternativeDetermination type	63
21.7	The RepetitionSpaceDetermination type	63
21.8	The Justification type	64

21.11	The RangeCondition type.....	66
21.12	The Comparison type.....	66
21.13	The SizeRangeCondition type	67
21.14	The ReversalSpecification type	67
21.15	The ResultSize type	68
21.16	The HandleValueSet type.....	68
21.17	The IntegerMapping type	69
22	Commonly used encoding property groups	69
22.1	Replacement specification.....	69
22.1.1	Encoding properties, syntax and purpose	69
22.1.2	Specification restrictions	70
22.1.3	Encoder actions	71
22.1.4	Decoder actions.....	72
22.2	Pre-alignment and padding specification	72
22.2.1	Encoding properties, syntax and purpose	72
22.2.2	Specification constraints	72
22.2.3	Encoder actions	73
22.2.4	Decoder actions.....	73
22.3	Start pointer specification.....	73
22.3.1	Encoding properties, syntax and purpose	73
22.3.2	Specification constraints	73
22.3.3	Encoder actions	73
22.3.4	Decoder actions.....	74
22.4	Encoding space specification	74
22.4.1	Encoding properties, syntax and purpose	74
22.4.2	Specification restrictions	75
22.4.3	Encoder actions	75
22.4.4	Decoder actions.....	76
22.5	Optionality determination	76
22.5.1	Encoding properties, syntax and purpose	76
22.5.2	Specification restrictions	76
22.5.3	Encoder actions	77
22.5.4	Decoder actions.....	77
22.6	Alternative determination.....	78
22.6.1	Encoding properties, syntax and purpose	78
22.6.2	Specification restrictions	78
22.6.3	Encoder actions	79
22.6.4	Decoder actions.....	79
22.7	Repetition space specification.....	79
22.7.1	Encoding properties, syntax and purpose	79
22.7.2	Specification constraints	80
22.7.3	Encoder actions	81
22.7.4	Decoder actions.....	82
22.8	Value padding and justification.....	82
22.8.1	Encoding properties, syntax, and purpose	82
22.8.2	Specification restrictions	83
22.8.3	Encoder actions	83
22.8.4	Decoder actions.....	84
22.9	Identification handle specification	84
22.9.1	Encoding properties, syntax and purpose	84
22.9.2	Specification constraints	85
22.9.3	Encoders actions.....	85
22.9.4	Decoders actions	85
22.10	Concatenation specification	86
22.10.1	Encoding properties, syntax and purpose	86
22.10.2	Specification constraints	86
22.10.3	Encoder actions	86
22.10.4	Decoder actions.....	87

22.11.2	Encoder actions	87
22.11.3	Decoder actions	87
22.12	Bit reversal specification	87
22.12.1	Encoding properties, syntax, and purpose	87
22.12.2	Specification constraints	88
22.12.3	Encoder actions	88
22.12.4	Decoder actions	88
23	Defined syntax specification for bit-field and constructor classes	88
23.1	Defining encoding objects for classes in the alternatives category	88
23.1.1	The defined syntax	88
23.1.2	Purpose and restrictions	89
23.1.3	Encoder actions	89
23.1.4	Decoder actions	90
23.2	Defining encoding objects for classes in the bitstring category	90
23.2.1	The defined syntax	90
23.2.2	Model for the encoding of classes in the bitstring category	91
23.2.3	Purpose and restrictions	91
23.2.4	Encoder actions	92
23.2.5	Decoder actions	92
23.3	Defining encoding objects for classes in the boolean category	92
23.3.1	The defined syntax	92
23.3.2	Purpose and restrictions	94
23.3.3	Encoder actions	94
23.3.4	Decoder actions	94
23.4	Defining encoding objects for classes in the characterstring category	95
23.4.1	The defined syntax	95
23.4.2	Model for the encoding of classes in the characterstring category	95
23.4.3	Purpose and restrictions	96
23.4.4	Encoder actions	96
23.4.5	Decoder actions	97
23.5	Defining encoding objects for classes in the concatenation category	97
23.5.1	The defined syntax	97
23.5.2	Purpose and restrictions	98
23.5.3	Encoder actions	99
23.5.4	Decoder actions	99
23.6	Defining encoding objects for classes in the integer category	99
23.6.1	The defined syntax	99
23.6.2	Purpose and restrictions	99
23.6.3	Encoder actions	100
23.6.4	Decoder actions	100
23.7	Defining encoding objects for the #CONDITIONAL-INT class	100
23.7.1	The defined syntax	100
23.7.2	Purpose and restrictions	101
23.7.3	Encoder actions	102
23.7.4	Decoder actions	103
23.8	Defining encoding objects for classes in the null category	103
23.8.1	The defined syntax	103
23.8.2	Purpose and restrictions	105
23.8.3	Encoder actions	105
23.8.4	Decoder actions	105
23.9	Defining encoding objects for classes in the octetstring category	105
23.9.1	The defined syntax	105
23.9.2	Model for the encoding of classes in the octetstring category	106
23.9.3	Purpose and restrictions	106
23.9.4	Encoder actions	107
23.9.5	Decoder actions	107
23.10	Defining encoding objects for classes in the open type category	108
23.10.1	The defined syntax	108
23.10.2	Model for the encoding of classes in the open type category	109

23.10.3	Decoder actions	110
23.11	Defining encoding objects for classes in the optionality category	110
23.11.1	The defined syntax	110
23.11.2	Purpose and restrictions	111
23.11.3	Encoder actions	111
23.11.4	Decoder actions	111
23.12	Defining encoding objects for classes in the pad category	111
23.12.1	The defined syntax	111
23.12.2	Purpose and restrictions	112
23.12.3	Encoder actions	113
23.12.4	Decoder actions	113
23.13	Defining encoding objects for classes in the repetition category	113
23.13.1	The defined syntax	113
23.13.2	Purpose and restrictions	113
23.13.3	Encoder actions	114
23.13.4	Decoder actions	114
23.14	Defining encoding objects for the #CONDITIONAL-REPETITION class	114
23.14.1	The defined syntax	114
23.14.2	Purpose and restrictions	115
23.14.3	Encoder actions	116
23.14.4	Decoder actions	116
23.15	Defining encoding objects for classes in the tag category	117
23.15.1	The defined syntax	117
23.15.2	Purpose and restrictions	118
23.15.3	Encoder actions	118
23.15.4	Decoder actions	119
23.16	Defining encoding objects for classes in the other categories	119
24	Defined syntax specification for the #TRANSFORM encoding class	119
24.1	Summary of encoding properties and defined syntax	119
24.2	Source and target of transforms	121
24.3	The int-to-int transform	122
24.4	The bool-to-bool transform	123
24.5	The bool-to-int transform	124
24.6	The int-to-bool transform	124
24.7	The int-to-chars transform	124
24.8	The int-to-bits transform	125
24.9	The bits-to-int transform	126
24.10	The char-to-bits transform	127
24.11	The bits-to-char transform	129
24.12	The bit-to-bits transform	129
24.13	The bits-to-bits transform	130
24.14	The chars-to-composite-char transform	130
24.15	The bits-to-composite-bits transform	131
24.16	The octets-to-composite-bits transform	131
24.17	The composite-char-to-chars transform	131
24.18	The composite-bits-to-bits transform	131
24.19	The composite-bits-to-octets transform	132
25	Complete encodings and the #OUTER class	132
25.1	Encoding properties, syntax and purpose for the #OUTER class	132
25.2	Encoder actions for #OUTER	133
25.3	Decoder actions for #OUTER	133
Annex A	Addendum to Rec. ITU-T X.680 ISO/IEC 8824-1	135
A.1	Exports and imports clauses	135
A.2	Addition of REFERENCE	136
A.3	Notation for character string values	136

B.2	Additional lexical items	137
B.2.1	Ordered value list field references.....	137
B.2.2	Ordered encoding object list field references	137
B.2.3	Encoding class field references	137
B.3	Addition of "ENCODING-CLASS"	137
B.4	FieldSpec additions	138
B.5	Fixed-type ordered value list field spec.....	138
B.6	Fixed-class encoding object field spec	138
B.7	Variable-class encoding object field spec	138
B.8	Fixed-class encoding object set field spec.....	139
B.9	Fixed-class ordered encoding object list field spec	139
B.10	Encoding class field spec	139
B.11	Ordered value list notation	140
B.12	Ordered encoding object list notation.....	140
B.13	Primitive field names	140
B.14	Additional reserved words	140
B.15	Definition of encoding objects	141
B.16	Additions to "Setting"	141
Annex C	Addendum to Rec. ITU-T X.683 ISO/IEC 8824-4.....	143
D.1	General examples	146
D.1.1	An encoding object for a boolean type.....	146
D.1.2	An encoding object for an integer type	147
D.1.3	Another encoding object for an integer type	147
D.1.4	An encoding object for an integer type with holes.....	147
D.1.5	A more complex encoding object for an integer type	148
D.1.6	Positive integers encoded in BCD.....	148
D.1.7	An encoding object of class #BITS.....	149
D.1.8	An encoding object for an octetstring type.....	150
D.1.9	An encoding object for a character string type.....	150
D.1.10	Mapping character values to bit values	150
D.1.11	An encoding object for a sequence type.....	151
D.1.12	An encoding object for a choice type.....	151
D.1.13	Encoding a bitstring containing another encoding	152
D.1.14	An encoding object set	152
D.1.15	ASN.1 definitions.....	153
D.1.16	EDM definitions.....	153
D.1.17	ELM definitions	154
D.2	Specialization examples	154
D.2.1	Encoding by distributing values to an alternative encoding structure	154
D.2.2	Encoding by mapping ordered abstract values to an alternative encoding structure	155
D.2.3	Compression of non-continuous value ranges.....	155
D.2.4	Compression of non-continuous value ranges using a transform	156
D.2.5	Compression of an unevenly distributed value set by mapping ordered abstract values.....	156
D.2.6	Presence of an optional component depending on the value of another component	156
D.2.7	The presence of an optional component depends on some external condition	157
D.2.8	A variable length list	157
D.2.9	Equal length lists	158
D.2.10	Uneven choice alternative probabilities	159
D.2.11	A version 1 message.....	160
D.2.12	The encoding object set.....	161
D.2.13	ASN.1 definitions.....	161
D.2.14	EDM definitions.....	162
D.2.15	ELM definitions	162
D.3	Explicitly generated structure examples.....	162
D.3.1	Sequence with optional components defined by a pointer	163
D.3.2	Addition of a boolean type as a presence determinant	163
D.3.3	Sequence with optional components identified by a unique tag and delimited by a length field	165

D.3.6	ASN.1 definitions	167
D.3.7	EDM definitions	167
D.3.8	ELM definitions	167
D.4	A more-bit encoding example	168
D.4.1	Description of the problem	168
D.4.2	Use of ASN.1 to provide the more-bit determinant	168
D.4.3	Use of value mappings to provide the more-bit determinant	169
D.4.4	Use of the replacement mechanism to provide the more-bit determinant	170
D.5	Legacy protocol specified with tabular notation	170
D.5.1	Introduction	170
D.5.2	Encoding definition for the top-level message structure	172
D.5.3	Encoding definition for a message structure	172
D.5.4	Encoding for the sequence type "B"	173
D.5.5	Encoding for an octet-aligned sequence-of type with a length determinant	173
D.5.6	Encoding for an octet-aligned sequence-of type which continues to the end of the PDU	173
D.5.7	EDM definitions	173
D.5.8	ELM definitions	174
Annex E	Support for Huffman encodings	175
Annex F	Additional information on the Encoding Control Notation (ECN)	177
Annex G	Summary of the ECN notation	178

Introduction

The Encoding Control Notation (ECN) is a notation for specifying encodings of ASN.1 types that differ from those provided by standardized encoding rules. ECN can be used to encode all types of an ASN.1 specification, but can also be used with standardized encoding rules such as BER or PER (Rec. ITU-T X.690 | ISO/IEC 8825-1 and Rec. ITU-T X.691 | ISO/IEC 8825-2) to specify only the encoding of types that have special requirements.

An ASN.1 type specifies a set of abstract values. Encoding rules specify the representation of these abstract values as a series of bits. ECN is designed to meet the following encoding needs:

- a) The need to write ASN.1 types (and get the support of ASN.1 tools in implementations) for established ("legacy") protocols where the encoding is already determined and differs from all standardized encoding rules.
- b) The need to produce encodings that are minor variations on standardized rules.

The linkage provided in an ECN specification to an ASN.1 specification is well-defined and machine processable, so encoders and decoders can be automatically generated from the combined specifications. This is a significant factor in reducing both the amount of work and the possibility of errors in making interoperable systems. Another significant advantage is the ability to provide automatic tool support for testing.

These advantages are available with ASN.1 alone when standardized encoding rules suffice, but the ECN work provides these advantages in circumstances where the standardized encoding rules are not sufficient.

NOTE 1 – Currently ECN support only binary-based encodings, but could be extended in the future to cover character-based encodings.

Annex A forms an integral part of this Recommendation | International Standard, and details modifications to be made to Rec. ITU-T X.680 | ISO/IEC 8824-1 to support the notation used in this Recommendation | International Standard.

Annex B forms an integral part of this Recommendation | International Standard, and details modifications to be made to Rec. ITU-T X.681 | ISO/IEC 8824-2 to support the notation used in this Recommendation | International Standard.

Annex C forms an integral part of this Recommendation | International Standard, and details modifications to be made to Rec. ITU-T X.683 | ISO/IEC 8824-4 to support the notation used in this Recommendation | International Standard.

NOTE 2 – It is not intended that Annexes A, B and C be progressed as amendments to the referenced Recommendations | International Standards. The modifications are solely for the purpose of ECN definition (see clause 5 and 9.28).

Annex D does not form an integral part of this Recommendation | International Standard, and contains examples of the use of ECN.

Annex E does not form an integral part of this Recommendation | International Standard and provides more detail on the support for Huffman encodings in ECN.

Annex F does not form an integral part of this Recommendation | International Standard, and identifies a Web site providing access to further information and links relevant to ECN.

Annex G does not form an integral part of this Recommendation | International Standard, and provides a summary of ECN using the notation of clause 5.

This is a preview of "INCITS/ISO/IEC 8825-...". Click here to purchase the full version from the ANSI store.

Information technology – ASN.1 encoding rules: Specification of Encoding Control Notation (ECN)

1 Scope

This Recommendation | International Standard defines a notation for specifying encodings of ASN.1 types or of parts of types.

It provides several mechanisms for such specification, including:

- direct specification of the encoding using standardized notation;
- specification of the encoding by reference to standardized encoding rules;
- specification of the encoding of an ASN.1 type by reference to an encoding structure;
- specification of the encoding using non-ECN notation.

It also provides the means to link the specification of encodings to the type definitions to which they are to be applied.

ECN does not currently provide any support for specifications using the OID internationalized resource identifier type or the relative OID internationalized resource identifier type (see Rec. ITU-T X.680 | ISO/IEC 8824-1), and these are not referred to further in this Standard.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and International Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

NOTE – This Recommendation | International Standard is based on ISO/IEC 10646:2003. It cannot be applied using later versions of this standard.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T X.660 (2011) | ISO/IEC 9834-1:2012, *Information technology – Open Systems Interconnection – Procedures for the operation of OSI Registration Authorities: General procedures and top arcs of the international object identifier tree.*
- Recommendation ITU-T X.680 (2015) | ISO/IEC 8824-1:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*
- Recommendation ITU-T X.681 (2015) | ISO/IEC 8824-2:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification.*
- Recommendation ITU-T X.682 (2015) | ISO/IEC 8824-3:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification.*
- Recommendation ITU-T X.683 (2015) | ISO/IEC 8824-4:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.*
- Recommendation ITU-T X.690 (2015) | ISO/IEC 8825-1:2015, *Information technology – ASN.1 encoding Rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER), and Distinguished Encoding Rules (DER).*