

American National Standard

INCITS/ISO/IEC 9796-2:2010[2012]

(ISO/IEC 9796-2:2010, IDT)

*Information technology - Security techniques -
Digital signature schemes giving message
recovery - Part 2: Integer factorization based
mechanisms*

Developed by



Where IT all begins



INCITS/ISO/IEC 9796-2:2010[2012]

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Adopted by INCITS (InterNational Committee for Information Technology Standards) as an American National Standard.

Date of ANSI Approval: 8/31/12

Published by American National Standards Institute,
25 West 43rd Street, New York, New York 10036

Copyright 2012 by Information Technology Industry Council
(ITI). All rights reserved.

These materials are subject to copyright claims of International Standardization Organization (ISO), International Electrotechnical Commission (IEC), American National Standards Institute (ANSI), and Information Technology Industry Council (ITI). Not for resale. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of ITI. All requests pertaining to this standard should be submitted to ITI, 1101 K Street NW, Suite 610, Washington DC 20005.
Printed in the United States of America

This is a preview of "INCITS/ISO/IEC 9796-...". [Click here to purchase the full version from the ANSI store.](#)

Third edition
2010-12-15

Information technology — Security techniques — Digital signature schemes giving message recovery —

Part 2: Integer factorization based mechanisms

Technologies de l'information — Techniques de sécurité — Schémas de signature numérique rétablissant le message —

Partie 2: Mécanismes basés sur une factorisation entière

Reference number
ISO/IEC 9796-2:2010(E)



© ISO/IEC 2010

This is a preview of "INCITS/ISO/IEC 9796-...". Click here to purchase the full version from the ANSI store.

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "INCITS/ISO/IEC 9796-...". Click here to purchase the full version from the ANSI store.

Contents

Page

Foreword	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	3
5 Converting between bit strings and integers	5
6 Requirements.....	5
7 Model for signature and verification processes	7
7.1 General	7
7.2 Signing a message	7
7.2.1 Overview.....	7
7.2.2 Message allocation.....	7
7.2.3 Message representative production.....	8
7.2.4 Signature production	8
7.3 Verifying a signature	8
7.3.1 Overview.....	8
7.3.2 Signature opening	8
7.3.3 Message recovery	8
7.3.4 Message assembly	9
7.4 Specifying a signature scheme.....	9
8 Digital signature scheme 1	9
8.1 General	9
8.2 Parameters	9
8.2.1 Modulus length	9
8.2.2 Trailer field options	10
8.2.3 Capacity.....	10
8.3 Message representative production.....	10
8.3.1 Hashing the message.....	10
8.3.2 Formatting	10
8.4 Message recovery	11
9 Digital signature scheme 2	12
9.1 General	12
9.2 Parameters	12
9.2.1 Modulus length	12
9.2.2 Salt length	12
9.2.3 Trailer field options	12
9.2.4 Capacity.....	13
9.3 Message representative production.....	13
9.3.1 Hashing the message.....	13
9.3.2 Formatting	13
9.4 Message recovery	13
10 Digital signature scheme 3.....	14
Annex A (normative) ASN.1 module	15
A.1 General	15
A.2 Use of subsequent object identifiers	17

This is a preview of "INCITS/ISO/IEC 9796-...". Click here to purchase the full version from the ANSI store.

Annex B (normative) Public key system for digital signature	18
B.1 Terms and definitions	18
B.2 Symbols and abbreviations	18
B.3 Key production	19
B.3.1 Public verification exponent	19
B.3.2 Secret prime factors and public modulus	19
B.3.3 Private signature exponent	20
B.4 Signature production function	20
B.5 Signature opening function	20
B.6 Alternative signature production function	21
B.7 Alternative signature opening function	21
Annex C (normative) Mask generation function	22
C.1 Symbols and abbreviations	22
C.2 Requirements	22
C.3 Specification	22
C.3.1 Parameters	22
C.3.2 Mask generation	22
Annex D (informative) On hash-function identifiers and the choice of the recoverable length of the message	23
Annex E (informative) Examples	24
E.1 Examples with public exponent 3	24
E.1.1 Example of key production process	24
E.1.2 Examples with total recovery	25
E.1.3 Examples with partial recovery	31
E.2 Examples with public exponent 2	38
E.2.1 Example of key production process	38
E.2.2 Examples with total recovery	38
E.2.3 Examples with partial recovery	44
Bibliography	53

This is a preview of "INCITS/ISO/IEC 9796-...". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 9796-2 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 27, *IT Security techniques*.

This third edition cancels and replaces the second edition (ISO/IEC 9796-2:2002), which has been technically revised. It also incorporates the Amendment ISO/IEC 9796-2:2002/Amd.1:2008.

Implementations which comply with ISO/IEC 9796-2 (1st edition) and which use a hash-code of at least 160 bits in length will be compliant with ISO/IEC 9796-2 (3rd edition). Note, however, that implementations complying with ISO/IEC 9796-2 (1st edition) that use a hash-code of less than 160 bits in length will not be compliant with ISO/IEC 9796-2 (3rd edition). Implementations which comply with ISO/IEC 9796-2 (2nd edition) will be compliant with ISO/IEC 9796-2 (3rd edition).

ISO/IEC 9796 consists of the following parts, under the general title *Information technology — Security techniques — Digital signature schemes giving message recovery*:

- *Part 2: Integer factorization based mechanisms*
- *Part 3: Discrete logarithm based mechanisms*

Further parts may follow.

Introduction

Digital signature mechanisms can be used to provide services such as entity authentication, data origin authentication, non-repudiation, and integrity of data. A digital signature mechanism satisfies the following requirements.

- Given the verification key but not the signature key it shall be computationally infeasible to produce a valid signature for any message.
- Given the signatures produced by a signer, it shall be computationally infeasible to produce a valid signature on a new message or to recover the signature key.
- It shall be computationally infeasible, even for the signer, to find two different messages with the same signature.

NOTE 1 Computational feasibility depends on the specific security requirements and environment.

Most digital signature mechanisms are based on asymmetric cryptographic techniques and involve three basic operations:

- a process for generating pairs of keys, where each pair consists of a private signature key and the corresponding public verification key;
- a process that uses the signature key, called the signature process;
- a process that uses the verification key, called the verification process.

There are two types of digital signature mechanism.

- When, for a given signature key, two signatures produced for the same message are identical, the mechanism is said to be non-randomized (or deterministic); see ISO/IEC 14888-1.
- When, for a given message and signature key, each application of the signature process produces a different signature, the mechanism is said to be randomized.

The first and third of the three mechanisms specified in this part of ISO/IEC 9796 are deterministic (non-randomized), whereas the second of the three mechanisms specified is randomized.

Digital signature mechanisms can also be divided into the following two categories:

- When the whole message has to be stored and/or transmitted along with the signature, the mechanism is named a "signature mechanism with appendix" (see ISO/IEC 14888).
- When the whole message, or part of it, can be recovered from the signature, the mechanism is named a "signature mechanism giving message recovery" [see ISO/IEC 9796 (all parts)].

NOTE 2 Any signature mechanism giving message recovery, for example the mechanisms specified in ISO/IEC 9796 (all parts), can be converted to give a digital signature with appendix. This can be achieved by applying the signature mechanism to a hash-code derived as a function of the message. If this approach is employed, then all parties generating and verifying signatures must agree on this approach, and must also have a means of unambiguously identifying the hash-function to be used to generate the hash-code from the message.

The mechanisms specified in ISO/IEC 9796 (all parts) give either total or partial recovery, with the objective of reducing storage and transmission overhead. If the message is short enough, then the entire message can be

This is a preview of "INCITS/ISO/IEC 9796-...". [Click here to purchase the full version from the ANSI store.](#)

included in the signature, and recovered from the signature in the verification process. Otherwise, a part of the message can be included in the signature, and the remainder stored and/or transmitted along with the signature.

The mechanisms specified in this part of ISO/IEC 9796 use a hash-function for hashing the entire message (possibly in more than one part). ISO/IEC 10118 specifies hash-functions for digital signatures.