

*Information Technology –
Tape and Tape Medium Changers (FC-TAPE)*

Developed by



Where IT all begins

This is a preview of "INCITS TR-24-1999 (R...)". [Click here to purchase the full version from the ANSI store.](#)

NCITS TR-24-1998

NCITS Technical Report

**Fibre Channel –
Tape and Tape Medium Changers (FC-TAPE)**

Secretariat

Information Technology Industry Council

Abstract

This profile selects and restricts logical options from the Fibre Channel Physical and Signalling, Fibre Channel Protocol for SCSI, Fibre Channel Arbitrated Loop, and Small Computer Systems Interface standards, such that any devices complying with this profile should interoperate.

NCITS' Technical Report Series

This Technical Report is one in a series produced by the National Committee for Information Technology Standards (NCITS). The secretariat for NCITS is held by the Information Technology Industry Council (ITI), 1250 Eye Street, NW, Suite 200, Washington, DC 20005.

As a by-product of the standards development process and the resources of knowledge devoted to it, NCITS from time to time produces Technical Reports. Such Technical Reports are not standards, nor are they intended to be used as such.

NCITS Technical Reports are produced in some cases to disseminate the technical and logical concepts reflected in standards already published or under development. In other cases, they derive from studies in areas where it is found premature to develop a standard due to a still changing technology, or inappropriate to develop a rigorous standard due to the existence of a number of viable options, the choice of which depends on the user's particular requirements. These Technical Reports, thus, provide guidelines, the use of which can result in greater consistency and coherence of information processing systems.

When the draft Technical Report is completed, the Technical Committee approval process is the same as for a draft standard. Processing by NCITS is also similar to that for a draft standard.

PATENT STATEMENT

CAUTION: The developers of this Technical Report have requested that holders of patents that may be required for the implementation of the Technical Report, disclose such patents to the publisher. However, neither the developers nor the publisher have undertaken a patent search in order to identify which, if any, patents may apply to this Technical Report.

As of the date of publication of this Technical Report and following calls for the identification of patents that may be required for the implementation of the Technical Report, no such claims have been made. No further patent search is conducted by the developer or the publisher in respect to any Technical Report it processes. No representation is made or implied that licenses are not required to avoid infringement in the use of this Technical Report.

Published by

**American National Standards Institute
11 West 42nd Street, New York, New York 10036**

Copyright © 2000 by Information Technology Industry Council (ITI)
All rights reserved

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

Contents

1	Scope	1
2	Normative references	2
2.1	Approved references	2
2.2	References under development	2
2.3	Other references	3
3	Definitions and conventions	4
3.1	Editorial conventions	4
3.1.1	Binary notation	4
3.1.2	Hexadecimal notation	4
3.2	Abbreviations, acronyms, and symbols	5
3.3	Applicability and use of this document	5
3.4	Definitions and abbreviations used in Feature Set tables	6
4	Structure and concepts	9
4.1	Public and Private Loop behavior	9
4.2	Public and Private Loop addressing	11
5	FC-2 Feature Set	12
5.1	Node and Port naming	12
5.2	NL_Port initialization and authentication procedures	12
5.3	FLOGI and PLOGI features and parameters for NL_Ports	13
5.4	NL_Port and N_Port Common Service Parameters (PLOGI)	14
5.5	NL_Port Common Service Parameters (FLOGI)	15
5.6	NL_Port and N_Port Class 2 Service Parameters (PLOGI)	16
5.7	NL_Port Class 2 Service Parameters (FLOGI)	17
5.8	NL_Port and N_Port Class 3 Service Parameters (PLOGI)	18
5.9	NL_Port Class 3 Service Parameters (FLOGI)	19
5.10	Other FC-2 features	20

5.11	Basic Link Service commands	21
5.12	FC-4 Link Services	21
5.13	Extended Link Services	22
5.14	Responses to selected Link Services	24
5.15	Exchange and Sequence management	24
6	FC-AL Feature Set	25
6.1	FC-AL features	25
6.2	Alternate Login_BB_Credit management	26
6.3	Loop initialization	26
6.4	Timers on Public and Private Loop	26
7	FCP Feature Set	27
7.1	Process Login parameters	27
7.2	FCP Information Units	28
7.2.1	FCP_CMND IU (T1)	29
7.2.2	FCP_XFER_RDY IU	29
7.2.3	FCP_DATA IU	30
7.2.4	FCP_RSP (I4 or I5)	30
7.2.5	FCP_CONF (T12)	31
7.3	Task Management Flags and Information Units	32
7.4	FCP Task Attributes	33
7.5	Other FCP features	33
7.6	FCP Sequence delivery confirmation	33
7.7	FCP Error Detection and Recovery	34
7.8	Aborting an Exchange	34
8	SCSI features	36
8.1	Auto Contingent Allegiance (ACA)	36
8.2	SCSI Status	36

8.3	SCSI Target discovery	36
8.4	Clearing effects of ULP, FCP, FC-PH, and FC-AL actions	36
9	SCSI Tape and Medium Changer devices	37
9.1	Applicable Classes of Service	37
9.2	Asynchronous Event Notification (AEN)	37
9.3	Command Linking	37
9.4	Device reservations and SCSI command behavior	37
9.5	SCSI Tape and Medium Changer device commands	37
9.5.1	SCSI Tape device command set	37
9.5.2	SCSI attached Medium Changer command set	43
9.6	Independent Medium Changer device command set	43

Figures

1. Public and Private NL_Port coexistence	10
2. FCP Read/Write IU Examples	28

Tables

1. Public NL_Port behavior	9
2. Private NL_Port behavior	9
3. Public and Private Loop addressing	11
4. ADISC, ACC examples	13
5. FLOGI and PLOGI features and parameters for NL_Ports	13
6. NL_Port and N_Port Common Service Parameters (PLOGI)	14
7. NL_Port and N_Port Common Service Parameters (FLOGI)	15
8. Class 2 Service Parameters (PLOGI)	16
9. Class 2 Service Parameters (FLOGI)	17
10. Class 3 Service Parameters (PLOGI)	18
11. Class 3 Service Parameters (FLOGI)	19
12. Other FC-2 features	20
13. Basic Link Services	21
14. FC-4 Link Services	21
15. Extended Link Services	22
16. Responses to selected Link Services	24
17. FC-AL features	25
18. PRLI parameters	27
19. FCP Information Units	28
20. FCP 8-byte LUN	29
21. FCP_RSP payload	31
22. FCP Task Management Flags	32
23. FCP Task Attributes	33
24. Other FCP features	33
25. SCSI Tape device commands	37
26. SCSI attached Medium Changer commands	43

27. SCSI independent Medium Changer device commands 43