

*INCITS Technical Report
for Information Technology –
Fibre Channel –
Methodologies for Interconnects - 2
(FC-MI-2)*

INCITS TR-39-2005

Developed by



Where IT all begins

This is a preview of "INCITS TR-39-2005 (R...". Click [here](#) to purchase the full version from the ANSI store.

INCITS Technical Report
for Information Technology –
Fibre Channel –
Methodologies for Interconnects - 2
(FC-MI-2)

Secretariat

Information Technology Industry Council

Abstract

This technical report specifies common methodologies for both Arbitrated Loop and Switched environments. The goal of this technical report is to facilitate interoperability between devices whether they are connected in a loop or Fabric topology.

INCITS' Technical Report Series

This Technical Report is one in a series produced by the International Committee for Information Technology Standards (INCITS). The secretariat for INCITS is held by the Information Technology Industry Council (ITI), 1250 Eye Street, NW, Suite 200, Washington, DC 2005.

As a by-product of the standards development process and the resources of knowledge devoted to it, INCITS from time to time produces Technical Reports. Such Technical Reports are not standards, nor are they intended to be used as such.

INCITS Technical Reports are produced in some cases to disseminate the technical and logical concepts reflected in standards already published or under development. In other cases, they derive from studies in areas where it is found premature to develop a standard due to a still changing technology, or inappropriate to develop a rigorous standard due to the existence of a number of viable options, the choice of which depends on the user's particular requirements. These Technical Reports, thus, provide guidelines, the use of which can result in greater consistency and coherence of information processing systems.

When the draft Technical Report is completed, the Technical Committee approval process is the same as for a draft standard. Processing by INCITS is also similar to that for a draft standard.

Patent Statement

CAUTION: The developers of this Technical Report have requested that holders of patents that may be required for the implementation of the standard, disclose such patents to the publisher. However, neither the developers nor the publisher have undertaken a patent search in order to identify which, if any, patents may apply to this Technical Report.

As of the date of publication of this Technical Report and following calls for the identification of patents that may be required for the implementation of the Technical Report, no such claims have been made. No further patent search is conducted by the developer or the publisher in respect to any Technical Report it processes. No representation is made or implied that licenses are not required to avoid infringement in the use of this Technical Report.

Published by

**American National Standards Institute
25 West 43rd Street, New York, New York 10036**

Copyright © 2005 by Information Technology Industry Council (ITI)
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

Contents

	Page
Foreword	v
Introduction	x
1 Scope	1
2 Normative References	2
2.1 Overview	2
2.2 Approved References	2
2.3 References under Development	3
3 Definitions and Conventions	4
3.1 Overview	4
3.2 Definitions	4
3.3 Editorial Conventions	7
3.4 Abbreviations, Acronyms and Symbols.....	7
3.5 Symbols	9
3.6 Keywords	9
3.7 Applicability and Use of this Technical Report.....	10
3.8 Feature Set Table Terms, Definitions, and Abbreviations.....	10
3.8.1 Overview	10
3.8.2 Feature Set Table Terms and Definitions	11
3.8.3 Feature Set Table Abbreviations.....	11
3.9 Feature Testing Compliance	12
3.10 Timing Constraints	12
4 Structure and Concepts	13
4.1 Interoperability Environment	13
5 Loop Behaviors	14
5.1 Loop Initialization	14
5.1.1 Power-On Behavior.....	14
5.1.2 Loop Failure	14
5.1.3 Initialization at Power-On	14
5.1.4 FL_Port Time-Out during Initialization.....	14
5.1.5 LIP Generation	15
5.1.6 Response to LIP.....	15
5.1.7 Origination of LISMFrames	15
5.1.8 Forwarding of LISMFrames	15
5.1.9 Address Selection	15
5.1.10 Multiport Initialization.....	16
5.1.11 AL_PA Position Map Support.....	16
5.1.12 Availability after LIP	16

	Page
5.2 Post Initialization	16
5.2.1 LIP Generation	16
5.2.2 FL_Port Unfair Behavior and Transfer Behavior	17
5.2.3 Responses to OPN	17
5.2.4 No response to OPN	17
6 Fx_Port Behaviors.....	18
6.1 Fx_Port Login Responses.....	18
6.1.1 FLOGI ACC Features and Parameters for Fx_Ports	18
6.1.2 Nx_Port PLOGI	19
6.1.3 Fx_Port Common Service Parameters (FLOGI ACC).....	19
6.1.4 Fx_Port Class 2 Service Parameters (FLOGI ACC)	21
6.1.5 Fx_Port Class 3 Service Parameters (FLOGI ACC)	22
6.2 Link Services.....	24
6.2.1 Basic Link Services	24
6.2.2 ELS Requirements for Well-Known Addresses.....	24
6.2.3 Extended Link Service Replies	24
6.3 FC-AL-2 Features for FL_Ports.....	25
6.4 Loop Fabric Address	27
7 Fabric Behaviors	28
7.1 Overview	28
7.2 Switch-to-Switch Requirements	29
7.2.1 Overview	29
7.2.2 Switch Port Types	32
7.2.3 Exchange Link Parameters (ELP).....	33
7.2.4 Principal Switch Selection	35
7.2.5 Fabric Shortest Path First (FSPF).....	35
7.2.6 Distributed Services	36
7.2.7 Zoning	42
7.2.8 Distributed Event Notification	43
7.2.9 Additional Switch Requirements	43
7.3 Fabric Service Requirements	44
7.3.1 Overview	44
7.3.2 Name Server	45
7.3.3 Fabric Configuration Server	49
7.3.4 Fabric Zone Server	50
7.3.5 Registered State Change Notification	53
7.4 Domain Controller and Well-Known Addresses	55
7.4.1 Domain controller and Well-Known Address Support Requirements for Fabrics	55
7.4.2 N_Port Domain Controller and Well-Known Address Usage	56
7.4.3 Domain Controller and Well-Known Address (WKA) ELS Login and Address Assignment Requirements	57
8 Discovery and Management	62
8.1 Overview	62

	Page
8.2 Management of Interconnect Components	62
8.2.1 Overview	62
8.2.2 Switch.....	62
8.2.3 Managed Hub.....	63
8.2.4 Gateway/Bridge	63
9 Conformance Environments	64
Tables	
1 ISO and American Conventions	7
2 Feature Set table terms and definitions	11
3 Feature Set table key abbreviations	11
4 Feature testing compliance relationship to definitions	12
5 FLOGI ACC features and parameters for Fx_Ports.....	18
6 Fx_Port Common Service Parameters (FLOGI ACC)	19
7 Class 2 Service Parameters (FLOGI ACC)	21
8 Class 3 Service Parameters (FLOGI ACC)	22
9 Extended Link Service Replies	24
10 FC-AL features for FL_Ports.....	25
11 FC-SW-3 Fabric Support Summary.....	29
12 Switch Port Type Usage	32
13 ELP SW_ILS Parameters	33
14 Flow Control Parameters	35
15 FC-SW-3 Defined Name Server Requests.....	36
16 FC-GS-4 Defined Name Server Requests.....	36
17 FC-GS-4 Common Requests.....	38
18 Name Server Object Usage Summary	39
19 FC-SW-3 Defined Management Server Requests.....	40
20 FC-GS-4 Defined Management Server Requests	40
21 Zoning Support	42
22 FC-GS-4 Fabric Support.....	44
23 Name Server Request Support.....	45
24 Common Request Support	47
25 Fabric Configuration Server Request Support.....	49
26 Fabric Zone Server Basic Zoning Request Support	50
27 Fabric Zone Server Enhanced Zoning Request Support.....	51
28 Domain Controller and Well-Known Address Support Requirements for Fabrics	55

	Page
29 ELS requirements for domain controller and well-known addresses.....	56
30 Broadcast WKA (FFFFFh) ELS login requirements	58
31 Fabric F_Port WKA (FFFFFEh) ELS address assignment requirements...	58
32 Fabric Controller WKA (FFFFFDh) ELS login requirements	59
33 Directory Service WKA (FFFFFCh) ELS login requirements.....	59
34 Management Service WKA (FFFFFAh) ELS login requirements	60
35 Domain Controller (FFFCxxh) ELS login requirements	61
36 Loop Fabric Address ELS login requirements.....	61
37 Switch Support Summary	62
38 Conformance Environments.....	64

Foreword

(This foreword is not part of American National Standard INCITS TR-39-2005.)

The Fibre Channel Methodologies for Interconnects -2 (FC-MI-2) Technical Report describes common methodologies for facilitating interoperability in both loop and Fabric environments.

This technical report was developed by Task Group T11 of Accredited Standards Committee T11 during 2002-2005. The approval process started in 2005.

Requests for interpretation, suggestions for improvements or addenda, or defect reports are welcome. They should be sent to the INCITS Secretariat, Information Technology Industry Council, 1250 Eye Street, NW, Suite 200, Washington, DC 20005-3922.

This technical report was processed and approved for submittal to ANSI by the International Committee for Information Technology Standards (INCITS). Committee approval of the technical report does not necessarily imply that all committee members voted for its approval. At the time it approved this technical report, INCITS had the following members:

Karen Higginbottom, Chair
Jennifer Garner, Secretary

<i>Organization Represented</i>	<i>Name of Representative</i>
AIM Global	Dan Mullen Charles Biss (Alt.)
American National Standards Institute	Lisa Rajchel
Apple Computer, Inc.....	David Michael
Electronic Industries Alliance.....	Edward Mikoski, Jr. Henry Cuschieri (Alt.)
EMC Corporation	Gary Robinson
Farance, Inc.	Frank Farance
Hewlett-Packard Company	Karen Higginbottom Steve Mills (Alt.) Scott Jameson (Alt.)
IBM Corporation	Ronald F. Silletti Kenneth M. Zemrowski Thomas Kurihara (Alt.)
Institute for Certification of Computer Professionals.....	Judith Gorman
IEEE	Richard Holleman (Alt.) Robert Pritchard (Alt.)
Intel	Norbert Mikula Dave Thewlis (Alt.) Philip Wennblom (Alt.)
Lexmark International	Don Wright Dwight Lewis (Alt.) Paul Menard (Alt.)
Microsoft Corporation	Isabelle Valet-Harper Don Stanwyck (Alt.) Mike Ksar (Alt.)
National Institute of Standards & Technology	Michael Hogan Alicia Clay (Alt.) Dan Benigni (Alt.)
Oracle Corporation	Donald R. Deutsch Jim Melton (Alt.) Connie Myers (Alt.) Tony DiCenzo (Alt.)
Panasonic Technologies, Inc.....	Terence Nelson Rudolph Vitti (Alt.)
Purdue University	Stephen Elliott
Sony Electronics, Inc	Ed Barrett Jean Baronas (Alt.)

<i>Organization Represented</i>	<i>Name of Representative</i>
Sun Microsystems Inc.	Carman Mondello Douglas Johnson (Alt.) John Hill (Alt.) Carl Cargill (Alt.) Ian Dobson (Liaison)
The Open Group..... UCC.....	Frank Sharkey James Chronowski (Alt.) Mary Wilson (Alt.)
US Department of Defense	Robert Gaskill
US Department of Homeland Security	Len Tabacchi (Alt.) Robert Zimmerman John Neumann (Alt.)

Technical Committee T11 on Lower Level Interfaces, which reviewed this technical report, had the following members:

Bob Snively, Chair
Claudio DeSanti, Vice-Chair
Neil Wanamaker, Secretary

<i>Organization Represented</i>	<i>Name of Representative</i>
Agere.....	Adam Healey Stephan Bedrosian (Alt.)
Agilent.....	Roy Elsbernd Narayan Ayalasomayajula
AMCC	Haluk Aytac Scott Denton (Alt.)
AMPHENOL	Michael Wingard Ron Kleckowski (Alt.)
Broadcom	Ali Ghiasi Murali Rajagopal (Alt.)
Brocade Communications	Robert Snively Steven L. Wilson (Alt.)
Ciena	Chris Janz Sashi Thiagarajan (Alt.)
Cisco.....	Silvano Gai Claudio DeSanti (Alt.)
Corning.....	Doug Coleman Steve E. Swanson (Alt.)
Corrigent.....	Moran Roth Luis Aguirre-Torres (Alt.)
Dot Hill	Elizabeth Rodriguez
EMC.....	Gary S. Robinson Gregory McSorley (Alt.)
Emulex.....	Bob Nixon Ken Hirata (Alt.)
ENDL	Ralph Weber Dal Allan (Alt.)
eSilicon Corporation	Frank Barber Rakesh Chadha (Alt.)
FCI.....	Kevin Oursler David Sideck (Alt.)
Finisar.....	Neil Wanamaker
FSI	Gary Stephens
Fujikura.....	Nabil Osman Hari Naidu (Alt.)
Fujitsu.....	Mike Fitzpatrick
General Dynamics	Tim Luthens Kent Lindell (Alt.)
Hitachi America	Hidehisa Shitomi Nobuyuki Osaki (Alt.)
Hitachi Data Systems	Eric Hibbard
Hitachi GST	Dan Colegrove Werner Glinka (Alt.)

<i>Organization Represented</i>	<i>Name of Representative</i>
Hewlett Packard	Bill Ham Vinod Bhat (Alt.)
IBM	Ken Hallam Scott Carlson (Alt.)
Intel	Schelto van Doorn Bill Bissonette (Alt.)
JDS	Eric Borisch Effie Favreau (Alt.)
LSI Logic	Curtis Ridgeway Michael Jenkins (Alt.)
Lucent	John Lohmeyer (Alt.)
McData	Richard Di Pasquale Scott Kipp
Molex	Larry Hofer (Alt.) David Peterson (Alt.)
Nortel	Jay Neer
Northrop Grumman	Graham Copley
PacketLight	James Nelson
Phyworks	Navot Oren Koby Reshef
Picolight	David Lewis
PrecisionFC	Chris Bryson (Alt.)
QLogic	Mike Dudek
Seagate	Gary Warden
Sierra-Logic	Jing Kwok (Alt.)
Smiths Aerospace	Craig Carlson Skip Jones (Alt.)
Solution Tech.	James Coomes
ST	Allen Kramer (Alt.)
StorageTek	William R. Martin
Sun Microsystems	Matt Wakeley (Alt.)
Tartan	John Schroeder
TI	Todd Pepper (Alt.)
TrueFocus	Robert Kembel David Deming (Alt.)
Tyco	Gianfranco Scherini
Unisys	Massimo Pozzoni (Alt.)
Veritas	Matt Gaffney
XIOTech	Vit Novak
Xyratex	Steve Sletten (Alt.)
	Rich Taborek
	Arlene Taborek (Alt.)
	Rajeev Jain
	Stephen Hubbins (Alt.)
	Horst Truestedt
	Jeanne Truestedt (Alt.)
	Andrew Nowak
	Michael Fogg (Alt.)
	Wayne Gentry
	Tony Baker (Alt.)
	Roger Cummings
	Roger Reich (Alt.)
	Jeffrey Williams
	Lynn Waggle (Alt.)
	Paul Levin
	Rich Ramos (Alt.)

Task Group T11.3 on Fibre Channel Protocols, which developed and reviewed this technical report, had the following members:

Craig W. Carlson, Chair
George Penokie, Vice-Chair
Bill Martin, Secretary

<i>Organization Represented</i>	<i>Name of Representative</i>
Agilent.....	Roy Elsbernd Narayan Ayalasomayajula (Alt.)
AMCC	Haluk Aytac Dirk Colpaart (Alt.) Scott Denton (Alt.)
Broadcom	Murali Rajagopal Ali Ghiasi (Alt.)
Brocade	Steven L. Wilson Robert Snively (Alt.)
CIENA.....	Chris Janz Sashi Thiagarajan (Alt.)
Cisco Systems.....	Claudio DeSanti Silvano Gai (Alt.)
CNT	David Peterson Harry V. Paul (Alt.)
Corrigent.....	Moran Roth Luis Aguirre-Torres (Alt.)
Data Device Corporation	Mike Glass Joe Gelish (Alt.)
Dot Hill	Elizabeth G. Rodriguez
EMC.....	Gary S. Robinson David Black (Alt.)
Emulex.....	Bob Nixon Ken Hirata (Alt.)
ENDL.....	Ralph Weber Dal Allan (Alt.) (Representation Vacant)
Finisar	Gary Stephens
FSI.....	Mike Fitzpatrick
Fujitsu	Kent Lindell
General Dynamics	Tim Luthens (Alt.)
HGST.....	Dan Colegrove Werner Glinka (Alt.)
Hitachi America.....	Hidehisa Shitomi Nobuyuki Osaki (Alt.)
Hitachi DS.....	Eric Hibbard
HP.....	Vinod Bhat Bill Ham (Alt.)
IBM	Scott Carlson Ken Hallam (Alt.)
Intel.....	Schelto Van Doorn Bill Bissonette (Alt.)
LSI Logic.....	Curtis Ridgeway Michael Jenkins (Alt.)
Lucent.....	Richard DiPasquale
McData	Scott Kipp Larry Hofer (Alt.)
NORTEL	Graham Copley
Northrop Grumman.....	James Nelson
PacketLight.....	Navot Oren Koby Reshef (Alt.)
PrecisionFC	Gary Warden Jing Kwok (Alt.)
QLogic	Craig Carlson Skip Jones (Alt.)
Seagate	Ed McGlaughlin (Alt.) James Coomes Allen Kramer (Alt.)

<i>Organization Represented</i>	<i>Name of Representative</i>
Sierra Logic.....	William R. Martin
Smiths Aerospace	John Schroeder
StorageTek.....	Todd Pepper (Alt.)
	Matt Gaffney
Sun Microsystems.....	Michael Roy (Alt.)
	Vit Novak
Tartan.....	Steve Sletten (Alt.)
	Rich Taborek
True Focus	Arline Taborek (Alt.)
	Horst Truestedt
Unisys	Jeanne Truestedt (Alt.)
	Wayne Gentry
Veritas	Tony Baker (Alt.)
	Roger Cummings
XIOTech	Roger Reich (Alt.)
	Jeffrey Williams
Xyratex	Lynn Waggle (Alt.)
	Rich Ramos
	Paul Levin (Alt.)

Introduction

FC-MI-2 is a technical report that assists Fibre Channel devices in achieving interoperability by selecting a preferred implementation among the many options allowed by Fibre Channel. Fibre Channel is defined by a number of related standards developed by INCITS Technical Committee T11. The Fibre Channel family of standards and technical reports describes physical layer requirements, N_Port requirements, and switch requirements necessary to implement Fibre Channel communication systems.

See Clause 1 for information about the scope of the technical report.

See Clause 2 for references to the relevant Fibre Channel standards.

See Clause 3 for definitions of terms, keywords, and editorial conventions used by this technical report.

See Clause 4 for overall FC-MI-2 structure and concepts.

See Clause 5 through Clause 8 for the specific interoperability requirements of this technical report.

INCITS Technical Report for Information Technology —

Fibre Channel — Methodologies for Interconnects -2 (FC-MI-2)

1 Scope

This technical report is intended to document interoperability behavior for Fabric elements (i.e., E_Port, F_Port, FL_Port). The scope of this technical report is to include a wide range of issues such as link initialization, error detection, error recovery, Fabric operation, management capabilities, and zoning.

This technical report is intended to serve as an implementation guide, the primary objective of which is to maximize the likelihood of interoperability between conforming implementations. This technical report prohibits or requires some features that are in the referenced ANSI INCITS standards (see clause 2).

A second objective of this technical report is to simplify implementations and their associated documentation, testing, and support requirements. As a result, there may be some optional features of the referenced ANSI INCITS standards that are not mutually exclusive, but are prohibited or required for the purpose of this simplification. Features that some but not all of the referenced ANSI INCITS standards require for compliance may be optional in this technical report. Each specification of such an optional feature in this technical report identifies the referenced ANSI INCITS standards for which the feature is required.

Internal characteristics of conformant implementations are not defined by this technical report. This technical report incorporates features from the standards and technical reports described in clause 2.