



ASSOCIATION CONNECTING  
ELECTRONICS INDUSTRIES®

IPC-9701A

# Performance Test Methods and Qualification Requirements for Surface Mount Solder Attachments

Developed by the SMT Attachment Reliability Test Methods Task Group (6-10d) of the Product and Reliability Committee (6-10) of IPC

***Supersedes:***

IPC-9701 - January 2002

Users of this publication are encouraged to participate in the development of future revisions.

Contact:

IPC  
3000 Lakeside Drive, Suite 309S  
Bannockburn, Illinois  
60015-1219  
Tel 847 615.7100  
Fax 847 615.7105

## Table of Contents

<b>1</b>	<b>SCOPE</b> .....	1	3.4.21	Wearout Failures .....	5
1.1	Purpose .....	1	3.5	Statistical Failure Distribution Concepts .....	6
1.2	Performance Classification .....	1	3.5.1	Statistical Failure Distribution .....	6
1.3	Definition of Terms .....	1	3.5.2	Mean Fatigue Life, N(50%) .....	6
<b>2</b>	<b>APPLICABLE DOCUMENTS</b> .....	1	3.5.3	Failure Free Life, N <sub>0</sub> .....	6
2.1	IPC .....	1	3.5.4	Cumulative Failure Percentage .....	6
2.2	Joint Industry Standards .....	2	3.5.5	Cumulative Failure Probability .....	6
2.3	International Tin Research Institute .....	2	3.5.6	Acceptable Cumulative Failure Probability .....	6
2.4	Other Publications .....	2	3.6	Reliability Tests .....	6
2.4.1	Electronic Industries Association .....	2	3.6.1	Accelerated Reliability Test .....	6
2.4.2	OEM Working Group .....	2	3.6.2	Thermal Cycling .....	6
<b>3</b>	<b>TERMS, DEFINITIONS AND CONCEPTS</b> .....	2	3.6.3	Thermal Shock .....	6
3.1	General .....	2	3.6.4	Power Cycling .....	6
3.2	Reliability Concepts .....	2	3.7	Other Tests .....	6
3.2.1	Reliability Definition .....	3	3.7.1	Burn-In Test .....	6
3.3	Physics-of-Failure Concepts .....	3	3.7.2	Environmental Stress Screening (ESS) .....	6
3.3.1	Creep .....	3	3.7.3	Highly Accelerated Stress Testing (HAST) .....	6
3.3.2	Stress Relaxation .....	3	3.7.4	Mechanical Shock .....	6
3.3.3	Solder Creep-Fatigue Model .....	3	3.7.5	Vibration .....	7
3.3.4	Differential Thermal Expansion .....	3	3.7.6	Process Qualification .....	7
3.4	Test Parameters .....	3	3.7.7	Process Verification .....	7
3.4.1	Working Zone .....	3	3.8	Evaluation and Application Considerations .....	7
3.4.2	Cyclic Temperature Range/Swing .....	3	3.9	Understanding of Solder Attachment Technology .....	7
3.4.3	Sample Temperature: T <sub>s</sub> .....	5	<b>4</b>	<b>PERFORMANCE TEST METHODS</b> .....	7
3.4.4	Maximum Sample Temperature: T <sub>s</sub> (max) .....	5	4.1	General Requirements .....	7
3.4.5	Maximum Nominal Temperature: T (max) .....	5	4.2	Test Vehicles .....	7
3.4.6	Minimum Sample Temperature: T <sub>s</sub> (min) .....	5	4.2.1	Component Description .....	7
3.4.7	Minimum Nominal Temperature: T (min) .....	5	4.2.2	Printed Wiring (Circuit) Boards .....	10
3.4.8	Mean Cyclic Temperature, T <sub>SJ</sub> .....	5	4.2.3	Board Assembly .....	11
3.4.9	Nominal ΔT .....	5	4.3	Accelerated Temperature Test Methods .....	12
3.4.10	Dwell/Soak Time, t <sub>D</sub> .....	5	4.3.1	Preconditioning by Isothermal Aging .....	12
3.4.11	Dwell/Soak Temperature .....	5	4.3.2	Temperature Cycling .....	12
3.4.12	Cycle Time .....	5	4.3.3	Test Monitoring .....	12
3.4.13	Temperature Ramp Rate .....	5	<b>5</b>	<b>QUALIFICATION REQUIREMENTS</b> .....	13
3.4.14	Maximum Cyclic Strain Range .....	5	5.1	Thermal Cycling Ranges .....	13
3.4.15	Maximum Cyclic Stress Range .....	5	5.2	Thermal Cycling Test Durations .....	14
3.4.16	Hysteresis Loop .....	5	5.3	Number of Samples .....	14
3.4.17	Design Service Life .....	5	5.4	Test Exemption Requirements .....	14
3.4.18	Projected Service Life Service .....	5	<b>6</b>	<b>FAILURE ANALYSIS</b> .....	14
3.4.19	Infant Mortality Failures .....	5	6.1	Failure Analysis Procedures .....	14
3.4.20	Random Steady-State Failures .....	5	6.2	Failure Analysis Documentation Requirements .....	14

**7 QUALITY ASSURANCE** ..... 14

7.1 Responsibility for Inspection ..... 14

7.2 Quality Conformance Inspection ..... 14

7.2.1 As Assembled Inspection ..... 14

7.2.2 Thermal Cycling Inspection ..... 15

7.2.3 Failure Analysis Inspection ..... 15

**APPENDIX A** ..... 16

**APPENDIX B** ..... 18

**Figures**

Figure 3-1 Representative Temperature Profile for Thermal Cycle Test Conditions ..... 3

**Tables**

Table 3-1 Product Categories and Worst-Case Use Environments for Surface Mounted Electronics ..... 4

Table 4-1 Temperature Cycling Requirements ..... 8

Table 4-2 Daisy Chain Requirements ..... 8

Table 4-3 Test Exemption Requirements ..... 9

Table 4-4 Test Monitoring Requirements ..... 13

Table A-1 Values for Exponent "m" for the Four Test Condition Levels and for Four Representative Product Use Conditions ..... 17

Table A-2 Mean Fatigue Lives for a Given Component Assembly for the Four Test Condition Levels and for Four Representative Product Use Conditions ..... 17

# Performance Test Methods and Qualification Requirements for Surface Mount Solder Attachments

## 1 SCOPE

This specification establishes specific test methods to evaluate the performance and reliability of surface mount solder attachments of electronic assemblies. It further establishes different levels of performance and reliability of the solder attachments of surface mount devices to rigid, flexible and rigid-flex circuit structures. In addition, it provides an approximate means of relating the results from these performance tests to the reliability of solder attachments for the use environments and conditions of electronic assemblies.

**1.1 Purpose** The purpose of this document is:

- To provide confidence that the design and the manufacturing/assembly processes create a product that is capable of meeting its intended goals.
- To permit the analytical prediction of reliability based on a generic database and technical understanding.
- To provide standardized test methods and reporting procedures.

**1.2 Performance Classification** This specification recognizes that surface mount assemblies (SMAs) will be subject to variations in performance requirements based on end use. While Performance Classes are defined in IPC-6011, *Generic Performance Specification for Printed Boards*, these performance classifications are not specific as to the required reliability. At this point in time, the reliability requirements need to be established by agreement between customer and supplier.

**1.3 Definition of Terms** The definition of all terms used herein **shall** be as specified in IPC-T-50, except as otherwise specified in Section 3.

**1.4 Interpretation** “**Shall**,” the imperative form of the verb, is used throughout this specification whenever a requirement is intended to express a provision that is mandatory. Deviation from a “**shall**” requirement may be considered if sufficient data is supplied to justify the exception.

The words “should” and “may” are used whenever it is necessary to express non-mandatory provisions. “Will” is used to express a declaration of purpose.”

To assist the reader, the word “**shall**” is presented in bold characters.

**1.5 Revision Level Changes** Changes made to this revision of the IPC-9701 include Appendix B which establishes guidelines for thermal cycle requirements for Pb-free solder joints. Appendix B provides additional recommendations to existing IPC-9701 section requirements when utilizing a Pb-free soldering process.

## 2 APPLICABLE DOCUMENTS

The following documents are applicable and constitute a part of this specification to the extent specified herein. Subsequent issues of, or amendments to, these documents will become a part of this specification. Documents are grouped under categories as IPC, Joint Industry Standard, ITRI, EIA and others depending on the source.

### 2.1 IPC<sup>1</sup>

**IPC-T-50** Terms and Definitions for Interconnecting and Packaging Electronic Circuits

**IPC-D-279** Design Guidelines for Reliable Surface Mount Technology Printed Board Assemblies

**IPC-TM-650** Test Methods Manual<sup>2</sup>

2.1.1 Microsectioning

2.4.1 Adhesion, Plating

2.4.8 Peel Strength, Metal Foil

2.4.21.1 Bond Strength, Surface Mount Land (Perpendicular Pull Method)

2.4.22 Bow and Twist

2.4.36 Rework Simulation, Plated-Through Holes

2.4.41.2 Coefficient of Thermal Expansion, Strain Gage Method

2.5.7 Dielectric Withstanding Voltage, Printed Wiring Material

2.6.5 Physical (Mechanical) Shock, Multilayer Printed Wiring

2.6.7.2 Thermal Shock-Rigid Printed Boards

2.6.8 Thermal Stress, Plated-Through Holes

2.6.9 Vibration, Rigid Printed Wiring

**IPC-SM-785** Guidelines for Accelerated Reliability Testing of Surface Mount Solder Attachments

**IPC-S-816** SMT Process Guideline and Checklist

1. www.ipc.org

2. Current and revised IPC Test Methods are available on the IPC website (www.ipc.org/html/testmethods.htm).