

**AMERICAN NATIONAL STANDARD**

**ANSI/ISA-62453-301 (103.00.03)-2011**

***Field device tool (FDT) interface specification –  
Part 301: Communication profile integration  
– IEC 61784 CPF 1***

**Approved 31 May 2011**

**ANSI/ISA-62453-301 (103.00.03)-2011, *Field device tool (FDT) interface specification – Part 301: Communication profile integration – IEC 61784 CPF 1***

ISBN: 978-0-876640-57-9

Copyright © 2011 IEC and ISA. These materials are subject to copyright claims of IEC and ISA. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of ISA. All requests pertaining to the ANSI/ISA-62453-301 (103.00.03)-2011 Standard should be submitted to ISA.

ISA  
67 Alexander Drive  
P.O. Box 12277  
Research Triangle Park, North Carolina 27709

## Preface

This preface, as well as all footnotes and annexes, is included for information purposes and is not part of ANSI/ISA-62453-301 (103.00.03)-2011.

This document has been prepared as part of the service of ISA toward a goal of uniformity in the field of instrumentation. To be of real value, this document should not be static but should be subject to periodic review. Toward this end, the Society welcomes all comments and criticisms and asks that they be addressed to the Secretary, Standards and Practices Board; ISA; 67 Alexander Drive; P. O. Box 12277; Research Triangle Park, NC 27709; Telephone (919) 549-8411; Fax (919) 549-8288; E-mail: [standards@isa.org](mailto:standards@isa.org).

The ISA Standards and Practices Department is aware of the growing need for attention to the metric system of units in general, and the International System of Units (SI) in particular, in the preparation of instrumentation standards. The Department is further aware of the benefits to USA users of ISA standards of incorporating suitable references to the SI (and the metric system) in their business and professional dealings with other countries. Toward this end, this Department will endeavor to introduce SI-acceptable metric units in all new and revised standards, recommended practices, and technical reports to the greatest extent possible. *Standard for Use of the International System of Units (SI): The Modern Metric System*, published by the American Society for Testing & Materials as IEEE/ASTM SI 10-97, and future revisions, will be the reference guide for definitions, symbols, abbreviations, and conversion factors.

It is the policy of ISA to encourage and welcome the participation of all concerned individuals and interests in the development of ISA standards, recommended practices, and technical reports. Participation in the ISA standards-making process by an individual in no way constitutes endorsement by the employer of that individual, of ISA, or of any of the standards, recommended practices, and technical reports that ISA develops.

**CAUTION — ISA ADHERES TO THE POLICY OF THE AMERICAN NATIONAL STANDARDS INSTITUTE WITH REGARD TO PATENTS. IF ISA IS INFORMED OF AN EXISTING PATENT THAT IS REQUIRED FOR USE OF THE DOCUMENT, IT WILL REQUIRE THE OWNER OF THE PATENT TO EITHER GRANT A ROYALTY-FREE LICENSE FOR USE OF THE PATENT BY USERS COMPLYING WITH THE DOCUMENT OR A LICENSE ON REASONABLE TERMS AND CONDITIONS THAT ARE FREE FROM UNFAIR DISCRIMINATION.**

**EVEN IF ISA IS UNAWARE OF ANY PATENT COVERING THIS DOCUMENT, THE USER IS CAUTIONED THAT IMPLEMENTATION OF THE DOCUMENT MAY REQUIRE USE OF TECHNIQUES, PROCESSES, OR MATERIALS COVERED BY PATENT RIGHTS. ISA TAKES NO POSITION ON THE EXISTENCE OR VALIDITY OF ANY PATENT RIGHTS THAT MAY BE INVOLVED IN IMPLEMENTING THE DOCUMENT. ISA IS NOT RESPONSIBLE FOR IDENTIFYING ALL PATENTS THAT MAY REQUIRE A LICENSE BEFORE IMPLEMENTATION OF THE DOCUMENT OR FOR INVESTIGATING THE VALIDITY OR SCOPE OF ANY PATENTS BROUGHT TO ITS ATTENTION. THE USER SHOULD CAREFULLY INVESTIGATE RELEVANT PATENTS BEFORE USING THE DOCUMENT FOR THE USER'S INTENDED APPLICATION. HOWEVER, ISA ASKS THAT ANYONE REVIEWING THIS DOCUMENT WHO IS AWARE OF ANY PATENTS THAT MAY IMPACT IMPLEMENTATION OF THE DOCUMENT NOTIFY THE ISA STANDARDS AND PRACTICES DEPARTMENT OF THE PATENT AND ITS OWNER.**

**ADDITIONALLY, THE USE OF THIS DOCUMENT MAY INVOLVE HAZARDOUS MATERIALS, OPERATIONS OR EQUIPMENT. THE DOCUMENT CANNOT ANTICIPATE ALL POSSIBLE APPLICATIONS OR ADDRESS ALL POSSIBLE SAFETY ISSUES ASSOCIATED WITH USE IN HAZARDOUS CONDITIONS. THE USER OF THIS DOCUMENT MUST EXERCISE SOUND PROFESSIONAL JUDGMENT CONCERNING ITS USE AND APPLICABILITY UNDER THE USER'S PARTICULAR CIRCUMSTANCES. THE USER MUST ALSO CONSIDER THE**

**APPLICABILITY OF ANY GOVERNMENTAL REGULATORY LIMITATIONS AND ESTABLISHED SAFETY AND HEALTH PRACTICES BEFORE IMPLEMENTING THIS DOCUMENT.**

**THE USER OF THIS DOCUMENT SHOULD BE AWARE THAT THIS DOCUMENT MAY BE IMPACTED BY ELECTRONIC SECURITY ISSUES. THE COMMITTEE HAS NOT YET ADDRESSED THE POTENTIAL ISSUES IN THIS VERSION.**

The following people served as members of ISA 103

<b>NAME</b>	<b>COMPANY</b>
I. Verhappen, Chair	Industrial Automation Networks, Inc.
J. Jamison, Managing Director	Spectra Energy Ltd.
S. Foos	Rockwell Automation
K. Lindner	Endress+Hauser Process Solutions AG
D. Smith	Wunderlich-Malec
J. Sprague	Saudi Aramco Oil Company
J. Yap	Chevron Energy Technology Company

This standard was approved for publication by the ISA Standards and Practices Board on 18 March 2011.

<b>NAME</b>	<b>COMPANY</b>
D. Dunn, S&P Department VP	Aramco Services Company
R. Bartusiak	ExxonMobil Research & Engineering
P. Brett	Honeywell Inc.
J. Campbell	Consultant
M. Coppler	Det Norske Veritas Certification Inc.
E. Cosman	The Dow Chemical Company
B. Dumortier	Schneider Electric
J. Federlein	Federlein & Associates Inc.
J. Gilsinn	Kenexis Consulting
E. Icyan	Atkins
J. Jamison	Spectra Energy Ltd.
K. P. Lindner	Endress + Hauser Process Solutions AG
V. Maggioli	Feltronics Corp.
T. McAvinew	Instrumentation and Control Engineering, LLC
R. Reimer	Rockwell Automation
S. Russell	Valero Energy Corp.
N. Sands	DuPont
H. Sasajima	Azbil Corp.
T. Schnaare	Rosemount Inc.
J. Tatera	Tatera & Associates Inc.
I. Verhappen	Industrial Automation Networks Inc.
R. Webb	ICS Secure LLC
W. Weidman	WCW Consulting
J. Weiss	Applied Control Solutions LLC
M. Widmeyer	Kahler Engineering Inc.
M. Wilkins	Yokogawa IA Global Marketing
D. Zetterberg	Chevron Energy Technology Company

NOTE All text of IEC 62453-301 is included. U.S. National Deviations are shown by ~~strikeout~~ through text deleted and underline under text added. There are two annexes in this standard.

This is a preview of "ANSI/ISA 103.00.03-2...". [Click here](#) to purchase the full version from the ANSI store.

This page intentionally left blank.

## CONTENTS

INTRODUCTION .....	- 10 -
1 Scope .....	- 13 -
2 Normative references .....	- 13 -
3 Terms, definitions, symbols, abbreviated terms and conventions .....	- 14 -
3.1 Terms and definitions .....	- 14 -
3.2 Abbreviated terms .....	- 14 -
3.3 Conventions .....	- 14 -
3.3.1 Data type names and references to data types .....	- 14 -
3.3.2 Vocabulary for requirements .....	- 15 -
3.3.3 Use of UML .....	- 15 -
4 Fundamentals .....	- 15 -
4.1 System and FDT topology .....	- 15 -
4.2 FDT topology for H1 devices .....	- 15 -
4.3 FDT topology for HSE devices .....	- 17 -
4.4 Nested communication .....	- 20 -
5 Bus category .....	- 20 -
6 Access to instance and device data .....	- 20 -
6.1 DTM .....	- 20 -
6.2 BTM .....	- 21 -
7 Protocol specific behavior .....	- 21 -
7.1 Connection management .....	- 21 -
7.1.1 FMS connection .....	- 21 -
7.1.2 FDT connection .....	- 23 -
7.2 Abort .....	- 23 -
7.2.1 OnAbort Indication .....	- 23 -
7.2.2 Abort request .....	- 23 -
7.3 Relation of FMS requests and FMS responses .....	- 24 -
7.4 Subscription mechanism .....	- 25 -
7.4.1 General .....	- 25 -
7.4.2 Transactions for subscribing H1 .....	- 25 -
7.4.3 Transactions for subscribing HSE .....	- 26 -
7.4.4 Transactions for subscribing BTM .....	- 26 -
8 Protocol specific usage of general data types .....	- 27 -
8.1 Address .....	- 27 -
8.2 protocolID .....	- 27 -
8.3 applicationDomain .....	- 27 -
8.4 semanticId .....	- 28 -
8.4.1 Block specific definitions .....	- 28 -
8.4.2 Fieldbus management definitions .....	- 28 -
8.4.3 Fieldbus specific definitions .....	- 28 -

9	Protocol specific data types .....	- 29 -
9.1	DTM.....	- 29 -
9.1.1	Topology scan definitions .....	- 29 -
9.1.2	Parameter access .....	- 29 -
9.1.3	FF device data types .....	- 37 -
9.2	BTM.....	- 38 -
9.2.1	General.....	- 38 -
9.2.2	Parameter access - FF specific definitions .....	- 38 -
10	Network management data types .....	- 53 -
10.1	General.....	- 53 -
10.2	H1 network management definitions.....	- 53 -
10.3	HSE network management data types.....	- 54 -
11	Communication data types .....	- 98 -
11.1	Common data types .....	- 98 -
11.2	FF FMS data types.....	- 104 -
11.3	H1 communication data types .....	- 111 -
11.4	HSE communication data types.....	- 118 -
11.5	FDT FF standard block communication data types .....	- 127 -
12	Channel parameter data types .....	- 129 -
13	Device identification .....	- 132 -
13.1	Protocol specific handling of data type STRING .....	- 132 -
13.2	Common device type identification data types .....	- 133 -
13.3	Scan identification data types .....	- 139 -
13.4	Device type identification data types – provided by DTM.....	- 139 -
	Annex A (informative) Implementation hints .....	- 141 -
	Annex B (normative) Levels of support .....	- 143 -
	Bibliography .....	- 146 -
	Figure 1 – Part 301 of the IEC ISA-62453 series .....	- 11 -
	Figure 2 – Object relations for H1 Device DTM .....	- 16 -
	Figure 3 – Object relations for HSE application with DTMs and BTMs.....	- 18 -
	Figure 4 – FMS mapping in the FDT connection .....	- 22 -
	Figure 5 – FDT Disconnect service .....	- 22 -
	Table 1 – Object relations for H1 Device DTM .....	- 16 -
	Table 2 – Object relations for HSE application with DTMs and BTMs.....	- 19 -
	Table 3 – FF specific protocol identifiers .....	- 20 -
	Table 4 – Relation of FMS requests and FMS responses.....	- 24 -
	Table 5 – Action object definitions (refer to FF-890): .....	- 30 -
	Table 6 – Link object definitions .....	- 31 -
	Table 7 – Alert object definitions .....	- 32 -

Table 8 – Trend object definitions .....	- 33 -
Table 9 – View definition .....	- 36 -
Table 10 – Domain object definitions .....	- 36 -
Table 11 – Program invocation object definitions .....	- 37 -
Table 12 – Structured FF device data types .....	- 37 -
Table 13 – Parameter mnemonic .....	- 39 -
Table 14 – Mnemonic of structured data types .....	- 47 -
Table 15 – Simple common data types .....	- 53 -
Table 16 – H1 Fieldbus Management data types .....	- 54 -
Table 17 – Simple HSE Fieldbus Management Definitions .....	- 54 -
Table 18 – Structured HSE Network management data types .....	- 61 -
Table 19 – Simple common data types .....	- 99 -
Table 20 – Structured common data types .....	- 101 -
Table 21 – Simple FF FMS data types .....	- 105 -
Table 22 – Structured FF FMS data types .....	- 106 -
Table 23 – Simple H1 communication data types .....	- 112 -
Table 24 – Structured H1 communication data types .....	- 113 -
Table 25 – Simple HSE communication data types .....	- 119 -
Table 26 – Structured HSE communication data types .....	- 120 -
Table 27 – Block communication data types .....	- 128 -
Table 28 – Simple FF channel data types .....	- 130 -
Table 29 – Structured FF channel data types .....	- 131 -
Table 30 – FieldbusFoundation H1 table .....	- 133 -
Table 31 – FieldbusFoundation HSE .....	- 135 -
Table 32 – FieldbusFoundation blocks .....	- 137 -
Table 33 – Simple Fieldbus Scan definitions .....	- 139 -
Table 34 – Device identification data types .....	- 140 -
Table B.1 – Levels of support .....	- 144 -

This page intentionally left blank.

## INTRODUCTION

This part of IEC ISA-62453 is an interface specification for developers of FDT (Field Device Tool) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning- or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called DTM (Device Type Manager), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kinds of fieldbuses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how IEC ISA-62453-301 (103.00.03) is aligned in the structure of the IEC ISA-62453series.




Figure 1 – Part 301 of the IEC ISA-62453 series

This is a preview of "ANSI/ISA 103.00.03-2...". [Click here to purchase the full version from the ANSI store.](#)

This page intentionally left blank.

## **FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION – Part 301: Communication profile integration – IEC 61784 CPF 1**

### **1 Scope**

Communication Profile Family 1 (commonly known as FOUNDATION™ Fieldbus<sup>1</sup>) defines communication profiles based on IEC 61158-2, Type 1, IEC 61158-3-1, IEC 61158-4-1, IEC 61158-5-5, IEC 61158-5-9, IEC 61158-6-5, and IEC 61158-6-9. The basic profiles CP 1/1 (FF H1) and CP 1/2 (FF HSE) are defined in IEC 61784-1.

This part of IEC ISA-62453 provides information for integrating the FOUNDATION™ Fieldbus (FF) protocol into the FDT standard (IEC ISA-62453-2 [103.00.02]).

The standard describes communication definitions, protocol specific extensions and the means for block (e.g. transducer, resource or function blocks) representation.

The new protocol specific definitions are based on FF-specifications for H1 and HSE protocols. Furthermore, the definitions contain information that is needed by systems to configure FF devices.

The scope is limited to FOUNDATION™ Fieldbus device and system specific definitions.

### **2 Normative references**

The following referenced documents are indispensable for the application of this specification. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies

IEC 61158-2, *Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition*

IEC 61158-3-1, *Industrial communication networks – Fieldbus specifications – Part 3-1: Data-link layer service definition – Type 1 elements*

IEC 61158-4-1:2007, *Industrial communication networks – Fieldbus specifications – Part 4-1 Data-link layer protocol specification – Type 1 elements*

IEC 61158-5-5, *Industrial communication networks – Fieldbus specifications – Part 5-5: Application layer service definition – Type 5 elements*

IEC 61158-5-9, *Industrial communication networks – Fieldbus specifications – Part 5-9: Application layer service definition – Type 9 elements*

---

<sup>1</sup> FOUNDATION™ Fieldbus is a trade name of the non-profit organization Fieldbus Foundation. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC or ISA of the trade name holder or any of its products. Compliance to this standard does not require use of the trade name Foundation Fieldbus™. Use of the trade name FOUNDATION™ Fieldbus requires permission of Fieldbus Foundation.