

AMERICAN NATIONAL STANDARD

ANSI/ISA-12.01.01-2013

**Definitions and Information
Pertaining to Electrical Equipment in
Hazardous (Classified) Locations**

Approved 29 May 2013

ANSI/ISA-12.01.01-2013, Definitions and Information Pertaining to Electrical Equipment in Hazardous (Classified) Locations

ISBN: 978-0-876640-24-1

Copyright © 2013 by ISA. All rights reserved. Not for resale. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means (electronic mechanical, photocopying, recording, or otherwise), without the prior written permission of the Publisher.

ISA
67 Alexander Drive
P.O. Box 12277
Research Triangle Park, North Carolina 27709

Preface

This preface, as well as all footnotes and annexes, is included for information purposes and is not part of ANSI/ISA-12.01.01-2013.

This document has been prepared as part of the service of ISA toward a goal of uniformity in the field of instrumentation. To be of real value, this document should not be static but should be subject to periodic review. Toward this end, the Society welcomes all comments and criticisms and asks that they be addressed to the Secretary, Standards and Practices Board; ISA; 67 Alexander Drive; P. O. Box 12277; Research Triangle Park, NC 27709; Telephone (919) 549-8411; Fax (919) 549-8288; E-mail: standards@isa.org.

The ISA Standards and Practices Department is aware of the growing need for attention to the metric system of units in general, and the International System of Units (SI) in particular, in the preparation of instrumentation standards. The Department is further aware of the benefits to USA users of ISA standards of incorporating suitable references to the SI (and the metric system) in their business and professional dealings with other countries. Toward this end, this Department will endeavor to introduce SI-acceptable metric units in all new and revised standards, recommended practices, and technical reports to the greatest extent possible. *Standard for Use of the International System of Units (SI): The Modern Metric System*, published by the American Society for Testing and Materials as IEEE/ASTM SI 10-97, and future revisions, will be the reference guide for definitions, symbols, abbreviations, and conversion factors.

It is the policy of ISA to encourage and welcome the participation of all concerned individuals and interests in the development of ISA standards, recommended practices, and technical reports. Participation in the ISA standards-making process by an individual in no way constitutes endorsement by the employer of that individual, of ISA, or of any of the standards, recommended practices, and technical reports that ISA develops.

CAUTION — ISA DOES NOT TAKE ANY POSITION WITH RESPECT TO THE EXISTENCE OR VALIDITY OF ANY PATENT RIGHTS ASSERTED IN CONNECTION WITH THIS DOCUMENT, AND ISA DISCLAIMS LIABILITY FOR THE INFRINGEMENT OF ANY PATENT RESULTING FROM THE USE OF THIS DOCUMENT. USERS ARE ADVISED THAT DETERMINATION OF THE VALIDITY OF ANY PATENT RIGHTS, AND THE RISK OF INFRINGEMENT OF SUCH RIGHTS, IS ENTIRELY THEIR OWN RESPONSIBILITY.

PURSUANT TO ISA'S PATENT POLICY, ONE OR MORE PATENT HOLDERS OR PATENT APPLICANTS MAY HAVE DISCLOSED PATENTS THAT COULD BE INFRINGED BY USE OF THIS DOCUMENT AND EXECUTED A LETTER OF ASSURANCE COMMITTING TO THE GRANTING OF A LICENSE ON A WORLDWIDE, NON-DISCRIMINATORY BASIS, WITH A FAIR AND REASONABLE ROYALTY RATE AND FAIR AND REASONABLE TERMS AND CONDITIONS. FOR MORE INFORMATION ON SUCH DISCLOSURES AND LETTERS OF ASSURANCE, CONTACT ISA OR VISIT WWW.ISA.ORG/STANDARDSPATENTS.

OTHER PATENTS OR PATENT CLAIMS MAY EXIST FOR WHICH A DISCLOSURE OR LETTER OF ASSURANCE HAS NOT BEEN RECEIVED. ISA IS NOT RESPONSIBLE FOR IDENTIFYING PATENTS OR PATENT APPLICATIONS FOR WHICH A LICENSE MAY BE REQUIRED, FOR CONDUCTING INQUIRIES INTO THE LEGAL VALIDITY OR SCOPE OF PATENTS, OR DETERMINING WHETHER ANY LICENSING TERMS OR CONDITIONS PROVIDED IN CONNECTION WITH SUBMISSION OF A LETTER OF ASSURANCE, IF ANY, OR IN ANY LICENSING AGREEMENTS ARE REASONABLE OR NON-DISCRIMINATORY.

ISA REQUESTS THAT ANYONE REVIEWING THIS DOCUMENT WHO IS AWARE OF ANY PATENTS THAT MAY IMPACT IMPLEMENTATION OF THE DOCUMENT NOTIFY THE ISA STANDARDS AND PRACTICES DEPARTMENT OF THE PATENT AND ITS OWNER.

ADDITIONALLY, THE USE OF THIS DOCUMENT MAY INVOLVE HAZARDOUS MATERIALS, OPERATIONS OR EQUIPMENT. THE DOCUMENT CANNOT ANTICIPATE ALL POSSIBLE APPLICATIONS OR ADDRESS ALL POSSIBLE SAFETY ISSUES ASSOCIATED WITH USE IN HAZARDOUS CONDITIONS. THE USER OF THIS DOCUMENT MUST EXERCISE SOUND PROFESSIONAL JUDGMENT CONCERNING ITS USE AND APPLICABILITY UNDER THE USER'S PARTICULAR CIRCUMSTANCES. THE USER MUST ALSO CONSIDER THE APPLICABILITY OF ANY GOVERNMENTAL REGULATORY LIMITATIONS AND ESTABLISHED SAFETY AND HEALTH PRACTICES BEFORE IMPLEMENTING THIS DOCUMENT.

THE USER OF THIS DOCUMENT SHOULD BE AWARE THAT THIS DOCUMENT MAY BE IMPACTED BY ELECTRONIC SECURITY ISSUES. THE COMMITTEE HAS NOT YET ADDRESSED THE POTENTIAL ISSUES IN THIS VERSION.

The following members of ISA subcommittee ISA12.1 contributed to the development of this document:

NAME	COMPANY
M. Coppler, Chair	Det Norske Veritas Certification Inc.
D. Ankele	UL LLC
K. Boegli	Phoenix Contact
C. Bombria	Consultant
D. Jagger	Bifold Fluid Power
G. Kozinski	GE Infrastructure Sensing
J. Kuczka	Killark
C. Kurtzman	Rosemount Inc.
E. Leubner	Cooper Crouse-Hinds
R. Masek	CSA Group
W. Mostia	SIS-Tech Solutions
A. Page	Consultant
R. Seitz	Artech Engineering
D. Wechsler	American Chemistry Council
G. Weisenburger	Adalet PLM
B. Zimmermann	R Stahl

The following members of ISA committee ISA12 contributed to the development of this document:

NAME	COMPANY
T. Schnaare, Chair	Rosemount Inc.
W. Lawrence, Vice Chair	FM Approvals LLC
M. Coppler, Managing Director	Det Norske Veritas Certification Inc.
R. Allen	Honeywell Inc.
D. Ankele	UL LLC
K. Boegli	Phoenix Contact
D. Burns	Shell P&T – Innovation / R&D
C. Casso	Nabors Industries
M. Dona	Santos Ltd.
T. Dubaniewicz	NIOSH
D. El Tawy	Solar Turbines, Inc.
W. Fiske	Intertek
G. Garcha	GE Energy

R. Holub	DuPont Engineering
J. Jonscher	Adalet PLM
P. Kovscek	Industrial Scientific Corporation
J. Kuczka	Killark
E. Leubner	Cooper Crouse-Hinds
N. Ludlam	FM Approvals Ltd.
E. Massey	Baldor Electric Company
J. Miller	Detector Electronics Corporation
A. Page	Consultant
R. Seitz	Artech Engineering
R. Sierra	USCG
M. Spencer	Columbia Gas Transmission
R. Wigg	E-x Solutions International Pty. Ltd.

This document was approved for publication by the ISA Standards and Practices Board on 13 May 2013.

NAME	COMPANY
E. Cosman, Vice President	The Dow Chemical Company
D. Bartusiak	ExxonMobil Chemical Co.
P. Brett	Honeywell Inc.
J. Campbell	Consultant
M. Coppler	Det Norske Veritas Certification Inc.
B. Dumortier	Schneider Electric
D. Dunn	Aramco Services Co.
J. Federlein	Federlein & Assoc. Inc.
J. Gilsinn	Kenexis Consulting
E. Icyan	Atkins
J. Jamison	Spectra Energy Ltd.
K. P. Lindner	Endress + Hauser Process Solutions AG
V. Maggioli	Feltronics Corp.
T. McAviney	Instrumentation and Control Engineering, LLC
V. Mezzano	Fluor Corporation
C. Monchinski	Automated Control Concepts Inc.
R. Reimer	Rockwell Automation
S. Russell	Valero Energy Corp.
N. Sands	DuPont
H. Sasajima	Azbil Corp.
T. Schnaare	Rosemount Inc.
J. Tatera	Tatera & Associates Inc.
I. Verhappen	Industrial Automation Networks Inc.
W. Weidman	WCW Consulting
J. Weiss	Applied Control Solutions LLC
M. Wilkins	Yokogawa IA Global Marketing (USMK)
D. Zetterberg	Chevron Energy Technology Co.

This page intentionally left blank.

Contents

1	Purpose	9
2	Scope	9
3	Definitions	10
4	Area (location) classification	27
4.1	North American methods	27
4.2	Additional background information	29
5	Equipment certification in the United States	33
5.1	US land-based installations	33
5.2	Intro to coal mine explosion hazards and MSHA permissibility	33
5.3	US Shipping	33
6	Protection techniques for electrical equipment in hazardous (classified) locations	34
6.1	Explosion confinement and flame quenching	34
6.2	Isolation from flammable atmospheres	34
6.3	Energy release limitation	37
6.4	Other methods of protection	37
6.5	Summary of Types of Protection (Gas)	38
6.6	Summary of Types of Protection (Dust)	40
7	Wiring methods	40
7.1	Conduit system	46
7.2	Cable systems	46
7.3	Conduit and cable seals	47
7.4	Comparison of the installation systems	51
7.5	Comparisons of wiring methods (see Tables 4a and 4b)	58
7.6	Flexible cords	58
8	Grounding and bonding practices	60
9	Maintenance practices	61
10	Practices related to combining certified products	61
	Annex A (informative – per IEC TC31) Introduction of an alternative risk assessment method encompassing “equipment protection levels” for Ex equipment	63
	Annex B — Acronyms	69
	Annex C — References	75
	Annex D — Listing of worldwide codes, guides, and standards	87
	Annex E — Listing of worldwide installation requirements	95

This is a preview of "ANSI/ISA 12.01.01-20...". [Click here to purchase the full version from the ANSI store.](#)

This page intentionally left blank.

1 Purpose

This document provides definitions and information pertaining to protection techniques, terminology, and the installation of electrical equipment in hazardous (classified) locations and provides an introduction and basic background to the ISA12, Electrical Safety, series of publications and committee activities. It replaces ANSI/ISA-12.01.01-2009, *Definitions and Information Pertaining to Electrical Instruments in Hazardous (Classified) Locations*, published in 2009.

This document provides a general review of applicable codes and standards, and it should not be used in lieu of those codes and standards for equipment design, manufacture, installation, maintenance and test criteria.

2 Scope

2.1 This document provides general guidance for safe design, installation, and maintenance of electrical equipment in hazardous (classified) locations using appropriate means to prevent ignition of flammable gases and vapors, flammable liquids, combustible dusts, or ignitable fibers or flyings.

2.2 This document covers only locations made hazardous, or potentially hazardous, due to the presence of flammable gases or vapors, flammable liquids, combustible dusts, or ignitable fibers or flyings. The document is not necessarily relevant to the hazards posed by pyrophoric materials, explosives or propellants containing their own oxidizers.

2.3 This document is concerned only with design, manufacture, installation, maintenance, and test criteria related to arcs, sparks, or hot surfaces produced by electrical and non-electrical* equipment that may cause ignition of flammable gas or vapor-in-air mixtures, clouds or blankets of combustible dust, or easily ignitable fibers or flyings. Equipment should also comply with the applicable ordinary location requirements (e.g., ANSI/ISA-61010-1).

* Under development (Mechanical and ESD for example). Some equipment may produce static electricity or cause high temperatures or sparks due to mechanical failure. The materials of construction of parts in such equipment will be an important consideration for application in hazardous locations.

2.4 This document does not cover mechanisms of ignition from external sources, such as static electricity or lightning. Some equipment may produce static electricity. The materials of construction of parts in such equipment will be an important consideration for application in hazardous locations. The extra precautions necessary for this are beyond the scope of this document.

2.5 This document does not consider the effects of installation in corrosive atmospheres and the resulting deleterious conditions to the original design integrity of the equipment. The additional precautions necessary for these conditions are outside the scope of this document.

2.6 This document is not an instruction manual. However, it is intended to provide introductory guidance to those involved with the design, manufacture, installation, and maintenance of equipment used in hazardous (classified) locations. It is also intended to promote uniformity of practice among those skilled in the art. Nothing contained in this document is to be construed as a fixed rule without regard to sound engineering judgment.

2.7 For hazardous location equipment, atmospheric conditions are generally considered to be

- a) an ambient temperature range of -20 °C (-4 °F) to 40 °C (104 °F) for zones and to -25°C (-13 °F) to +40°C (104 °F) for divisions;