

**AMERICAN NATIONAL STANDARD**

**ANSI/ISA-60079-6 (12.00.05)-2009**  
**Supercedes ANSI/ISA-60079-6 (12.26.01)-1998**

**Explosive Atmospheres – Part 6:  
Equipment Protection by  
Oil Immersion “o”**

**Approved 24 July 2009**

### **Commitment for Amendments**

This Standard is issued jointly by the International Society of Automation (ISA) and Underwriters Laboratories Incorporated (UL). Amendments to this Standard will be made only after processing according to the Standards writing procedures by ISA and UL.

The most recent designation of ANSI/UL 60079-6 as an American National Standard occurred on 24 July 2009 and on 24 July 2009 for ANSI/ISA-60079-6.

This ANSI/UL Standard for Safety, which consists of the third edition is under continuous maintenance, whereby each revision is ANSI approved upon publication. Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Written comments are to be sent to the UL-RTP Standards Department, 12 Laboratory Drive, Research Triangle Park, NC 27709.

UL and ISA are separate and independent entities and each is solely responsible for its operations and business activities. The UL trade names and trademarks depicted in this document are the sole property of Underwriters Laboratories Inc. (UL). The ISA trade names and trademarks depicted in this document are the sole property of the International Society of Automation (ISA).

Revisions of this standard will be made by issuing revised or additional pages bearing their date of issue.

A UL standard is current only if it incorporates the most recently adopted revisions, all of which are itemized on the transmittal notice that accompanies the latest set of revised requirements.

**ISBN: 978-1-936007-17-2**

**Copyright © 2009  
By the International Society of  
Automation**

These materials are subject to copyright claims of IEC, ANSI and ISA. All rights reserved. Not for resale. Printed in the United States of America. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of ISA. All requests pertaining to this Standard should be submitted to ISA.

**Copyright © 2009  
Underwriters Laboratories  
Incorporated**

**The International Society of Automation**  
**ANSI/ISA-60079-6**  
*Third Edition*

**Underwriters Laboratories Inc.**  
**ANSI/UL 60079-6**  
*Third Edition*



**Explosive atmospheres – Part 6: Equipment Protection by Oil-Immersion “o”**

This page intentionally left blank.

## General Notes

This is the common ISA and UL Standard for Explosive atmospheres - Part 6: Oil immersion "o". It is the third edition of ANSI/ISA-60079-6 and the third edition of ANSI/UL 60079-6.

ANSI/ISA-60079-6 and ANSI/UL 60079-6 contain identical requirements, and identical publication dates. The presentation and format of the standards material may differ between the two published standards.

This common Standard was prepared by the International Society of Automation (ISA) and Underwriters Laboratories Inc. (UL).

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.

### Level of harmonization

This standard adopts the IEC text with deviations.

The requirements are presented in different formats. The ISA version of the standard illustrates the national differences from the IEC text through the use of legislative text (strike-out and underline). The UL version of the standard illustrates national differences immediately following the IEC text. National differences between the UL version and the ISA version shall be word for word except for editorial changes.

### Interpretations

The interpretation by the SDO of an identical or equivalent standard shall be based on the literal text to determine compliance with the standard in accordance with the procedural rules of the SDO. If more than one interpretation of the literal text has been identified, a revision shall be proposed as soon as possible to each of the SDOs to more accurately reflect the intent.

### UL Effective Date

As of 24 July 2009 all products Listed or Recognized by UL must comply with the requirements in this Standard.

This page intentionally left blank.

## Preface (ISA)

This ISA standard is based on IEC Publication 60079-6. It is the intention of the ISA12 Committee to develop an ANSI standard that is harmonized with IEC 60079-6 to the fullest extent possible.

This preface, as well as all annexes, is included for informational purposes and is not part of ANSI/ISA-60079-6.

The standards referenced within this document may contain provisions which, through reference in this text, constitute requirements of this document. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this document are encouraged to investigate the possibility of applying the most recent editions of the standards indicated within this document. Members of IEC and ISO maintain registers of currently valid International Standards. ANSI maintain registers of currently valid U.S. National Standards.

This document has been prepared as part of the service of the International Society of Automation (ISA) toward a goal of uniformity in the field of instrumentation. To be of real value, this document should not be static but should be subject to periodic review. Toward this end, the Society welcomes all comments and criticisms and asks that they be addressed to the Secretary, Standards and Practices Board; ISA; 67 Alexander Drive; P. O. Box 12277; Research Triangle Park, NC 27709; Telephone (919) 549-8411; Fax (919) 549-8288; E-mail: standards@isa.org.

The ISA Standards and Practices Department is aware of the growing need for attention to the metric system of units in general, and the International System of Units (SI) in particular, in the preparation of instrumentation standards. The Department is further aware of the benefits to USA users of ISA standards of incorporating suitable references to the SI (and the metric system) in their business and professional dealings with other countries. Toward this end, this Department will endeavor to introduce SI-acceptable metric units in all new and revised standards, recommended practices, and technical reports to the greatest extent possible. *Standard for Use of the International System of Units (SI): The Modern Metric System*, published by the American Society for Testing & Materials as IEEE/ASTM SI 10-97, and future revisions, will be the reference guide for definitions, symbols, abbreviations, and conversion factors.

It is the policy of ISA to encourage and welcome the participation of all concerned individuals and interests in the development of ISA standards, recommended practices, and technical reports. Participation in the ISA standards-making process by an individual in no way constitutes endorsement by the employer of that individual, of ISA, or of any of the standards, recommended practices, and technical reports that ISA develops.

**CAUTION — ISA DOES NOT TAKE ANY POSITION WITH RESPECT TO THE EXISTENCE OR VALIDITY OF ANY PATENT RIGHTS ASSERTED IN CONNECTION WITH THIS DOCUMENT, AND ISA DISCLAIMS LIABILITY FOR THE INFRINGEMENT OF ANY PATENT RESULTING FROM THE USE OF THIS DOCUMENT. USERS ARE ADVISED THAT DETERMINATION OF THE VALIDITY OF ANY PATENT RIGHTS, AND THE RISK OF INFRINGEMENT OF SUCH RIGHTS, IS ENTIRELY THEIR OWN RESPONSIBILITY.**

**PURSUANT TO ISA'S PATENT POLICY, ONE OR MORE PATENT HOLDERS OR PATENT APPLICANTS MAY HAVE DISCLOSED PATENTS THAT COULD BE INFRINGED BY USE OF THIS DOCUMENT AND EXECUTED A LETTER OF ASSURANCE COMMITTING TO THE GRANTING OF A LICENSE ON A WORLDWIDE, NON-DISCRIMINATORY BASIS, WITH A FAIR AND REASONABLE ROYALTY RATE AND FAIR AND REASONABLE TERMS AND CONDITIONS. FOR MORE INFORMATION ON SUCH DISCLOSURES AND LETTERS OF ASSURANCE, CONTACT ISA OR VISIT WWW.ISA.ORG/STANDARDSPATENTS.**

**OTHER PATENTS OR PATENT CLAIMS MAY EXIST FOR WHICH A DISCLOSURE OR LETTER OF ASSURANCE HAS NOT BEEN RECEIVED. ISA IS NOT RESPONSIBLE FOR IDENTIFYING PATENTS OR PATENT APPLICATIONS FOR WHICH A LICENSE MAY BE REQUIRED, FOR CONDUCTING INQUIRIES INTO THE LEGAL VALIDITY OR SCOPE OF PATENTS, OR DETERMINING WHETHER ANY LICENSING TERMS OR CONDITIONS PROVIDED IN CONNECTION WITH SUBMISSION OF A LETTER OF ASSURANCE, IF ANY, OR IN ANY LICENSING AGREEMENTS ARE REASONABLE OR NON-DISCRIMINATORY.**

**ISA REQUESTS THAT ANYONE REVIEWING THIS DOCUMENT WHO IS AWARE OF ANY PATENTS THAT MAY IMPACT IMPLEMENTATION OF THE DOCUMENT NOTIFY THE ISA STANDARDS AND PRACTICES DEPARTMENT OF THE PATENT AND ITS OWNER.**

**THE USER OF THIS DOCUMENT SHOULD BE AWARE THAT THIS DOCUMENT MAY BE IMPACTED BY ELECTRONIC SECURITY ISSUES. THE COMMITTEE HAS NOT YET ADDRESSED THE POTENTIAL ISSUES IN THIS VERSION.**

The following members of ISA Subcommittee ISA12.0 contributed to the development of this document:

<b>NAME</b>	<b>COMPANY</b>
W. Lawrence, Chair	FM Approvals LLC
M. Coppler, Managing Director	Ametek Inc.
D. Ankele	Underwriters Laboratories Inc.
S. Arnold	Ametek Drexelbrook
A. Ballard	Consultant
K. Boegli	Phoenix Contact Inc.
S. Czaniecki	Intrinsic Safety Concepts Inc.
J. Dolphin	PSC Solutions
A. Engler	Det Norske Veritas DNV
D. Jagger	Bifold-Fluid Power
J. Jonscher	Adalet PLM
P. Kovscek	Industrial Scientific Corp.
G. Kozinski	GE Infrastructure Sensing
J. Kuczka	Killark
C. Kurtzman	Rosemount Inc.
D. Lombard	Vantage Technology LLC
N. Ludlam	FM Approvals Ltd.
R. Masek	CSA International
E. Massey	Baldor Electric Co.
O. Murphy	Brooks Instrument LLC
J. Neagle	Intertek ETL SEMKO
A. Page	Consultant
R. Seitz	Artech Engineering
J. Thomas	Schlumberger
D. Wechsler	Dow Chemical Co.
R. Wigg	E-x Solutions International Pty. Ltd.

The following people served as members of ISA Committee ISA12:

<b>NAME</b>	<b>COMPANY</b>
T. Schnaare, Chair	Rosemount Inc.
W. Lawrence, Vice Chair	FM Approvals LLC
M. Coppler, Managing Director	Ametek Inc.
D. Ankele	Underwriters Laboratories Inc.
L. Ballard	Consultant
K. Boegli	Phoenix Contact Inc.

D. Burns	Shell Exploration & Production Company
C. Casso	Nabors Industries
S. Czaniecki	Intrinsic Safety Concepts Inc.
J. Dolphin	PSC Solutions
M. Dona	Santos Ltd.
T. Dubaniewicz	NIOSH
A. Engler	Det Norske Veritas DNV
W. Fiske	Intertek
G. Garcha	GE Energy
C. Huntley	MSHA A&CC
D. Jagger	Bifold-Fluid Power
F. Kent	Honeywell Inc.
P. Kovscek	Industrial Scientific Corp.
J. Kuczka	Killark
N. Ludlam	FM Approvals Ltd.
R. Masek	CSA International
E. Massey	Baldor Electric Company
J. Miller	Detector Electronics Corporation
A. Mobley	Consultant
A. Page	Consultant
R. Seitz	Artech Engineering
R. Sierra	USCG
M. Spencer	Columbia Gas Transmission
J. Thomas	Schlumberger
D. Wechsler	Dow Chemical Company
R. Wigg	E-x Solutions International Pty. Ltd.

This document was approved for publication by the ISA Standards and Practices Board on 12 June 2009.

**NAME**

J. Tatera  
P. Brett  
M. Coppler  
E. Cosman  
B. Dumortier  
D. Dunn  
R. Dunn  
J. Gilsinn  
E. Icyan  
J. Jamison  
D. Kaufman  
K. P. Lindner  
V. Maggioli  
T. McAvinew  
G. McFarland  
R. Reimer  
N. Sands  
H. Sasajima  
T. Schnaare  
I. Verhappen  
R. Webb  
W. Weidman  
J. Weiss  
M. Widmeyer  
M. Zielinski

**COMPANY**

Tatera & Associates Inc.  
Honeywell Inc.  
Ametek Inc.  
The Dow Chemical Company  
Schneider Electric  
Aramco Services Co.  
DuPont Engineering  
NIST/MEL  
ACES Inc.  
Husky Energy Inc.  
Honeywell  
Endress + Hauser Process Solutions AG  
Feltronics Corp.  
Jacobs Engineering Group  
Emerson Process Mgmt. Power & Water Sol.  
Rockwell Automation  
DuPont  
Yamatake Corp.  
Rosemount Inc.  
MTL Instrument Group  
ICS Secure LLC  
Worley Parsons  
Applied Control Solutions LLC  
Consultant  
Emerson Process Management

This page intentionally left blank.

## National Differences

National Differences from the text of International Electrotechnical Commission (IEC) Publication 60079-6, Explosive atmospheres — Part 6: Equipment Protection by Oil immersion "o" are indicated by notations (differences) and are presented in bold text.

In the ISA publication of this standard, National Differences are presented using legislative text (strike-out and underline). The national difference type is identified in an informative annex.

There are five types of National Differences as noted below. The difference type is noted on the first line of the National Difference in the standard. The standard may not include all types of these National Differences.

The UL printed standard includes the national difference types within the body of the text. The ISA printed standard includes the national difference types in an annex at the back of the standard.

**D1** – These are National Differences which are based on **basic safety principles and requirements**, elimination of which would compromise safety for consumers and users of products.

**D2** – These are national differences from IEC requirements based on existing **safety practices**. These requirements reflect national safety practices, where empirical substantiation (for the IEC or national requirement) is not available or the text has not been included in the IEC standard.

**DC** – These are National Differences based on the **component standards** and will not be deleted until a particular component standard is harmonized with the IEC component standard.

**DE** – These are National Differences based on **editorial comments or corrections**.

**DR** – These are National Differences based on the **national regulatory requirements**.

Each national difference contains a description of what the national difference entails. Typically one of the following words is used to explain how the text of the national difference is to be applied to the base IEC text:

**Addition / Add** - An addition entails adding a complete new numbered clause, subclause, table or figure.

Addition is not meant to include adding select words to the base IEC text.

**Deletion / Delete** - A deletion entails complete deletion of an entire numbered clause, subclause, table or figure without any replacement text.

**Modification / Modify** - A modification is an altering of the existing base IEC text such as the addition, replacement or deletion of certain words or the replacement of an entire clause, subclause, table, or figure of the base IEC text.

This page intentionally left blank.

## Contents

General Notes .....	5
Preface (ISA) .....	7
National Differences .....	11
Foreword (ISA).....	15
1 Scope .....	17
2 Normative references .....	17
3 Terms and definitions .....	18
4 Constructional requirements.....	19
4.1 General.....	19
4.2 Protective liquid .....	19
4.3 <del>Group I equipment</del> .....	19
4.4 Deterioration of the protective liquid .....	20
4.5 Guarding of fasteners.....	20
4.6 Protective level indication.....	20
4.7 Limiting temperature.....	21
4.8 Immersion depth .....	21
4.9 Capillary or siphon action .....	21
4.10 Devices for draining of liquid .....	21
4.11 Sealed enclosures.....	21
4.12 Non-sealed enclosures.....	22
4.13 External connections .....	22
5 Verifications and tests .....	22
5.1 Type tests .....	22
5.2 Routine tests.....	23
6 Marking.....	23
7 Instructions .....	23
Annex A (informative) Introduction of an alternative risk assessment method encompassing "equipment protection levels" for Ex equipment .....	25
Annex B (informative) United States major deviations.....	31

This page intentionally left blank.

## Foreword (ISA)

All text of IEC 60079-6:2007, Ed. 3, is included. U.S. National Deviations are shown by ~~strikeout~~ through text deleted and underline under text added. There are three annexes in this standard. The annexes are informative and are not considered part of this standard.

The significant changes with respect to the previous IEC edition are listed below:

- all requirements for third-party certification removed;
- added requirements for external connections;
- collected all marking requirements in the marking clause;
- added requirements for instructions.

This page intentionally left blank.

## 1 Scope

This ~~standard part of IEC 60079~~ specifies the requirements for the construction and testing of oil-immersed electrical equipment, oil-immersed parts of electrical equipment and Ex components in the type of protection oil immersion "o", intended for use in explosive gas atmospheres.

NOTE Type of protection oil immersion "o" provides equipment protection level (EPL) Gb. For further information, see Annex A.

This standard supplements and modifies the general requirements of ANSI/ISA-60079-0 ~~IEC 60079-0~~. Where a requirement of this standard conflicts with a requirement of ANSI/ISA-60079-0 ~~IEC 60079-0~~, the requirement of this standard takes precedence.

This standard is applicable to electrical equipment, parts of electrical equipment, and Ex components which, in the absence of oil immersion, are not ignition capable in normal operation as determined by ANSI/ISA-60079-15 ~~IEC 60079-15~~ or ANSI/ISA-60079-11 ~~IEC 60079-11~~.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ASTM D3487, Mineral Insulating Oil Used in Electrical Apparatus

~~IEC 60079-0:2004, Electrical apparatus for explosive gas atmospheres – Part 0: General requirements~~

ANSI/ISA-60079-0 (12.00.01)-2005, Electrical apparatus for Use In Class I, Zones 0, 1, & 2 Hazardous (Classified) Locations General Requirements

~~IEC 60079-7, Explosive atmospheres – Part 7: Equipment protection by increased safety "e"~~

ANSI/ISA-60079-7 (12.16.01), Electrical apparatus for Use In Class I, Zone 1, Hazardous (Classified) Locations – Increased safety "e"

~~IEC 60079-11, Explosive atmospheres – Part 11: Equipment protection by intrinsic safety "i"~~

ANSI/ISA-60079-11 (12.02.01), Electrical apparatus for Use In Class I, Zone 1, Hazardous (Classified) Locations – Intrinsic safety "i"

~~IEC 60079-15, Electrical apparatus for explosive gas atmospheres – Part 15: Construction, test and marking of type of protection "n" electrical apparatus~~

ANSI/ISA-60079-15 (12.12.02), Electrical Apparatus for Use in Class I, Zone 2 Hazardous (Classified) Locations - Type of Protection "n"

ANSI/UL 2225, Cables and Cable-Fittings For Use In Hazardous (Classified) Locations

*IEC 60156, Insulating liquids – Determination of the breakdown voltage at power frequency – Test method*