This is a preview of "ANSI/ISA 61241-10 (1...". Click here to purchase the full version from the ANSI store.

#### AMERICAN NATIONAL STANDARD

ANSI/ISA-12.10.05-2004 (IEC 61241-10 Mod)

Electrical Apparatus for Use in Zone 20, Zone 21 and Zone 22 Hazardous (Classified) Locations – Classification of Zone 20, Zone 21 and Zone 22 Hazardous (Classified) Locations

Approved 31 August 2004

This is a preview of "ANSI/ISA 61241-10 (1...". Click here to purchase the full version from the ANSI store.

ANSI/ISA-12.10.05-2004 (IEC 61241-10 Mod)
Electrical Apparatus for Use in Zone 20, Zone 21 and Zone 22 Hazardous (Classified) Locations—
Classification of Zone 20, Zone 21 and Zone 22 Hazardous (Classified) Locations

ISBN: 978-1-55617-931-0

Copyright © 2004 by ISA —The Instrumentation, Systems, and Automation Society. All rights reserved. Not for resale. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means (electronic mechanical, photocopying, recording, or otherwise), without the prior written permission of the Publisher.

ISA 67 Alexander Drive P.O. Box 12277 Research Triangle Park, North Carolina 27709 - 3 -

ANSI/ISA-12.10.05-2004 (IEC 61241-10 Mod)

### **Preface**

This preface, as well as all footnotes and annexes, is included for information purposes and is not part of ANSI/ISA-12.10.05-2004 (IEC 61241-10 Mod).

This document has been prepared as part of the service of ISA—the Instrumentation, Systems, and Automation Society—toward a goal of uniformity in the field of instrumentation. To be of real value, this document should not be static but should be subject to periodic review. Toward this end, the Society welcomes all comments and criticisms and asks that they be addressed to the Secretary, Standards and Practices Board; ISA; 67 Alexander Drive; P. O. Box 12277; Research Triangle Park, NC 27709; Telephone (919) 549-8411; Fax (919) 549-8288; E-mail: standards@isa.org.

The ISA Standards and Practices Department is aware of the growing need for attention to the metric system of units in general, and the International System of Units (SI) in particular, in the preparation of instrumentation standards. The Department is further aware of the benefits to USA users of ISA standards of incorporating suitable references to the SI (and the metric system) in their business and professional dealings with other countries. Toward this end, this Department will endeavor to introduce SI-acceptable metric units in all new and revised standards, recommended practices, and technical reports to the greatest extent possible. Standard for Use of the International System of Units (SI): The Modern Metric System, published by the American Society for Testing & Materials as IEEE/ASTM SI 10-97, and future revisions, will be the reference guide for definitions, symbols, abbreviations, and conversion factors.

It is the policy of ISA to encourage and welcome the participation of all concerned individuals and interests in the development of ISA standards, recommended practices, and technical reports. Participation in the ISA standards-making process by an individual in no way constitutes endorsement by the employer of that individual, of ISA, or of any of the standards, recommended practices, and technical reports that ISA develops.

CAUTION — ISA ADHERES TO THE POLICY OF THE AMERICAN NATIONAL STANDARDS INSTITUTE WITH REGARD TO PATENTS. IF ISA IS INFORMED OF AN EXISTING PATENT THAT IS REQUIRED FOR USE OF THE DOCUMENT, IT WILL REQUIRE THE OWNER OF THE PATENT TO EITHER GRANT A ROYALTY-FREE LICENSE FOR USE OF THE PATENT BY USERS COMPLYING WITH THE DOCUMENT OR A LICENSE ON REASONABLE TERMS AND CONDITIONS THAT ARE FREE FROM UNFAIR DISCRIMINATION.

EVEN IF ISA IS UNAWARE OF ANY PATENT COVERING THIS DOCUMENT, THE USER IS CAUTIONED THAT IMPLEMENTATION OF THE DOCUMENT MAY REQUIRE USE OF TECHNIQUES, PROCESSES, OR MATERIALS COVERED BY PATENT RIGHTS. ISA TAKES NO POSITION ON THE EXISTENCE OR VALIDITY OF ANY PATENT RIGHTS THAT MAY BE INVOLVED IN IMPLEMENTING THE DOCUMENT. ISA IS NOT RESPONSIBLE FOR IDENTIFYING ALL PATENTS THAT MAY REQUIRE A LICENSE BEFORE IMPLEMENTATION OF THE DOCUMENT OR FOR INVESTIGATING THE VALIDITY OR SCOPE OF ANY PATENTS BROUGHT TO ITS ATTENTION. THE USER SHOULD CAREFULLY INVESTIGATE RELEVANT PATENTS BEFORE USING THE DOCUMENT FOR THE USER'S INTENDED APPLICATION.

HOWEVER, ISA ASKS THAT ANYONE REVIEWING THIS DOCUMENT WHO IS AWARE OF ANY PATENTS THAT MAY IMPACT IMPLEMENTATION OF THE DOCUMENT NOTIFY THE ISA STANDARDS AND PRACTICES DEPARTMENT OF THE PATENT AND ITS OWNER.

ADDITIONALLY, THE USE OF THIS DOCUMENT MAY INVOLVE HAZARDOUS MATERIALS, OPERATIONS OR EQUIPMENT. THE DOCUMENT CANNOT ANTICIPATE ALL POSSIBLE APPLICATIONS OR ADDRESS ALL POSSIBLE SAFETY ISSUES ASSOCIATED WITH USE IN HAZARDOUS CONDITIONS. THE USER OF THIS DOCUMENT MUST EXERCISE SOUND

ANSI/ISA-12.10.05-2004 (IEC 61241-10 Mod)

<del>- 4 -</del>

PROFESSIONAL JUDGMENT CONCERNING ITS USE AND APPLICABILITY UNDER THE USER'S PARTICULAR CIRCUMSTANCES. THE USER MUST ALSO CONSIDER THE APPLICABILITY OF ANY GOVERNMENTAL REGULATORY LIMITATIONS AND ESTABLISHED SAFETY AND HEALTH PRACTICES BEFORE IMPLEMENTING THIS DOCUMENT.

THE USER OF THIS DOCUMENT SHOULD BE AWARE THAT THIS DOCUMENT MAY BE IMPACTED BY ELECTRONIC SECURITY ISSUES. THE COMMITTEE HAS NOT YET ADDRESSED THE POTENTIAL ISSUES IN THIS VERSION.

The following people served as members of ISA Subcommittee SP12.10 which prepared this document:

#### NAME **COMPANY**

A. Engler, SP12.10 Chairman EGS/ECM

D. Bishop, SP12.10 Managing Director David N Bishop Consultant S. Arnold Ametek Drexelbrook

E. Briesch Underwriters Laboratories Inc.

R. Buschart Cable Tray Institute R. Fontaine FM Approvals

Killark J. Kuczka

E. Massey **Rockwell Automation** 

A. Page MSHA Approval & Certification Center

P. Schimmoeller **CSA** International T. Schnaare Rosemount Inc.

D. Wechsler **Dow Chemical Company** 

The following people served as members of ISA Committee SP12:

#### **NAME COMPANY**

T. Schnaare, Chairman Rosemount Inc. W. Lawrence, Vice Chairman FM Approvals

D. Bishop, Managing Director David N Bishop Consultant **Optimation Technology** N. Abbatiello Underwriters Laboratories Inc. D. Ankele

Crouse Hinds Division of Cooper Industries A. Ballard

H. Bockle R. Stahl Inc.

K. Boegli Phoenix Contact Inc.

D. Burns Shell Exploration & Production Company

Cable Tray Institute R. Buschart Bently Nevada LLC R. Cardinal C. Casso **Nabors Industries** 

M. Coppler Ametek Inc.

J. Cospolich Waldemar S Nelson & Company Inc. S. Czaniecki Intrinsic Safety Concepts Inc.

NIOSH

T. Dubaniewicz

U. Dugar Mobil Chemical Company

A. Engler EGS/ECM

W. Fiske Intertek Testing Services

G. Garcha GE Power Systems Schenectady NY USA

Bifold-Fluid Power D. Jagger Honeywell Inc. F. Kent Pepperl + Fuchs Inc. G. Kozinski

Killark J. Kuczka Turck Inc. B. Larson

E. Massey **Rockwell Automation**  <del>- 5 -</del>

ANSI/ISA-12.10.05-2004 (IEC 61241-10 Mod)

A. Mobley 3M Company

A. Page MSHA Approval & Certification Center

P. Schimmoeller
CSA International
R. Seitz
Artech Engineering
D. Wechsler
Dow Chemical Company

This document was approved for publication by the ISA Standards and Practices Board on 30 August 2004.

### NAME COMPANY

V. Maggioli, Chairman Feltronics Corporation

K. Bond Consultant
D. Bishop David N. Bisho

D. Bishop David N. Bishop Consultant
D. Bouchard Centre D'Affaires de Verdun
M. Cohen Consultant

M. Coppler
Ametek, Inc.
B. Dumortier
Schneider Electric
W. Holland
Consultant
E. Icayan
ACES, Inc.

E. IcayanA. IversonR. JonesACES, Inc.Ivy OptiksConsultant

T. McAvinew Jacobs Engineering Group
A. McCauley, Jr. Chagrin Valley Controls, Inc.
G. McFarland Emerson Process Management

D. Rapley Rapley Consulting Inc.
R. Reimer Rockwell Automation

J. Rennie Consultant


H. Sasajima Yamatake Corporation I. Verhappen Syncrude Canada Ltd.

R. Webb Consultant
W. Weidman Parsons E&C
J. Weiss KEMA Consulting

M. Widmeyer Stanford Linear Accelerator Center

R. Wiegle Stone & Webster


C. Williams Eastman Kodak Company
M. Zielinski Emerson Process Management



ANSI/ISA-12.10.05-2004 (IEC 61241-10 Mod)

# Contents

F	orew	ord	9
1	So	cope	11
2	N	ormative References	11
3	De	efinitions	12
4	Ar	rea classification for combustible dusts	13
	4.1	General	13
	4.2	Area classification objectives for explosive dust atmospheres	14
	4.3	Area classification procedure for explosive dust atmospheres	14
5	So	ources of release for explosive dust atmospheres	15
	5.1	General	15
	5.2	Identification of sources of release	15
6	Zo	ones for explosive dust atmospheres	17
	6.1	General	17
	6.2	Zones for Dusts	17
	6.3	Examples of zones for explosive dust atmospheres	18
	6.4	Extent of zones for explosive dust atmospheres	19
7	Di	ust layer hazard	20
8	Do	ocumentation	20
	8.1	General	20
	8.2	Drawings, data sheets and tables	21
Annex B (informative) —Risk of Fire from Hot Surface Ignition of Dust Layer			29
Ar	Annex C (informative) — Housekeeping		
Annex D (informative) — United States Major Deviations			




This is a preview of "ANSI/ISA 61241-10 (1...". Click here to purchase the full version from the ANSI store.

<del>- 9 -</del>

ANSI/ISA-12.10.05-2004 (IEC 61241-10 Mod)

# **Foreword**

All of the text of IEC 61241-10 is included in this document. U.S. National Deviations are shown by strikeout through deleted text and <u>underline</u> under added text. Tables or portions of tables that are deleted are shown as shaded; figures to be deleted are marked with the overlay "Figure X Deleted." All added tables are numbered by a table number corresponding to the applicable subclause for improved clarity and are NOT underlined. Notes appear in the table titles showing the tables as added material. The annexes in this document are informative and are not considered part of this document.



<del>- 11 -</del>

ANSI/ISA-12.10.05-2004 (IEC 61241-10 Mod)

## 1 Scope

This document is concerned with the classification of areas where explosive dust/air mixtures atmospheres and combustible dust layers are present, in order to permit the proper selection of equipment for use in such areas.

In this document, explosive dust atmospheres and combustible dust layers are treated separately. In Clause 4 area classification for explosive dusts clouds is described, with dust layers acting as one of the possible sources of release. In Clause 7 the hazard of dust layer ignition is described.

The document assumes effective housekeeping based on a system of cleaning for the plant.

The principles of the document can also be followed when combustible fibres or flyings may cause a hazard.

This document is intended to be applied where there can be a risk due to the presence of explosive dust/air mixtures atmospheres or combustible dust layers under normal atmospheric conditions. It does not apply to

- underground mining areas;
- areas where a risk can arise due to the presence of hybrid mixtures;
- dusts of explosives that do not require atmospheric oxygen for combustion, or to pyrophoric substances;
- catastrophic failures, which are beyond the concept of abnormality dealt with in this document (see note 1);
- any risk arising from an emission of flammable or toxic gas from the dust.
- combustible metallic dusts.

This document does not take into account the effects of consequential damage following a fire or an explosion.

NOTE 1 — Catastrophic failure in this context is applied, for example, to the rupture of a storage silo or a pneumatic conveyor

NOTE 2 — In any process plant, irrespective of size, there can be numerous sources of ignition apart from those associated with equipment. Appropriate precautions will be necessary to ensure safety in this context, but these are outside the scope of this document.

#### 2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies

IEC 61241-0, Electrical apparatus for use in the presence of combustible dust - Part 0: General requirements<sup>1</sup>

<sup>&</sup>lt;sup>1</sup> To be published.