

AMERICAN NATIONAL STANDARD

ANSI/ISA-61241-2 (12.10.06)-2006 (R2011)

**Electrical Apparatus for Use in Zone 21 and
Zone 22 Hazardous (Classified) Locations –
Protection by Pressurization “pD”**

Approved 14 March 2011

ANSI/ISA-61241-2 (12.10.06)-2006 (R2011)
Electrical Apparatus for Use in Zone 21 and Zone 22 Hazardous (Classified) Locations –
Protection by Pressurization “pD”

ISBN: 978-1-936007-94-3

Copyright © 2011 by ISA. All rights reserved. Not for resale. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means (electronic mechanical, photocopying, recording, or otherwise), without the prior written permission of the Publisher.

ISA
67 Alexander Drive
P.O. Box 12277
Research Triangle Park, North Carolina 27709

Preface

This preface, as well as all footnotes and annexes, is included for information purposes and is not part of ANSI/ISA-61241-2 (12.10.06)-2006 (R2011).

This document has been prepared as part of the service of ISA towards a goal of uniformity in the field of instrumentation. To be of real value, this document should not be static but should be subject to periodic review. Toward this end, the Society welcomes all comments and criticisms and asks that they be addressed to the Secretary, Standards and Practices Board; ISA; 67 Alexander Drive; P. O. Box 12277; Research Triangle Park, NC 27709; Telephone (919) 549-8411; Fax (919) 549-8288; E-mail: standards@isa.org.

The ISA Standards and Practices Department is aware of the growing need for attention to the metric system of units in general, and the International System of Units (SI) in particular, in the preparation of instrumentation standards. The Department is further aware of the benefits to USA users of ISA standards of incorporating suitable references to the SI (and the metric system) in their business and professional dealings with other countries. Toward this end, this Department will endeavor to introduce SI-acceptable metric units in all new and revised standards, recommended practices, and technical reports to the greatest extent possible. *Standard for Use of the International System of Units (SI): The Modern Metric System*, published by the American Society for Testing & Materials as IEEE/ASTM SI 10-97, and future revisions, will be the reference guide for definitions, symbols, abbreviations, and conversion factors.

It is the policy of ISA to encourage and welcome the participation of all concerned individuals and interests in the development of ISA standards, recommended practices, and technical reports. Participation in the ISA standards-making process by an individual in no way constitutes endorsement by the employer of that individual, of ISA, or of any of the standards, recommended practices, and technical reports that ISA develops.

CAUTION — ISA ADHERES TO THE POLICY OF THE AMERICAN NATIONAL STANDARDS INSTITUTE WITH REGARD TO PATENTS. IF ISA IS INFORMED OF AN EXISTING PATENT THAT IS REQUIRED FOR USE OF THE DOCUMENT, IT WILL REQUIRE THE OWNER OF THE PATENT TO EITHER GRANT A ROYALTY-FREE LICENSE FOR USE OF THE PATENT BY USERS COMPLYING WITH THE DOCUMENT OR A LICENSE ON REASONABLE TERMS AND CONDITIONS THAT ARE FREE FROM UNFAIR DISCRIMINATION.

EVEN IF ISA IS UNAWARE OF ANY PATENT COVERING THIS DOCUMENT, THE USER IS CAUTIONED THAT IMPLEMENTATION OF THE DOCUMENT MAY REQUIRE USE OF TECHNIQUES, PROCESSES, OR MATERIALS COVERED BY PATENT RIGHTS. ISA TAKES NO POSITION ON THE EXISTENCE OR VALIDITY OF ANY PATENT RIGHTS THAT MAY BE INVOLVED IN IMPLEMENTING THE DOCUMENT. ISA IS NOT RESPONSIBLE FOR IDENTIFYING ALL PATENTS THAT MAY REQUIRE A LICENSE BEFORE IMPLEMENTATION OF THE DOCUMENT OR FOR INVESTIGATING THE VALIDITY OR SCOPE OF ANY PATENTS BROUGHT TO ITS ATTENTION. THE USER SHOULD CAREFULLY INVESTIGATE RELEVANT PATENTS BEFORE USING THE DOCUMENT FOR THE USER'S INTENDED APPLICATION.

HOWEVER, ISA ASKS THAT ANYONE REVIEWING THIS DOCUMENT WHO IS AWARE OF ANY PATENTS THAT MAY IMPACT IMPLEMENTATION OF THE DOCUMENT NOTIFY THE ISA STANDARDS AND PRACTICES DEPARTMENT OF THE PATENT AND ITS OWNER.

ADDITIONALLY, THE USE OF THIS DOCUMENT MAY INVOLVE HAZARDOUS MATERIALS, OPERATIONS OR EQUIPMENT. THE DOCUMENT CANNOT ANTICIPATE ALL POSSIBLE

APPLICATIONS OR ADDRESS ALL POSSIBLE SAFETY ISSUES ASSOCIATED WITH USE IN HAZARDOUS CONDITIONS. THE USER OF THIS DOCUMENT MUST EXERCISE SOUND PROFESSIONAL JUDGMENT CONCERNING ITS USE AND APPLICABILITY UNDER THE USER'S PARTICULAR CIRCUMSTANCES. THE USER MUST ALSO CONSIDER THE APPLICABILITY OF ANY GOVERNMENTAL REGULATORY LIMITATIONS AND ESTABLISHED SAFETY AND HEALTH PRACTICES BEFORE IMPLEMENTING THIS DOCUMENT.

THE USER OF THIS DOCUMENT SHOULD BE AWARE THAT THIS DOCUMENT MAY BE IMPACTED BY ELECTRONIC SECURITY ISSUES. THE COMMITTEE HAS NOT YET ADDRESSED THE POTENTIAL ISSUES IN THIS VERSION.

The following people served as members of ISA Subcommittee ISA12.04:

NAME	COMPANY
R. Masek, Chair	CSA International
M. Coppler, Managing Director	Ametek Inc.
M. Baucom	Bebco Industries, Inc.
E. Briesch	Underwriters Laboratories Inc.
D. Bishop	David N Bishop Consultant
R. Cardinal	Bently Nevada LLC
W. Fiske	Intertek Testing Services
R. Fontaine	FM Approvals
G. Garcha	GE Energy
D. Hohenstein	Pepperl+Fuchs Inc.
F. Kent	Honeywell Inc.
E. Massey	Rockwell Automation
A. Mobley	3M Company
D. Wechsler	Dow Chemical Company
J. West	Expo Technologies Inc.

The following people served as members of ISA12.10:

NAME	COMPANY
A. Engler, Chair	Det Norske Veritas DNV
M. Coppler,* Managing Director	Ametek Inc.
S. Arnold*	Ametek Drexelbrook
D. Bishop	David N Bishop Consultant
E. Briesch	Underwriters Laboratories Inc.
R. Buschart	Cable Tray Institute
R. Fontaine	FM Approvals
J. Kuczka	Killark
E. Massey	Rockwell Automation
A. Page	MSHA Approval & Certification Center
P. Schimmoeller	CSA International
T. Schnaare	Rosemount Inc.
D. Wechsler	Dow Chemical Company
R. Wigg	E-x Solutions International Pty. Ltd.

* One vote per company.

The following people served as members of ISA Committee ISA12:

NAME	COMPANY
T. Schnaare, Chair	Rosemount Inc.
W. Lawrence, Vice Chair	FM Approvals
M. Coppler, Managing Director	Ametek Inc.
D. Ankele	Underwriters Laboratories Inc.
A. Ballard	Crouse Hinds Division of Cooper Industries
D. Bishop	David N Bishop Consultant
K. Boegli	Phoenix Contact Inc.
D. Burns	Shell Exploration & Production Company
R. Cardinal	Bently Nevada LLC
C. Casso	Nabors Industries
S. Czaniecki	Intrinsic Safety Concepts Inc.
J. Dolphin	Professional Testing
T. Dubaniewicz	NIOSH
A. Engler	Det Norske Veritas DNV
W. Fiske	Intertek Testing Services
G. Garcha	GE Energy
D. Hohenstein	Pepperl+Fuchs Inc.
D. Jagger	Bifold-Fluid Power
F. Kent	Honeywell Inc.
P. Kovscek	Industrial Scientific Corp.
J. Kuczka	Killark
B. Larson	Turck Inc.
E. Massey	Rockwell Automation
A. Mobley	3M Company
S. Nguyen	Siemens Milltronics Ltd.
A. Page	MSHA Approval & Certification Centre
P. Schimmoeller	CSA International
R. Seitz	Artech Engineering
D. Wechsler	Dow Chemical Company
R. Wigg	E-x Solutions International Pty. Ltd.

* One vote per company.

This standard was approved for publication by the ISA Standards and Practices Board on 10 October 2006.

NAME	COMPANY
I. Verhappen, Vice President	MTL Instrument Group
F. Amir	E I Du Pont Company
D. Bishop	David N Bishop Consultant
M. Coppler	Ametek Inc.
B. Dumortier	Schneider Electric
W. Holland	Consultant
E. Icayan	ACES Inc.
A. Iverson	Ivy Optiks
R. Jones	Consultant
K. Lindner	Endress + Hauser Process Solutions AG
V. Maggioli	Feltronics Corporation
T. McAviney	Jacobs Engineering Group
A. McCauley	Chagrin Valley Controls Inc.
G. McFarland	Emerson Process Mgmt. Pwr & Water Solutions

R. Reimer	Rockwell Automation
N. Sands	E I du Pont
H. Sasajima	Yamatake Corporation
T. Schnaare	Rosemount Inc.
J. Tatera	Tatera & Associates Inc.
R. Webb	Robert C. Webb PE
W. Weidman	Worley Parsons
J. Weiss	KEMA Inc.
M. Widmeyer	Stanford Linear Accelerator Center
M. Zielinski	Emerson Process Management

The following members of ISA12.4 reaffirmed this standard.

NAME	COMPANY
R. Masek, Chair	CSA International
M. Coppler, Managing Director	Ametek Inc.
M. Baucom	Bebco Industries Inc.
E. Briesch	Underwriters Laboratories Inc.
W. Fiske	Intertek
R. Fontaine	FM Approvals
G. Garcha	GE Energy
F. Kent	Honeywell Inc.
K. Mansoor	Siemens Industry Inc.
E. Massey	Baldor Electric Company
A. Shvartsman	Pepperl + Fuchs
D. Wechsler	Dow Chemical Company
J. West	Expo Technologies Inc.

The following members of ISA12 reaffirmed this standard.

NAME	COMPANY
T. Schnaare, Chair	Rosemount Inc.
W. Lawrence, Vice Chair	FM Approvals LLC
M. Coppler, Managing Director	Ametek Inc.
N. Akhtar	AF Technologies Inc.
D. Ankele	Underwriters Laboratories Inc.
R. Batra	Chevron Corporation
K. Boegli	Phoenix Contact Inc.
D. Burns	Shell P&T – Innovation / R&D
C. Casso	Nabors Industries
J. Dolphin	PSC Solutions
M. Dona	Santos Ltd.
T. Dubaniewicz	NIOSH
A. Engler	Det Norske Veritas DNV
W. Fiske	Intertek
G. Garcha	GE Energy
D. Jagger	Bifold-Fluid Power
J. Jonscher	Adalet PLM
F. Kent	Honeywell Inc.
P. Kovscek	Industrial Scientific Corporation
J. Kuczka	Killark
E. Leubner	Cooper Crouse-Hinds
S. Leverington	Zone Safe Solutions
N. Ludlam	FM Approvals Ltd.

K. Mansoor	Siemens Industry Inc.
R. Masek	CSA International
E. Massey	Baldor Electric Company
J. Miller	Detector Electronics Corporation
A. Page	Consultant
R. Seitz	Artech Engineering
R. Sierra	USCG
M. Spencer	Columbia Gas Transmission
J. Thomas	Schlumberger
D. Wechsler	Dow Chemical Company
R. Wigg	E-x Solutions International Pty. Ltd.

This standard was reaffirmed by the Standards and Practices Board on 12 April 2011.

NAME

COMPANY

D. Dunn, Vice President	Aramco Services Co.
R. Bartusiak	ExxonMobil Research & Engineering
P. Brett	Honeywell Inc.
J. Campbell	ConocoPhillips
M. Coppler	Ametek Inc.
E. Cosman	The Dow Chemical Co.
B. Dumortier	Schneider Electric
J. Federlein	Federlein & Assoc. Inc.
J. Gilsinn	NIST/MEL
E. Iccayan	ACES Inc.
J. Jamison	EnCana Corporation Ltd.
K. Lindner	Endress+Hauser Process Solutions AG
V. Maggioli	Feltronics Corp.
T. McAviney	Jacobs Engineering
R. Reimer	Rockwell Automation
S. Russell	Valero Energy Corp.
N. Sands	DuPont
H. Sasajima	Yamatake Corp.
T. Schnaare	Rosemount Inc.
J. Tatera	Tatera & Associates Inc.
I. Verhappen	Industrial Automation Networks Inc.
W. Weidman	Consultant
J. Weiss	Applied Control Solutions LLC
M. Wilkins	Yokogawa IA Global Marketing (USMK)
D. Zetterberg	Chevron Energy Technology Company

This page intentionally left blank.

Foreword

All text of IEC 61241-4:2001 (1st edition) is included. U.S. National Deviations are shown by ~~strikeout~~ through text deleted and underline under text added. There are three annexes in this standard. Annexes A and B are normative and are considered part of this standard. Annex C is informative and is not considered part of this standard.

This page intentionally left blank.

CONTENTS

Foreword	9
1 Scope	13
2 Normative References.....	13
3 Definitions	14
4 Pressurization principle.....	17
4.1 Protective gas.....	17
4.2 Automatic disconnection or alarm.....	17
4.3 Cleaning	17
4.4 Discharge of protective gas.....	17
5 General constructional requirements	18
5.1 Electrical performance of apparatus	18
5.2 Mechanical strength.....	18
5.3 Apertures.....	18
5.4 Electrical connections to enclosures	18
5.5 Doors and covers.....	19
6 Temperature limits	19
7 Safety provisions and safety devices (except for static pressurization).....	20
7.1 General.....	20
7.2 Pressure- or flow-activated devices	20
7.3 Electrical supply	21
7.4 Switching off electrical supply	21
7.5 Failure of pressurization.....	21
7.6 Level of overpressure.....	23
7.7 Possible sources of ignition.....	23
7.8 Enclosed components	23
7.9 Separate enclosures	23
8 Safety provisions and safety devices for static pressurization	23
9 Supply of protective gas.....	24
9.1 Type of gas.....	24
9.2 Second source of supply	24
9.3 Temperature	24
10 Verification and tests	25
10.1 General.....	25
10.2 Type verification and tests.....	25
10.3 Overpressure test	25
10.4 Minimum overpressure test	25
10.5 Leakage test	26
10.6 Impact test	26
10.7 Routine tests.....	26

11	Marking	26
11.1	Pressurized enclosure.....	26
11.2	Additional marking	27
11.3	Pressurized enclosures protected by static pressurization	27
11.4	Any other marking required	27
11.5	Warnings required in other clauses:	27
	Annex A (normative) Ducts for protective gas supply	29
	Annex B (normative) Installation requirements for pressurization	33
	B.1 Source of protective gas.....	33
	B.2 Automatic switch-off.....	33
	B.3 Manual switch-off	33
	B.4 Common supply of protective gas.....	33
	B.5 Switching off electrical supply	34
	Annex C (informative) Explanation of National Deviations	35
	Figure A.1 – Examples of the static overpressure along the ducts and through a pressurized enclosure	30
	Figure A.2 – Example of the static overpressure in a pressurized electric rotating machine with fan	31
	Table 1 – Requirements on failure of pressurization.....	22
	Table B.1 – Summary of protection requirements for enclosures	33

1 Scope

This ~~standard part of IEC 61241~~ gives requirements on the design, construction, testing and marking of electrical apparatus for use in combustible dust atmospheres in which a protective gas (air or inert gas), maintained at a pressure above that of the external atmosphere, is used to prevent the entry of dust which might otherwise lead to the formation of a combustible mixture within enclosures which do not contain a source of combustible dust.

This standard contains the specific requirements for construction and testing, including protective requirements that apply to electrical apparatus with type of protection pressurization "pD" intended for use in potentially combustible dust atmospheres.

This standard includes the requirements for the construction of the enclosure and its associated components, including, if any, the inlet and outlet ducts for the protective gas, and for the safety provisions and devices necessary to ensure that pressurization is established and maintained for type of protection pressurization "pD".

Requirements for pressurized enclosures with an internal source of dust release are not included in this standard.

This standard does not cover the requirements for pressurized rooms with or without internal sources of dust release.

This standard does not apply to dusts of explosives which do not require atmospheric oxygen for combustion or to pyrophoric substances.

This standard does not cover combined gas and dust hazard. Those requirements are under consideration.

The requirements contained in this standard are supplementary to those in ~~IEC 61241-1-1~~ ANSI/ISA-61241-0.

2 Normative References

~~The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 61241. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of IEC 61241 are encouraged to investigate the possibility of applying the most recent editions of the normative documents listed below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.~~

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1:1996, *Rotating electrical machines – Part 1: Rating and performance* ¹⁾

¹⁾ There exists a consolidated edition 10.2 (1999) that includes edition 10.0 and its amendments.