


## **ANSI/ISA–S75.22–1999**

(Identical to ANSI/ISA–S75.22–1992 (R1996))



# **Face-to-Centerline Dimensions for Flanged Globe-Style Angle Control Valve Bodies (ANSI Classes 150, 300, and 600)**



**Approved 31 August 1999**

ANSI/ISA-S75.22-1999  
Face-to-Centerline Dimensions for Flanged Globe-Style Angle Control Valve Bodies  
(ANSI Classes 150, 300, and 600)

ISBN: 1-55617-723-2

Copyright © 1999 by the Instrument Society of America. All rights reserved. Not for resale. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), without the prior written permission of the Publisher.

ISA  
67 Alexander Drive  
P.O. Box 12277  
Research Triangle Park, North Carolina 27709

## Preface

This preface, as well as all footnotes and annexes, is included for information purposes and is not part of ISA-S75.22.

This document has been prepared as part of the service of ISA, the international society for measurement and control, toward a goal of uniformity in the field of instrumentation. To be of real value, this document should not be static but should be subject to periodic review. Toward this end, the Society welcomes all comments and criticisms and asks that they be addressed to the Secretary, Standards and Practices Board; ISA; 67 Alexander Drive; P. O. Box 12277; Research Triangle Park, NC 27709; Telephone (919) 549-8411; Fax (919) 549-8288; E-mail: standards@isa.org.

The ISA Standards and Practices Department is aware of the growing need for attention to the metric system of units in general, and the International System of Units (SI) in particular, in the preparation of instrumentation standards. The Department is further aware of the benefits to USA users of ISA standards of incorporating suitable references to the SI (and the metric system) in their business and professional dealings with other countries. Toward this end, this Department will endeavor to introduce SI-acceptable metric units in all new and revised standards, recommended practices, and technical reports to the greatest extent possible. *Standard for Use of the International System of Units (SI): The Modern Metric System*, published by the American Society for Testing & Materials as IEEE/ASTM SI 10-97, and future revisions, will be the reference guide for definitions, symbols, abbreviations, and conversion factors.

It is the policy of ISA to encourage and welcome the participation of all concerned individuals and interests in the development of ISA standards, recommended practices, and technical reports. Participation in the ISA standards-making process by an individual in no way constitutes endorsement by the employer of that individual, of ISA, or of any of the standards, recommended practices, and technical reports that ISA develops.

**CAUTION — ISA ADHERES TO THE POLICY OF THE AMERICAN NATIONAL STANDARDS INSTITUTE WITH REGARD TO PATENTS. IF ISA IS INFORMED OF AN EXISTING PATENT THAT IS REQUIRED FOR USE OF THE STANDARD, IT WILL REQUIRE THE OWNER OF THE PATENT TO EITHER GRANT A ROYALTY-FREE LICENSE FOR USE OF THE PATENT BY USERS COMPLYING WITH THE STANDARD OR A LICENSE ON REASONABLE TERMS AND CONDITIONS THAT ARE FREE FROM UNFAIR DISCRIMINATION.**

**EVEN IF ISA IS UNAWARE OF ANY PATENT COVERING THIS STANDARD, THE USER IS CAUTIONED THAT IMPLEMENTATION OF THE STANDARD MAY REQUIRE USE OF TECHNIQUES, PROCESSES, OR MATERIALS COVERED BY PATENT RIGHTS. ISA TAKES NO POSITION ON THE EXISTENCE OR VALIDITY OF ANY PATENT RIGHTS THAT MAY BE INVOLVED IN IMPLEMENTING THE STANDARD. ISA IS NOT RESPONSIBLE FOR IDENTIFYING ALL PATENTS THAT MAY REQUIRE A LICENSE BEFORE IMPLEMENTATION OF THE STANDARD OR FOR INVESTIGATING THE VALIDITY OR SCOPE OF ANY PATENTS BROUGHT TO ITS ATTENTION. THE USER SHOULD CAREFULLY INVESTIGATE RELEVANT PATENTS BEFORE USING THE STANDARD FOR THE USER'S INTENDED APPLICATION.**

**HOWEVER, ISA ASKS THAT ANYONE REVIEWING THIS STANDARD WHO IS AWARE OF ANY PATENTS THAT MAY IMPACT IMPLEMENTATION OF THE STANDARD NOTIFY THE ISA STANDARDS AND PRACTICES DEPARTMENT OF THE PATENT AND ITS OWNER.**

**ADDITIONALLY, THE USE OF THIS STANDARD MAY INVOLVE HAZARDOUS MATERIALS, OPERATIONS OR EQUIPMENT. THE STANDARD CANNOT ANTICIPATE ALL POSSIBLE APPLICATIONS OR ADDRESS ALL POSSIBLE SAFETY ISSUES ASSOCIATED WITH USE IN HAZARDOUS CONDITIONS. THE USER OF THIS STANDARD MUST EXERCISE SOUND**

**PROFESSIONAL JUDGMENT CONCERNING ITS USE AND APPLICABILITY UNDER THE USER'S PARTICULAR CIRCUMSTANCES. THE USER MUST ALSO CONSIDER THE APPLICABILITY OF ANY GOVERNMENTAL REGULATORY LIMITATIONS AND ESTABLISHED SAFETY AND HEALTH PRACTICES BEFORE IMPLEMENTING THIS STANDARD.**

The following people served as members of ISA Committee SP75.08:

<b>NAME</b>	<b>COMPANY</b>
W. Weidman, Chairman & Managing Director	Consultant
H. Baumann	H. D. Baumann, Inc.
G. Borden, Jr.	Consultant
R. Brodin	Fisher Controls International, Inc.
F. Cain	Valtek International
R. Chown	OTEC
B. Hart	M. W. Kellogg Company
B. Hatton	Honeywell, Inc.
C. Koloboff	Chevron Research & Technology Company
J. Reed	Norriseal
H. Sonderegger	Grinnell Corporation

The following people served as members of ISA Committee SP75:

<b>NAME</b>	<b>COMPANY</b>
D. Buchanan, Chairman	Union Carbide Corporation
W. Weidman, Managing Director	Consultant
T. Abromaitis	Red Valve, Inc.
J. Addington	Fluid Controls Institute
H. Backinger	J.F. Kraus & Company
G. Baenteli	Bechtel
G. Barb	Consultant
H. Baumann	H.D. Baumann, Inc.
K. Black	Cashco, Inc.
H. Boger	Masoneilan/Dresser
G. Borden, Jr.	Consultant
S. Boyle	Neles-Jamesbury, Inc.
R. Brodin	Fisher Controls International, Inc.
F. Cain	Valtek International.
C. Corson	Fluor Daniel, Inc.
C. Crawford	Union Carbide Corporation
L. Driskell	Consultant
J. Dulamel	R-K-L
H. Fuller	Consultant
J. George	Richards Industries, Inc.
L. Griffith	Consultant
B. Hart	M.W. Kellogg Company
F. Harthun	Consultant
B. Hatton	Honeywell, Inc.
R. Jeanes	TU Electric
C. Koloboff	Chevron Research & Technology Company
G. Kovacs	Yarway Corporation
C. Langford	Consultant
A. Libke	DeZurik Valve Company

R. Louviere	Creole Engineering Sales Company
O. Lovett, Jr.	Consultant
J. Mariam	FlowSoft, Inc.
A. McCauley, Jr.	Chagrin Valley Controls, Inc.
H. Miller	Control Components, Inc.
T. Molloy	CMES
L. Ormanoski	Frick Company
J. Ozol	Commonwealth Edison
W. Rahmeyer	Utah State University
J. Reed	Norriseal
G. Richards	Richards Industries, Inc.
K. Schoonover	Con-Tek
A. Shea	Copes-Vulcan, Inc.
E. Skovgaard	Leslie Controls
H. Sonderegger	Grinnell Corporation
R. Terhune	Cranmoor
R. Tubbs	Industrial Valve & Gauge Company

This standard was approved for publication by the ISA Standards and Practices Board in January 1996.

**NAME**

**COMPANY**

M. Widmeyer, Vice President	Washington Public Power Supply System
H. Baumann	H.D. Baumann, Inc.
D. Bishop	Chevron USA Production Company
P. Brett	Honeywell, Inc.
W. Calder III	Factory Mutual Research Corporation
M. Cohen	Senior Flexonics Inc.
H. Dammeyer	Phoenix Industries, Inc.
R. Dieck	Pratt & Whitney
W. Holland	Southern Company Services, Inc.
H. Hopkins	Utility Products of Arizona
A. Iverson	Lyondell Petrochemical Company
K. Lindner	Endress + Hauser GmbH + Company
V. Maggioli	Feltronics Corp.
T. McAviney	Metro Wastewater Reclamation District
A. McCauley Jr.	Chagrin Valley Controls, Inc.
G. McFarland	Honeywell Industrial Automation & Control
E. Montgomery	Fluor Daniel, Inc.
D. Rapley	Rapley Engineering Services
R. Reimer	Rockwell Automation A-B
J. Rennie	Factory Mutual Research Corporation
R. Webb	Pacific Gas & Electric Company
W. Weidman	Consultant
J. Weiss	Electric Power Research Institute
J. Whetstone	National Institute of Standards and Technology
H. Wiegler	Canus Corporation
C. Williams	Eastman Kodak Company
G. Wood	Graeme Wood Consulting
M. Zielinski	Fisher-Rosemount

This page intentionally left blank.

## CONTENTS

1 Scope .....	9
2 Purpose .....	9
3 Definition.....	9
4 Dimensional data.....	9
References .....	11

This page intentionally left blank.



## 1 Scope

This standard applies to raised-face flanged globe-style angle control valves, 1 inch through 8 inches.

## 2 Purpose

The purpose of this standard is to aid users in their piping design by providing ANSI classes 150, 300, and 600 raised-face flanged globe-style angle control valve face-to-centerline dimensions without giving special considerations to the equipment manufacturer to be used.

## 3 Definition

**raised-face flanged globe-style angle control valve:**

a valve design in which one port is colinear with the valve stem or actuator, and the other port (usually the inlet) is at right angles to the valve stem.

## 4 Dimensional data

For face-to-centerline dimensions for raised-face globe-style angle control valves, see Table 1.