ANSI/ISA-S82.02.04-1996 (IEC 1010-2-032)

Approved May 31, 1996

Sta	n	A	2	r	H
			_		

Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use

Identical to IEC 1010-2-032:
Particular requirements for hand-held current clamps for electrical measurement and test



s is a preview of "ANSI/ISA S82.02.04-1". Click here to purchase the full version from the ANSI store
ANSI/ISA-S82.02.04-1996 (IEC 1010-2-032), Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use
ISBN: 1-55617-608-2
Copyright © 1996 by the Instrument Society of America. All rights reserved. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), without the prior written permission of the Publisher.
ISA
67 Alexander Drive P. O. Box 12277
Research Triangle Park, North Carolina 27709

Preface

This preface as well as all footnotes and annexes are included for informational purposes and is not part of ANSI/ISA-S82.02.04-1996 (IEC 1010-2-032).

This standard has been prepared as part of the service of ISA, the international society for measurement and control, toward a goal of uniformity in the field of instrumentation. To be of real value, this document should not be static but should be subject to periodic review. Toward this end, the Society welcomes all comments and criticisms and asks that they be addressed to the Secretary, Standards and Practices Board; ISA; 67 Alexander Drive; P. O. Box 12277; Research Triangle Park, NC 27709; Telephone (919) 549-8411; Fax (919) 549-8288; E-mail: Standards@isa.org.

The ISA Standards and Practices Department is aware of the growing need for attention to the metric system of units in general, and the International System of Units (SI) in particular, in the preparation of instrumentation standards, recommended practices, and technical reports. The Department is further aware of the benefits to USA users of ISA standards of incorporating suitable references to the SI (and the metric system) in their business and professional dealings with other countries. Toward this end, this Department will endeavor to introduce SI-acceptable metric units in all new and revised standards to the greatest extent possible. *The Metric Practice Guide*, which has been published by the Institute of Electrical and Electronics Engineers as ANSI/IEEE Std. 268-1992, and future revisions, will be the reference guide for definitions, symbols, abbreviations, and conversion factors.

It is the policy of ISA to encourage and welcome the participation of all concerned individuals and interests in the development of ISA standards. Participation in the ISA standards-making process by an individual in no way constitutes endorsement by the employer of that individual, of ISA, or of any of the standards, recommended practices, and technical reports that ISA develops.

The following members of ISA Subcommittee SP82.02 contributed to the development of this document:

NAME

R. Masek, Chairman

D. Bishop, Managing Director

A. Abramowitz

*T. Bell

D. Braudaway

R. Corson

P. Fabry

B. Feikle

B. Gibson

D. Hanson

W. Howard

A. Jacobson

COMPANY

Bailey Controls Company

Chevron USA Production Company

Simpson Electric Company

Underwriters Laboratories Inc.

Sandia National Labs

Hewlett-Packard

Canadian Standards Association

OTIS Elevator Company

ABB Kennt-Taylor Inc.

Tektronix

Gulton Graphic Instruments

Consultant

NAME

T. Kimble
*M. Leimbeck
D. Madsen
E. Magison

F. McGowan

H. O'Neil

P. Painchaud

J. Quinlan

M. Rains

E. Russo F. Russo

H. Voorheis

*One vote per company

COMPANY

E. I. du Pont de Nemours Underwriters Laboratories Inc. Beckman Instruments Inc.

Honeywell, Inc.

Factory Mutual Research Corporation

Hutchinson AVTI

Painchaud Consultants Avo Biddle Instruments Foxboro Company

Dranetz Technologies Inc.

ENEL-DSR

Fluke Corporation

The following members of ISA Committee SP82 contributed to the development of this document:

NAME

D. Braudaway, Co-Chairman F. McGowan, Co-Chairman D. Bishop, Managing Director

*T. Bell
B. Feikle
B. Gibson
W. Howard
A. Jacobson
*M. Leimbeck
R. Masek

H. O'Neil P. Painchaud

P. Perkins

H. Voorheis

COMPANY

Sandia National Labs

Factory Mutual Research Corporation Chevron USA Production Company Underwriters Laboratories Inc.

OTIS Elevator Company ABB Kennt-Taylor Inc. Gulton Graphic Instruments

Consultant

Underwriters Laboratories Inc. Bailey Controls Company

Hutchinson AVTI

Painchaud Consultants

Consultant

Fluke Corporation

^{*}One vote per company

This revised standard was approved for publication by the ISA Standards and Practices Board in May 1996.

NAME

M. Widmeyer, Vice President

H. Baumann D. Bishop P. Brett

*W. Calder III H. Dammeyer

R. Dieck W. Holland

H. Hopkins A. Iverson

K. Lindner T. McAvinew

A. McCauley, Jr. G. McFarland

J. Mock

E. Montgomery

D. Rapley R. Reimer *J. Rennie R. Webb

W. Weidman J. Weiss

J. Whetstone H. Wiegle

C. Williams G. Wood M. Zielinski

COMPANY

Washington Public Power Supply System

H. D. Baumann & Associates, Ltd. Chevron USA Production Company

Honeywell, Inc.

Factory Mutual Research Corporation

Phoenix Industries, Inc.

Pratt & Whitney

Southern Company Services, Inc.

Utility Products of Arizona

Lyondell Petrochemical Company Endress + Hauser GmbH + Company Metro Wastewater Reclamation District

Chagrin Valley Controls, Inc.

Honeywell Industrial Automation & Controls

Consultant Fluor Daniel, Inc.

Rapley Engineering Services

Allen-Bradley Company

Factory Mutual Research Corporation Pacific Gas & Electric Company

Consultant

Electric Power Research Institute

National Institute of Standards & Technology

Canus Corporation

Eastman Kodak Company Graeme Wood Consulting

Fisher-Rosemount

This is a preview of "ANSI/ISA S82.02.04-1". Click here to purchase the full version from the ANSI store.

Contents

P	reface	3
F	preword	9
1	Scope and object	. 11
2	Normative references	. 11
3	Definitions	. 12
4	Tests	. 13
5	Marking and documentation	. 13
6	Protection against electric shock	. 14
7	Protection against mechanical hazards	. 17
8	Mechanical resistance to shock, vibration, and impact	. 17
9	Equipment temperature limits and protection against the spread of fire	. 17
1(Resistance to heat	. 17
11	Resistance to moisture and liquids	. 17
12	Protection against radiation, including laser sources, and against sonic and ultrasonic pressure	. 18
13	Protection against liberated gases, explosion, and implosion	. 18

This is a preview of "ANSI/ISA S82.02.04-1...". Click here to purchase the full version from the ANSI store.

14	Components	18
15	Protection by interlocks	18
An	nexes	19

Foreword

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standard-ization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international cooperation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental, and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters, prepared by technical committees on which all the National Committees having a special interest therein are represented, express, as nearly as possible, an international consensus of opinion on the subjects dealt with.
- 3) They have the form of recommendations for international use published in the form of standards, technical reports, or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.

International Standard 1010-2-0301 has been prepared by IEC technical committee No. 66: Safety of measuring, control, and laboratory equipment.

It has the status of a group safety publication in accordance with IEC Guide 104.

The text of this standard is based on the following documents:

DIS	Report on Voting	
66(CO)52	66(CO)56	

Full information on the voting for the approval of this standard can be found in the Voting Report indicated in the above table.

This Part 2 is intended to be used in conjunction with IEC 1010-1. It was established on the basis of the first edition (1990) and its Amendment 1 (1991). Consideration may be given to future editions of, or amendments to, IEC 1010-1.

This Part 2 supplements or modifies the corresponding clauses in IEC 1010-1 so as to convert that publication into the IEC standard: *Safety requirements for hand-held current clamps for electrical measurement and test.*

Where a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. Where this Part 2 states "addition," "modification," or "replacement," the relevant requirement, test specification, or note in Part 1 should be adapted accordingly.

In this standard, the following print types are used:

- . requirements: in roman type;
- . NOTES: in small roman type;
- . compliance: in italic type;
- . terms used throughout this standard that have been defined in Clause 3:

SMALL ROMAN CAPITALS

1 Scope and object

This clause of Part 1 is applicable, except as follows:

1.1 Scope

Replace the text by the following:

This International Standard applies to hand-held and hand-manipulated CURRENT CLAMPS. These manipulated CURRENT CLAMPS are for use in the measurement of current without interruption of the current path of the circuit in which it is measured. They may be stand-alone manipulated CURRENT CLAMPS that are themselves within the scope of Part 1 or accessories to other equipment within the scope of Part 1.

This standard does not apply to current transformers or current transducers intended for fixed installations.

1.4 Environmental conditions

Replace the seventh dash by the following:

- primary input circuits with transient overvoltages according to INSTALLATION CATE-GORIES (OVERVOLTAGE CATEGORIES) I, II, and IV (see Annex J).

2 Normative references

This clause of Part 1 is applicable with the following addition to the list of IEC Standards:

1010-2-031: 1993, Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-031: Particular requirements for hand-held probe assemblies for electrical measurement and test.