

ANSI/ISA-60079-15 (12.12.02)-2003
(Formerly ANSI/ISA-12.12.02-2003 (IEC 60079-15-1987))

**Electrical Apparatus for Use
in Class I, Zone 2 Hazardous
(Classified) Locations -
Type of Protection "n"**

Second Printing 15 July 2005

Approved 5 May 2003

Commitment for Amendments

This Standard is issued jointly by ISA — The Instrumentation, Systems, and Automation Society (ISA) and Underwriters Laboratories Incorporated (UL). Amendments to this Standard will be made only after processing according to the Standards writing procedures by ISA and UL.

The most recent designation of ANSI/UL 60079-15 as an American National Standard occurred on 2 December 2002 and on 5 May 2003 for ANSI/ISA-60079-15.

This ANSI/UL Standard for Safety, which consists of the first edition, is under continuous maintenance, whereby each revision is ANSI approved upon publication. Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Written comments are to be sent to the UL-RTP Standards Department, 12 Laboratory Drive, Research Triangle Park, NC 27709.

UL and ISA are separate and independent entities and each is solely responsible for its operations and business activities. The UL trade names and trademarks depicted in this document are the sole property of Underwriters Laboratories Inc. (UL). The ISA trade names and trademarks depicted in this document are the sole property of ISA — The Instrumentation, Systems and Automation Society.

Revisions of this standard will be made by issuing revised or additional pages bearing their date of issue. A UL standard is current only if it incorporates the most recently adopted revisions, all of which are itemized on the transmittal notice that accompanies the latest set of revised requirements.

ISBN 1-55617-832-8

**Copyright © 2003
By ISA — The Instrumentation, Systems, and
Automation Society.**

These materials are subject to copyright claims of IEC, ANSI and ISA. All rights reserved. Not for resale. Printed in the United States of America. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of ISA. All requests pertaining to this Standard should be submitted to ISA.

ISBN 0-7629-0811-4

**Copyright © 2002 Underwriters
Laboratories Incorporated**

**ISA — The Instrumentation, Systems,
and Automation Society**
ANSI/ISA-60079-15
First Edition

Underwriters Laboratories Inc.
ANSI/UL 60079-15
First Edition



**ISA—The Instrumentation, Systems,
and Automation Society**



**Electrical Apparatus for Use in Class I, Zone 2 Hazardous
(Classified) Locations — Type of Protection "n"**

This page intentionally left blank.

General Notes

This is the common ISA and UL Standard for Electrical Apparatus for Explosive Gas Atmospheres — Part 15: Electrical Apparatus with Type of Protection “n”. It is the first edition of ANSI/ISA-60079-15 and the first edition of UL 60079-15. The ISA suffix “Mod” indicates the document is a modification of the IEC document and includes U.S. deviations encompassing both additions and deletions of information.

ANSI/ISA-60079-15 and UL 60079-15 contain identical requirements, and concurrent publication dates that align with each organization’s ANSI accreditation approval processes. The presentation and format of the standards material may differ between the two published standards.

This common Standard was prepared by ISA — The Instrumentation, Systems, and Automation Society and Underwriters Laboratories Inc. (UL).

NOTE — Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.

Level of harmonization

This standard adopts the IEC text with deviations.

The requirements are presented in different formats. The ISA version of the standard illustrates the national differences from the IEC text through the use of legislative text (strike-out and underline). The UL version of the standard illustrates national differences immediately following the IEC text. National differences between the UL version and the ISA version shall be word for word except for editorial changes.

Interpretations

The interpretation by the SDO of an identical or equivalent standard shall be based on the literal text to determine compliance with the standard in accordance with the procedural rules of the SDO. If more than one interpretation of the literal text has been identified, a revision shall be proposed as soon as possible to each of the SDOs to more accurately reflect the intent.

UL Effective Date

As of 2 December 2002 all products Listed or Recognized by UL must comply with the requirements in this Standard.

This page intentionally left blank.

Preface

This preface, as well as all footnotes and annexes, is included for information purposes and is not part of ANSI/ISA-60079-15.

This document has been prepared as part of the service of ISA, the international society for measurement and control, toward a goal of uniformity in the field of instrumentation. To be of real value, this document should not be static but should be subject to periodic review. Toward this end, the Society welcomes all comments and criticisms and asks that they be addressed to the Secretary, Standards and Practices Board; ISA; 67 Alexander Drive; P. O. Box 12277; Research Triangle Park, NC 27709; Telephone (919) 549-8411; Fax (919) 549-8288; E-mail: standards@isa.org.

The ISA Standards and Practices Department is aware of the growing need for attention to the metric system of units in general, and the International System of Units (SI) in particular, in the preparation of instrumentation standards. The Department is further aware of the benefits to USA users of ISA standards of incorporating suitable references to the SI (and the metric system) in their business and professional dealings with other countries. Toward this end, this Department will endeavor to introduce SI-acceptable metric units in all new and revised standards, recommended practices, and technical reports to the greatest extent possible. *Standard for Use of the International System of Units (SI): The Modern Metric System*, published by the American Society for Testing & Materials as IEEE/ASTM SI 10-97, and future revisions, will be the reference guide for definitions, symbols, abbreviations, and conversion factors.

It is the policy of ISA to encourage and welcome the participation of all concerned individuals and interests in the development of ISA standards, recommended practices, and technical reports. Participation in the ISA standards-making process by an individual in no way constitutes endorsement by the employer of that individual, of ISA, or of any of the standards, recommended practices, and technical reports that ISA develops.

CAUTION — ISA ADHERES TO THE POLICY OF THE AMERICAN NATIONAL STANDARDS INSTITUTE WITH REGARD TO PATENTS. IF ISA IS INFORMED OF AN EXISTING PATENT THAT IS REQUIRED FOR USE OF THE STANDARD, IT WILL REQUIRE THE OWNER OF THE PATENT TO EITHER GRANT A ROYALTY-FREE LICENSE FOR USE OF THE PATENT BY USERS COMPLYING WITH THE STANDARD OR A LICENSE ON REASONABLE TERMS AND CONDITIONS THAT ARE FREE FROM UNFAIR DISCRIMINATION.

EVEN IF ISA IS UNAWARE OF ANY PATENT COVERING THIS STANDARD, THE USER IS CAUTIONED THAT IMPLEMENTATION OF THE STANDARD MAY REQUIRE USE OF TECHNIQUES, PROCESSES, OR MATERIALS COVERED BY PATENT RIGHTS. ISA TAKES NO POSITION ON THE EXISTENCE OR VALIDITY OF ANY PATENT RIGHTS THAT MAY BE INVOLVED IN IMPLEMENTING THE STANDARD. ISA IS NOT RESPONSIBLE FOR IDENTIFYING ALL PATENTS THAT MAY REQUIRE A LICENSE BEFORE IMPLEMENTATION OF THE STANDARD OR FOR INVESTIGATING THE VALIDITY OR SCOPE OF ANY PATENTS BROUGHT TO ITS ATTENTION. THE USER SHOULD CAREFULLY INVESTIGATE RELEVANT PATENTS BEFORE USING THE STANDARD FOR THE USER'S INTENDED APPLICATION.

HOWEVER, ISA ASKS THAT ANYONE REVIEWING THIS STANDARD WHO IS AWARE OF ANY PATENTS THAT MAY IMPACT IMPLEMENTATION OF THE STANDARD NOTIFY THE ISA STANDARDS AND PRACTICES DEPARTMENT OF THE PATENT AND ITS OWNER.

ADDITIONALLY, THE USE OF THIS STANDARD MAY INVOLVE HAZARDOUS MATERIALS, OPERATIONS OR EQUIPMENT. THE STANDARD CANNOT ANTICIPATE ALL POSSIBLE APPLICATIONS OR ADDRESS ALL POSSIBLE SAFETY ISSUES ASSOCIATED WITH USE IN HAZARDOUS CONDITIONS. THE USER OF THIS STANDARD MUST EXERCISE SOUND PROFESSIONAL JUDGMENT CONCERNING ITS USE AND APPLICABILITY UNDER THE USER'S

PARTICULAR CIRCUMSTANCES. THE USER MUST ALSO CONSIDER THE APPLICABILITY OF ANY GOVERNMENTAL REGULATORY LIMITATIONS AND ESTABLISHED SAFETY AND HEALTH PRACTICES BEFORE IMPLEMENTING THIS STANDARD.

The following people served as members of ISA Subcommittee SP12.12 which prepared this standard:

NAME	COMPANY
N. Ludlam, SP12.12 Chairman	FM Approvals
D. Bishop, Managing Director	Consultant
R. Allen	Honeywell Inc.
A.W. Ballard	Crouse Hinds Division of Cooper Ind.
W. Bennett	Pepperl+Fuchs Inc.
H. Bockle	R. Stahl Inc.
E. Briesch	Underwriters Laboratories Inc.
R. Cardinal	Bently Nevada Corp.
M. Coppler	Ametek Inc.
U. Dugar	Mobil Chemical Co.
A. Engler	EGS Electrical Group
W. Fiske	Intertek Testing Services
G. Garcha	GE Power Systems
P. Hamer	Chevron Texaco Corp. Research & Tech. Co.
G. Kozinski	Symbol Technologies Inc.
J. Kuczka	Killark
C. Kurtzman	Rosemount Inc.
E. Legenski	Dow Chemical Company
O. Murphy	Brooks Instruments
C. J. Oudar	ExLoc Corp.
D. Pace	Olin Corp.
J. Propst	Equilon Enterprises
V. Salupo	Eli Lilly & Co.
P. Schimmoeller	CSA International
A. Stafford	Invensys
D. Wechsler*	Dow Chemical Co.
C. Wellman	DuPont Engineering

* One vote per company.

The following people served as members of ISA Committee SP12:

NAME	COMPANY
T. Schnaare, SP12 Chairman	Rosemount Inc.
W. Lawrence, SP12 Vice Chairman	FM Approvals
D. Bishop, Managing Director	Consultant
N. Abbatiello	Eastman Kodak Co.
D. Ankele	Underwriters Laboratories Inc.
A Ballard	Crouse Hinds Division of Cooper Ind.
W. Bennett	Pepperl+Fuchs Inc.
H. Bockle	R. Stahl Inc.
K. Boegli	Phoenix Contact Inc.
R. Buschart	PC & E Inc.
R. Cardinal	Bently Nevada Corp.
C. Casso	Schlumberger Oilfield Services

M. Coppler
J. Cospolich
S. Czaniecki
T. Dubaniewicz
U. Dugar
A. Engler
W. Fiske
G. Garcha
D. Jagger
F. Kent
J. Kuczka
B. Larson
R. Masek
A. Mobley
A. Page
P. Schimmoeller*
D. Wechsler

Ametek Inc.
Waldemar S. Nelson & Co. Inc.
Intrinsic Safety Concepts Inc.
NIOSH
Mobil Chemical Co.
EGS Electrical Corp
Intertek Testing Services
GE Power Systems
Bifold-Fluid Power
Honeywell Inc.
Killark
Turck Inc.
CSA International
3M Co.
MSHA Approval & Certification Center
CSA International
Dow Chemical Co.

*One vote per company.

This standard was approved for publication by the ISA Standards and Practices Board on 7 March 2003.

NAME

COMPANY

V. Maggioli, Chair	Feltronics Corp.
K. Bond	Consultant
D. Bishop	David N. Bishop, Consultant
D. Bouchard	Paprican
M. Cohen	Consultant
M. Coppler	Ametek, Inc.
B. Dumortier	Schneider Electric
W. Holland	Southern Company
E. Icyan	ACES, Inc.
A. Iverson	Ivy Optiks
R. Jones	Dow Chemical Co.
T. McAviney	I&C Engineering, LLC
A. McCauley, Jr.	Chagrin Valley Controls, Inc.
G. McFarland	Emerson Process Management
D. Rapley	Rapley Consulting Inc.
R. Reimer	Rockwell Automation
J. Rennie	Factory Mutual Research Corp.
H. Sasajima	Yamatake Corp.
I. Verhappen	Syncrude Canada Ltd.
R. Webb	Power Engineers
W. Weidman	Parsons Energy & Chemicals Group
J. Weiss	KEMA Consulting
M. Widmeyer	Stanford Linear Accelerator Center
R. Wiegler	CANUS Corp.
C. Williams	Eastman Kodak Co.
M. Zielinski	Emerson Process Management

This page intentionally left blank.

Foreword (UL)

A. This Standard contains basic requirements for products covered by Underwriters Laboratories Inc. (UL) under its Follow-Up Service for this category within the limitations given below and in the Scope section of this Standard. These requirements are based upon sound engineering principles, research, records of tests and field experience, and an appreciation of the problems of manufacture, installation, and use derived from consultation with and information obtained from manufacturers, users, inspection authorities, and others having specialized experience. They are subject to revision as further experience and investigation may show is necessary or desirable.

B. The observance of the requirements of this Standard by a manufacturer is one of the conditions of the continued coverage of the manufacturer's product.

C. A product which complies with the text of this Standard will not necessarily be judged to comply with the Standard if, when examined and tested, it is found to have other features which impair the level of safety contemplated by these requirements.

D. A product that contains features, characteristics, components, materials, or systems new or different from those covered by the requirements in this standard, and that involves a risk of fire or of electric shock or injury to persons shall be evaluated using appropriate additional component and end-product requirements to maintain the level of safety as originally anticipated by the intent of this standard. A product whose features, characteristics, components, materials, or systems conflict with specific requirements or provisions of this standard does not comply with this standard. Revision of requirements shall be proposed and adopted in conformance with the methods employed for development, revision, and implementation of this standard.

E. UL, in performing its functions in accordance with its objectives, does not assume or undertake to discharge any responsibility of the manufacturer or any other party. The opinions and findings of UL represent its professional judgment given with due consideration to the necessary limitations of practical operation and state of the art at the time the Standard is processed. UL shall not be responsible to anyone for the use of or reliance upon this Standard by anyone. UL shall not incur any obligation or liability for damages, including consequential damages, arising out of or in connection with the use, interpretation of, or reliance upon this Standard.

F. Many tests required by the Standards of UL are inherently hazardous and adequate safeguards for personnel and property shall be employed in conducting such tests.

This page intentionally left blank.

National Differences

GENERAL

In the UL publication of this standard, National Differences from the text of International Electrotechnical Commission (IEC) Publication 60079-15, Safety of Electrical Apparatus for Explosive Gas Atmospheres — Part 15: Electrical Apparatus with Type of Protection “n” copyright 1987, are indicated by notations (differences) and are presented in bold text. The national difference type is included in the body.

In the ISA publication of this standard, National Differences are presented using legislative text (strike-out and underline). The national difference type is identified in an informative annex.

There are five types of National Differences as noted below. The standard may not include all types of these National Differences.

NOTE — The UL printed standard includes the national difference types within the body of the text. The ISA printed standard includes the national difference types in an annex at the back of the standard.

DR – These are National Differences based on the National Electrical Code (NEC) and other U.S. Regulatory Requirements.

D1 – These are National Differences based on **basic safety principles and requirements**, elimination of which would compromise safety for U.S. consumers and users of products.

D2 – These are National Differences based on **safety practices**. These are differences for IEC requirements that may be acceptable, but adopting the IEC requirements would require considerable retesting or redesign on the manufacturer’s part.

DC – These are National Differences based on the **component standards** and will not be deleted until a particular component standard is harmonized with the IEC component standard.

DE – These are National Differences based on **editorial comments or corrections**.

This page intentionally left blank.

Contents

ELECTRICAL APPARATUS FOR USE IN CLASS 1 ZONE 2 HAZARDOUS (CLASSIFIED) LOCATIONS	
Type of protection "n"	19
SECTION ONE - GENERAL	
1 Scope	19
2 Object	19
3 Definitions	19
4 General requirements	20
SECTION TWO - REQUIREMENTS FOR ALL ELECTRICAL APPARATUS	
5 General	22
6 Enclosures	22
7 Connection facilities	25
8 Electric strength	26
9 Clearances, separations and creepage distances	27
10 Marking	28
11 Declaration of compliance	30
SECTION THREE - SUPPLEMENTARY REQUIREMENTS FOR NON-SPARKING ELECTRICAL APPARATUS	
12 General	31
13 Rotating machines	31
14 Fuses and fuse assemblies	31
15 Plugs and sockets	32
16 Luminaires	32
17 Instruments and low power apparatus	34
SECTION FOUR - APPARATUS PRODUCING OPERATIONAL ARCS, SPARKS OR HOT SURFACES	
18 General	34
19 Enclosed-break devices and non-incendive components	34

20	Hermetically-sealed devices	36
21	Sealed devices	36
22	Energy limited apparatus and circuits	36
23	Restricted breathing enclosures.....	39
	Annex A (normative) — Restricted Breathing Enclosures	41
	Annex B (informative) — Editorial Differences Between IEC 60079-15 and ANSI/ISA-60079-15	53
	Annex C (informative) — PROPOSED UNITED STATES NATIONAL DIFFERENCES FOR IEC 60079 AND IEC 61179.....	55

Foreword (ISA)

All text of IEC 60079-15 is included in this document. U.S. National Deviations are shown by ~~strikeout~~ through deleted text and underline under added text. Tables or portions of tables that are to be deleted are shown as shaded; figures to be deleted are marked with the overlay "Figure X Deleted." All added tables are numbered by a table number corresponding to the applicable sub-clause for improved clarity and are NOT underlined. Notes appear in the table titles showing the tables as added material. There are three annexes in this standard. Annexes B and C are informative and are not considered part of this standard.

This page intentionally left blank.

ELECTRICAL APPARATUS FOR USE IN CLASS 1 ZONE 2 HAZARDOUS (CLASSIFIED) LOCATIONS

Type of protection "n"

SECTION ONE - GENERAL

1 Scope

This report specifies requirements for the construction, assessment and testing of electrical apparatus with type of protection "n" which, when operating normally within its rated duty, is unlikely to be capable of igniting a surrounding explosive gas atmosphere.

This report specifies the features of apparatus which shall be assessed to achieve a satisfactory level of safety for electrical apparatus for use in Zone 2.

This report applies only to Group II electrical apparatus intended for use in locations with explosive gas atmospheres other than in mines subject to firedamp.

The requirements of ~~IEC Publication~~ ANSI/ISA-60079-0 do not apply to electrical apparatus with type of protection "n" unless otherwise specified in this document.

NOTE 1 — This report does not prohibit the use of electrical apparatus complying with the requirements of a recognized standard for industrial electrical apparatus which does not in normal service produce arcs or sparks or ignition-capable hot surfaces. (See IEC Publication 79-14.)

NOTE 2 — This report is worded in the mandatory form because it was intended to be a "Standard". It is up to each National Committee, when drafting a similar document based on this report, to decide which form of wording to use in their national standard or report.

2 Object

The object of this report is to specify the essential constructional features, test requirements and marking requirements for electrical apparatus, type of protection "n", which may be used in Zone 2 in which an explosive gas atmosphere is not likely to occur in normal operation and if it does occur it will exist for a short period only. The risk of the simultaneous presence of an explosive gas atmosphere and a source of ignition is considered to be acceptably low.

The requirements which apply to non-sparking electrical apparatus are specified in Sections One to Three of this report. Measures are specified in Section Four which may be applied to those parts of electrical apparatus or circuits which in normal operation arc or spark or generate hot surfaces capable of igniting a surrounding flammable atmosphere, and which must, therefore, be suitably protected so that the risk of ignition of an external explosive gas atmosphere is reduced to an acceptable level.

3 Definitions

For the purpose of this report, the following definitions apply:

3.1 Type protection "n"

A type of protection applied to electrical apparatus such that, in normal operation, it is not capable of igniting a surrounding explosive gas atmosphere and a fault capable of causing ignition is not likely to occur.