ANSI/ISA-84.00.01-2004 Part 2 (IEC 61511-2 Mod)



Functional Safety: Safety
Instrumented Systems for the Process
Industry Sector - Part 2: Guidelines for
the Application of ANSI/ISA-84.00.01
Part 1 (IEC 61511-1 Mod) - Informative



Approved 2 September 2004

ANSI/ISA-84.00.01-2004 Part 2 (IEC 61511-2 Mod)

Functional safety: Safety Instrumented Systems for the process industry sector – Part 2: Guidelines for the application of ANSI/ISA-84.00.01-2004 Part 1 (IEC 61511-1 Mod) - Informative

ISBN: 1-55617-920-0

Copyright © 2004 by ISA. All rights reserved. Not for resale. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), without the prior written permission of the Publisher).

ISA 67 Alexander Drive P.O. Box 12277 Research Triangle Park, North Carolina 27709 USA

Preface

This preface, as well as all footnotes, is included for information purposes and is not part of ANSI/ISA-84.00.01-2004 Part 2 (IEC 61511-2 Mod).

This document has been prepared as part of the service of ISA – the Instrumentation, Systems, and Automation Society – toward a goal of uniformity in the field of instrumentation. To be of real value, this document should not be static but should be subject to periodic review. Toward this end, the Society welcomes all comments and criticisms and asks that they be addressed to the Secretary, Standards and Practices Board; ISA; 67 Alexander Drive; P. O. Box 12277; Research Triangle Park, NC 27709; Telephone (919) 549-8411; Fax (919) 549-8288; E-mail: standards@isa.org.

The ISA Standards and Practices Department is aware of the growing need for attention to the metric system of units in general, and the International System of Units (SI) in particular, in the preparation of instrumentation standards. The Department is further aware of the benefits to USA users of ISA standards of incorporating suitable references to the SI (and the metric system) in their business and professional dealings with other countries. Toward this end, this Department will endeavor to introduce SI-acceptable metric units in all new and revised standards, recommended practices, and technical reports to the greatest extent possible. *Standard for Use of the International System of Units (SI): The Modern Metric System*, published by the American Society for Testing & Materials as IEEE/ASTM SI 10-97, and future revisions, will be the reference guide for definitions, symbols, abbreviations, and conversion factors.

It is the policy of ISA to encourage and welcome the participation of all concerned individuals and interests in the development of ISA standards, recommended practices, and technical reports. Participation in the ISA standards-making process by an individual in no way constitutes endorsement by the employer of that individual, of ISA, or of any of the standards, recommended practices, and technical reports that ISA develops.

CAUTION — ISA ADHERES TO THE POLICY OF THE AMERICAN NATIONAL STANDARDS INSTITUTE WITH REGARD TO PATENTS. IF ISA IS INFORMED OF AN EXISTING PATENT THAT IS REQUIRED FOR USE OF THE STANDARD, IT WILL REQUIRE THE OWNER OF THE PATENT TO EITHER GRANT A ROYALTY-FREE LICENSE FOR USE OF THE PATENT BY USERS COMPLYING WITH THE STANDARD OR A LICENSE ON REASONABLE TERMS AND CONDITIONS THAT ARE FREE FROM UNFAIR DISCRIMINATION.

EVEN IF ISA IS UNAWARE OF ANY PATENT COVERING THIS STANDARD, THE USER IS CAUTIONED THAT IMPLEMENTATION OF THE STANDARD MAY REQUIRE USE OF TECHNIQUES, PROCESSES, OR MATERIALS COVERED BY PATENT RIGHTS. ISA TAKES NO POSITION ON THE EXISTENCE OR VALIDITY OF ANY PATENT RIGHTS THAT MAY BE INVOLVED IN IMPLEMENTING THE STANDARD. ISA IS NOT RESPONSIBLE FOR IDENTIFYING ALL PATENTS THAT MAY REQUIRE A LICENSE BEFORE IMPLEMENTATION OF THE STANDARD OR FOR INVESTIGATING THE VALIDITY OR SCOPE OF ANY PATENTS BROUGHT TO ITS ATTENTION. THE USER SHOULD CAREFULLY INVESTIGATE RELEVANT PATENTS BEFORE USING THE STANDARD FOR THE USER'S INTENDED APPLICATION.

HOWEVER, ISA ASKS THAT ANYONE REVIEWING THIS STANDARD WHO IS AWARE OF ANY PATENTS THAT MAY IMPACT IMPLEMENTATION OF THE STANDARD NOTIFY THE ISA STANDARDS AND PRACTICES DEPARTMENT OF THE PATENT AND ITS OWNER. ADDITIONALLY, THE USE OF THIS STANDARD MAY INVOLVE HAZARDOUS MATERIALS, OPERATIONS OR EQUIPMENT. THE STANDARD CANNOT ANTICIPATE ALL POSSIBLE APPLICATIONS OR ADDRESS ALL POSSIBLE SAFETY ISSUES ASSOCIATED WITH USE IN – HAZARDOUS CONDITIONS. THE USER OF THIS STANDARD MUST EXERCISE SOUND PROFESSIONAL JUDGMENT CONCERNING ITS USE AND APPLICABILITY UNDER THE USER'S PARTICULAR CIRCUMSTANCES. THE USER MUST ALSO CONSIDER THE APPLICABILITY OF ANY GOVERNMENTAL REGULATORY LIMITATIONS AND ESTABLISHED SAFETY AND HEALTH PRACTICES BEFORE IMPLEMENTING THIS STANDARD.

THE USER OF THIS DOCUMENT SHOULD BE AWARE THAT THIS DOCUMENT MAY BE IMPACTED BY ELECTRONIC SECURITY ISSUES. THE COMMITTEE HAS NOT YET ADDRESSED THE POTENTIAL ISSUES IN THIS VERSION.

The following people served as active members of ISA-SP84:

NAME	AFFILIATION
------	-------------

W. Johnson, Chair E.I. DuPont K. Bond, Managing Director Consultant

R. Dunn, Recorder **DuPont Engineering**

R. Adamski **Premier Consulting Services**

B. Adler **AE Solutions**

R. Bailliet Syscon International Inc.

BergoTech Inc. N. Battikha Safeplex Systems Inc. L. Beckman

J. Berge SMAR Singapore Pte Ltd.

H. Bezecny **Dow Deutschland** D. Bolland ExxonMobil Research & Engineering Co.

D. Brown

Emerson Process Management

E.I. DuPont S. Brown

S. Brown Health & Safety Executive

J. Campbell ConocoPhillips H. Cheddie Bayer Inc.

W. Cohen **KBR** J. Cusimano Siemens Energy & Automation, Inc.

K. Deimek Baker Engineering & Risk Consultants

A. Dowell Rohm & Haas Co.

Langdon Coffman Services P. Early

ConocoPhillips S. Gallagher

L. Gamboa Rockwell Automation Inc.

K. Gandhi **KBR**

Fluor Australia Pty Ltd I. Gibson

JFG Technology Transfer LLC J. Gilman

Exida Com LLC W. Goble Rohm & Haas Co. D. Green R. Green **Green Associates** L&M Engineering

P. Gruhn

C. Hardin CDH Consulting Inc. J. Harris **UOP LLC**

T. Hurst Hurst Technologies Corp.

T. Jackson Bechtel Corp. J. Jamison OPTI Canada Inc.

J. Jarvi **Automation Partners Oy** K. Klein Solutia Inc.

R. Kotoski Honeywell L. Laskowski **Emerson Process Management**

T. Laver **Emerson Process Management**

V. Maggioli Feltronics Corp. E. Marszal Kenexis

J. Martel Invensys-Triconex

R. McCrea-Steele **Premier Consulting Services**

N. McLeod **Atofina**

M. Moderski ABB Lummus Global Inc. W. Mostia WLM Engineering Company

R. Nelson

D. Ogwude Creative Systems International

L. Owen Dooley Tackaberry, Inc. R. Peterson Lyondell Chemical Co.

G. Ramachandran Systems Research International Inc.

G. Raney Triconex Systems Inc.
G. Robertson Oxy Information Technology
M. Scott

M. Scott AE Solutions
R. Seitz Artech Engineering
J. Siebert Invista

B. Smith Nova Chemicals

D. Sniezek
C. Sossman
Lockheed Martin Federal Services
WGI-W Safety Management Solutions

P. Stavrianidis
R. Stevens
US Dept. of Energy
H. Storey
Shell Global Solutions

R. Strube Intertek Testing Services NA, Inc.

A. Summers SIS-Tech Solutions LLC

L. Suttinger Westinghouse Savannah River Co.

W. Taggart Waldemar S. Nelson & Co.

R. Taubert BASF Corp. H. Tausch Honeywell Inc.

H. Thomas Air Products & Chemicals Inc.

I. Verhappen
Syncrude Canada Ltd.
T. Walczak
GE Fanuc Automation
M. Weber
System Safety Inc.
L. Wells
Georgia-Pacific Corp.
J. Williamson
Bechtel Corp.

A. Woltman Shell Global Solutions

P. Wright BHP Engineering & Construction, Inc.
D. Zetterberg ChevronTexaco Energy Technology Co.

This document was approved for publication by the ISA Standards and Practices Board on 2 August 2004.

NAME AFFILIATION

V. Maggioli, Chair Feltronics Corp. K. Bond Consultant

D. Bishop David N. Bishop, Consultant

D. Bouchard Paprican
M. Cohen Consultant
M. Coppler Ametek, Inc.
B. Dumortier Schneider Electric
W. Holland Consultant

W. Holland Consultant
E. Icayan ACES, Inc.
A. Iverson Ivy Optiks

R. Jones Dow Chemical Co.
T. McAvinew I&C Engineering, LLC
A. McCauley, Jr. Chagrin Valley Controls, Inc.
G. McFarland Emerson Process Management

D. Rapley Consulting Inc.
R. Reimer Rockwell Automation
J. Rennie Factory Mutual Resear

J. Rennie Factory Mutual Research Corp.
H. Sasajima Yamatake Corp.
I. Verhappen Syncrude Canada Ltd.

R. Webb Consultant

W. Weidman Parsons Energy & Chemicals Group

J. Weiss KEMA Inc.

M. Widmeyer

R. Wiegle

C. Williams

M. Zielinski

Stanford Linear Accelerator Center

CANUS Corp.

Eastman Kodak Co.


Emerson Process Management

CONTENTS

UN	ITED :	STATES NATIONAL FOREWORD	11
IEC	FOR	EWORD	11
INT	RODU	JCTION	13
1	Scop	e	17
2	Normative references		
3	Term	s, Definitions and abbreviations	17
4	Confe	ormance to this International Standard	17
5	Mana	gement of functional safety	18
	5.1	Objective	18
	5.2	Requirements	18
6	Safet	y lifecycle requirements	24
	6.1	Objectives	24
	6.2	Requirements	
7	Verifi	cation	
	7.1	Objective	
8	Proce	ess hazard and risk assessment	
	8.1	Objectives	
_	8.2	Requirements	
9		ation of safety functions to protection layers	
	9.1	Objective	
	9.2	Requirements of the allocation process	
	9.3 9.4	Additional requirements for safety integrity level 4	
	9.5	Requirements for preventing common cause, common mode and dependent	31
	0.0	failures	32
10	SISs	afety requirements specification	33
	10.1	Objective	33
	10.2	General requirements	33
		SIS safety requirements	
11	SIS c	lesign and engineering	35
		Objective	
		General requirements	
		Requirements for system behaviour on detection of a fault	
		Requirements for hardware fault tolerance	
	11.5	Requirements for selection of components and subsystems Field devices	
	_	Interfaces	
		Maintenance or testing design requirements	
		SIF probability of failure	
12	Requ	irements for application software, including selection criteria for utility	
		are	
		Application software safety lifecycle requirements	
		Application software safety requirements specification	
	12.3	Application software safety validation planning	54

	12.4	Application software design and development	54
	12.5	Integration of the application software with the SIS subsystem	62
	12.6	FPL and LVL software modification procedures	62
	12.7	Application software verification	63
13	Facto	pry acceptance testing (FAT)	64
	13.1	Objectives	64
	13.2	Recommendations	64
14	SIS i	nstallation and commissioning	65
	14.1	Objectives	65
		Requirements	
15		safety validation	
		Objective	
		Requirements	
16		pperation and maintenance	
. •		Objectives	
		Requirements	
		Proof testing and inspection	
17		nodification	
''		Objective	
		•	
18		Requirementslecommissioning	
10		•	
		Objectives	
40		Requirements	
19		mation and documentation requirements	
		Objectives	
		Requirements	68
Anı		(informative) Example of techniques for calculating the probability of failure emand for a safety instrumented function	71
	A.1	General	
	A.2	Reliability block diagram technique	
	A.3	Simplified equations technique	71
	A.4	Fault tree analysis technique	71
	A.5	Markov modelling technique	71
Anı	nex B	(informative) Typical SIS architecture development	73
	B.1	Background	73
	B.2	Work process	73
	B.3	Example 1	75
	B.4	Example 2	76
Anı	nex C	(informative) Application features of a safety PLC	79
	C.1	System	79
	C.2	Work process	80
Anı		(informative) Example of SIS logic solver application software development odology	81
	D.1	Summary of the overall system integration process	
	D.1 D.2	SIS logic solver application development software	

	D.3	Coding standards for the application programmer	83
	D.4	Other requirements for configuration/programming and run-time systems for safety applications	83
	D.5	Assumptions	84
		(informative) Example of development of externally configured diagnostics safety-configured PE logic solver	87
	E.1	Internally configured diagnostics	87
	E.2	Externally configured diagnostics	87
	E.3	Reference	88
Figu	ıre 1 -	- Overall framework of this standard	15
Figu	ıre 2 -	- BPCS function and initiating cause independence illustration	32
Figu	ıre 3 -	- Software development lifecycle (the V-model)	50
Figu	ıre C.	1 – Logic solver	80
Figu	ıre E.	1 – EWDT timing diagram	89
Tah	_ 1 ما	Typical safety manual organisation and contents	60



INTERNATIONAL ELECTROTECHNICAL COMMISSION

FUNCTIONAL SAFETY – SAFETY INSTRUMENTED SYSTEMS FOR THE PROCESS INDUSTRY SECTOR –

Part 2: Guidelines for the application of ANSI/ISA-84.00.01-2004 Part 1 (IEC 61511-1 Mod)

UNITED STATES NATIONAL FOREWORD

All text of IEC 61511-2 Ed. 1.0 (2003-07) is included. United States National Deviations are shown by strikeout through deleted text and <u>underline</u> under added text.

IEC FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61511-2 has been prepared by subcommittee 65A: System aspects, of IEC technical committee 65: Industrial-process measurement and control.

The text of this standard is based on the following documents:

FDIS	Report on voting
65A/387A/FDIS	65A/390/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61511 ANSI/ISA-84.00.01-2004 (IEC 61511 Mod) series has been developed as a process sector implementation of IEC 61508 series.

IEC 61511 ANSI/ISA-84.00.01-2004 (IEC 61511 Mod) consists of the following parts, under the general title Functional safety – Safety Instrumented Systems for the process industry sector (see Figure 1):

Part 1: Framework, definitions, system, hardware and software requirements

Part 2: Guidelines for the application of IEC 61511-1 ANSI/ISA-84.00.01-2004 Part 1 (IEC 61511-1 Mod)

Part 3: Guidance for the determination of the required safety integrity levels

The committee has decided that the contents of this publication will remain unchanged until 2007. At this date, the publication will be

- reconfirmed:
- withdrawn;
- · replaced by a revised edition, or
- · amended.

A bilingual version of this standard may be issued at a later date.

INTRODUCTION

Safety instrumented systems have been used for many years to perform safety instrumented functions in the process industries. If instrumentation is to be effectively used for safety instrumented functions, it is essential that this instrumentation achieves certain minimum standards.

This International Standard addresses the application of safety instrumented systems for the Process Industries. It also deals with the interface between safety instrumented systems and other safety systems in requiring that a process hazard and risk assessment be carried out. The safety instrumented system includes sensors, logic solvers and final elements.

This International Standard has two concepts, which are fundamental to its application; safety lifecycle and safety integrity levels. The safety lifecycle forms the central framework which links together most of the concepts in this International Standard.

The safety instrumented system logic solvers addressed include Electrical (E)/Electronic (E)/ and Programmable Electronic (PE) technology. Where other technologies are used for logic solvers, the basic principles of this standard may also be applied. This standard also addresses the safety instrumented system sensors and final elements regardless of the technology used. This International Standard is process industry specific within the framework of the IEC 61508 series.

This International Standard sets out an approach for safety lifecycle activities to achieve these minimum standards. This approach has been adopted in order that a rational and consistent technical policy is used. The objective of this standard is to provide guidance on how to comply with IEC 61511-1 ANSI/ISA-84.00.01-2004 Part 1 (IEC 61511-1 Mod).

To facilitate use of this standard, the clause and subclause numbers provided are identical to the corresponding normative text in IEC 61511-1 ANSI/ISA-84.00.01-2004 Part 1 (IEC 61511-1 Mod) (excluding the annexes).

In most situations, safety is best achieved by an inherently safe process design whenever practicable, combined, if necessary, with a number of protective systems which rely on different technologies (for example, chemical, mechanical, hydraulic, pneumatic, electrical, electronic, thermodynamic (for example, flame arrestors), programmable electronic) which manage any residual identified risk. Any safety strategy considers each individual safety instrumented system in the context of the other protective systems. To facilitate this approach, this standard

- requires that a hazard and risk assessment is carried out to identify the overall safety requirements;
- requires that an allocation of the safety requirements to the safety functions and related safety systems, such as the safety instrumented system(s), is carried out;
- works within a framework which is applicable to all instrumented methods of achieving functional safety;
- details the use of certain activities, such as safety management, which may be applicable to all methods of achieving functional safety.

This International Standard on safety instrumented systems for the process industry:

- addresses relevant safety lifecycle stages from initial concept, through design, implementation, operation and maintenance and decommissioning;
- enables existing or new country specific process industry standards to be harmonized with this standard.

This standard is intended to lead to a high level of consistency (for example, of underlying principles, terminology, information) within the process industries. This should have both safety and economic benefits.




Figure 1 – Overall framework of this standard



FUNCTIONAL SAFETY – SAFETY INSTRUMENTED SYSTEMS FOR THE PROCESS INDUSTRY SECTOR –

Part 2: Guidelines for the application of IEC 61511-1 ANSI/ISA-84.00.01-2004 Part 1 (IEC 61511-1 Mod)

1 Scope

IEC 61511-2 ANSI/ISA-84.00.01-2004 Part 2 (IEC 61511-2 Mod) provides guidance on the specification, design, installation, operation and maintenance of Safety Instrumented Functions and related safety instrumented system as defined in IEC 61511-1 ANSI/ISA-84.00.01-2004 Part 1 (IEC 61511-1 Mod). This standard has been organized so that each clause and subclause number herein addresses the same clause number in IEC 61511-1 ANSI/ISA-84.00.01-2004 Part 1 (IEC 61511-1 Mod) (with the exception of the annexes).

For existing SIS designed and constructed in accordance with codes, standards, or practices prior to the issue of this standard (e.g., ANSI/ISA-84.01-1996), the owner/operator shall determine that the equipment is designed, maintained, inspected, tested, and operating in a safe manner.

2 Normative references

No further guidance provided.

3 Terms, Definitions and abbreviations

No further guidance provided except for 3.2.68 and 3.2.71 of IEC 61511-1 ANSI/ISA-84.00.01-2004 Part 1 (IEC 61511-1 Mod).

- **3.2.68** A safety function should prevent a specified hazardous event. For example, "prevent the pressure in vessel #ABC456 exceeding 100 bar." A safety function may be achieved by
- a) a single safety instrumented system (SIS), or
- b) one or more safety instrumented systems and/or other layers of protection.

In case b), each safety instrumented system or other layer of protection has to be capable of achieving the safety function and the overall combination has to achieve the required risk reduction (process safety target).

3.2.71 Safety instrumented functions are derived from the safety function, have an associated safety integrity level (SIL) and are carried out by a specific safety instrumented system (SIS). For example, "close valve #XY123 within 5 s when pressure in vessel #ABC456 reaches 100 bar". Note that components of a safety instrumented system may be used by more than one safety instrumented function.

4 Conformance to this International Standard

No further guidance provided.