This is a preview of "ANSI/ISA 61241-18 (1...". Click here to purchase the full version from the ANSI store.

AMERICAN NATIONAL STANDARD

ANSI/ISA-61241-18 (12.10.07)-2006 (R2015)

Electrical Apparatus for Use in Zone 20, Zone 21 and Zone 22 Hazardous (Classified) Locations – Protection by Encapsulation "mD"

Approved 29 September 2015

This is a preview of "ANSI/ISA 61241-18 (1". Click here to purchase the full version from the ANSI store.
ANSI/ISA-61241-18 (12.10.07)-2006 (R2015), Electrical Apparatus for Use in Zone 20, Zone 21 and Zone 22 Hazardous (Classified) Locations - Protection by Encapsulation "mD"
ISBN: 978-1-941546-41-3

Copyright © 2015 by IEC and ISA. All rights reserved. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), without the prior written permission of the Publisher.

ISA 67 Alexander Drive P. O. Box 12277 Research Triangle Park, North Carolina 27709 USA

- 3 - ANSI/ISA-61241-18 (12.10.07)-2006 (R2015)

Preface

This preface, as well as all footnotes and annexes, is included for information purposes and is not part of ANSI/ISA-61241-18 (12.10.07)-2006 (R2015).

This document has been prepared as part of the service of ISA toward a goal of uniformity in the field of instrumentation. To be of real value, this document should not be static but should be subject to periodic review. Toward this end, the Society welcomes all comments and criticisms and asks that they be addressed to the Secretary, Standards and Practices Board; ISA; 67 Alexander Drive; P. O. Box 12277; Research Triangle Park, NC 27709; Telephone (919) 549-8411; Fax (919) 549-8288; E-mail: standards@isa.org.

The ISA Standards and Practices Department is aware of the growing need for attention to the metric system of units in general, and the International System of Units (SI) in particular, in the preparation of instrumentation standards. The Department is further aware of the benefits to USA users of ISA standards of incorporating suitable references to the SI (and the metric system) in their business and professional dealings with other countries. Toward this end, this Department will endeavor to introduce SI-acceptable metric units in all new and revised standards, recommended practices, and technical reports to the greatest extent possible. Standard for Use of the International System of Units (SI): The Modern Metric System, published by the American Society for Testing & Materials as IEEE/ASTM SI 10-97, and future revisions, will be the reference guide for definitions, symbols, abbreviations, and conversion factors.

It is the policy of ISA to encourage and welcome the participation of all concerned individuals and interests in the development of ISA standards, recommended practices, and technical reports. Participation in the ISA standards-making process by an individual in no way constitutes endorsement by the employer of that individual, of ISA, or of any of the standards, recommended practices, and technical reports that ISA develops.

CAUTION — ISA DOES NOT TAKE ANY POSITION WITH RESPECT TO THE EXISTENCE OR VALIDITY OF ANY PATENT RIGHTS ASSERTED IN CONNECTION WITH THIS DOCUMENT, AND ISA DISCLAIMS LIABILITY FOR THE INFRINGEMENT OF ANY PATENT RESULTING FROM THE USE OF THIS DOCUMENT. USERS ARE ADVISED THAT DETERMINATION OF THE VALIDITY OF ANY PATENT RIGHTS, AND THE RISK OF INFRINGEMENT OF SUCH RIGHTS, IS ENTIRELY THEIR OWN RESPONSIBILITY.

PURSUANT TO ISA'S PATENT POLICY, ONE OR MORE PATENT HOLDERS OR PATENT APPLICANTS MAY HAVE DISCLOSED PATENTS THAT COULD BE INFRINGED BY USE OF THIS DOCUMENT AND EXECUTED A LETTER OF ASSURANCE COMMITTING TO THE GRANTING OF A LICENSE ON A WORLDWIDE, NON-DISCRIMINATORY BASIS, WITH A FAIR AND REASONABLE ROYALTY RATE AND FAIR AND REASONABLE TERMS AND CONDITIONS. FOR MORE INFORMATION ON SUCH DISCLOSURES AND LETTERS OF ASSURANCE, CONTACT ISA OR VISIT WWW.ISA.ORG/STANDARDSPATENTS.

OTHER PATENTS OR PATENT CLAIMS MAY EXIST FOR WHICH A DISCLOSURE OR LETTER OF ASSURANCE HAS NOT BEEN RECEIVED. ISA IS NOT RESPONSIBLE FOR IDENTIFYING PATENTS OR PATENT APPLICATIONS FOR WHICH A LICENSE MAY BE REQUIRED, FOR CONDUCTING INQUIRIES INTO THE LEGAL VALIDITY OR SCOPE OF PATENTS, OR DETERMINING WHETHER ANY LICENSING TERMS OR CONDITIONS PROVIDED IN CONNECTION WITH SUBMISSION OF A LETTER OF ASSURANCE, IF ANY, OR IN ANY LICENSING AGREEMENTS ARE REASONABLE OR NON-DISCRIMINATORY.

ANSI/ISA-61241-18 (12.10.07)-2006 (R2015) - 4 -

ISA REQUESTS THAT ANYONE REVIEWING THIS DOCUMENT WHO IS AWARE OF ANY PATENTS THAT MAY IMPACT IMPLEMENTATION OF THE DOCUMENT NOTIFY THE ISA STANDARDS AND PRACTICES DEPARTMENT OF THE PATENT AND ITS OWNER.

ADDITIONALLY, THE USE OF THIS DOCUMENT MAY INVOLVE HAZARDOUS MATERIALS, OPERATIONS OR EQUIPMENT. THE DOCUMENT CANNOT ANTICIPATE ALL POSSIBLE APPLICATIONS OR ADDRESS ALL POSSIBLE SAFETY ISSUES ASSOCIATED WITH USE IN HAZARDOUS CONDITIONS. THE USER OF THIS DOCUMENT MUST EXERCISE SOUND PROFESSIONAL JUDGMENT CONCERNING ITS USE AND APPLICABILITY UNDER THE USER'S PARTICULAR CIRCUMSTANCES. THE USER MUST ALSO CONSIDER THE APPLICABILITY OF ANY GOVERNMENTAL REGULATORY LIMITATIONS AND ESTABLISHED SAFETY AND HEALTH PRACTICES BEFORE IMPLEMENTING THIS DOCUMENT.

THE USER OF THIS DOCUMENT SHOULD BE AWARE THAT THIS DOCUMENT MAY BE IMPACTED BY ELECTRONIC SECURITY ISSUES. THE COMMITTEE HAS NOT YET ADDRESSED THE POTENTIAL ISSUES IN THIS VERSION.

The following people served as members of ISA12.10:

NAME COMPANY

A. Engler, Chair Det Norske Veritas

M. Coppler*, Managing Director Ametek Inc.

S. Arnold* Ametek Drexelbrook

E. Briesch Underwriters Laboratories Inc.

R. Buschart Cable Tray Institute
R. Fontaine FM Approvals

J. Kuczka Killark

E. Massey Rockwell Automation

A. Page MSHA Approval & Certification Center

P. Schimmoeller CSA International T. Schnaare Rosemount Inc.

D. Wechsler Dow Chemical Company

The following people served as members of ISA12:

NAME COMPANY

T. Schnaare, Chair Rosemount Inc. W. Lawrence, Co-Chair FM Approvals

M. Coppler, Managing Director

N. Abbatiello

Ametek Inc.

Optimation Technology

N. AbbatielloD. AnkeleD. BishopOptimation TechnologyUnderwriters Laboratories Inc.David N Bishop Consultant

H. Bockle R. Stahl Inc.

K. Boegli Phoenix Contact Inc.

D. Burns Shell Exploration & Production Company

R. Buschart Cable Tray Institute
R. Cardinal Bently Nevada LLC
C. Casso Nabors Industries

J. Cospolich Waldemar S Nelson & Company Inc.

S. Czaniecki Intrinsic Safety Concepts Inc.

J. Dolphin Professional Testing

T. Dubaniewicz NIOSH

U. Dugar Mobil Chemical Company

^{*} One vote per company.

- 5 - ANSI/ISA-61241-18 (12.10.07)-2006 (R2015)

A. Engler Det Norske Veritas
W. Fiske Intertek Testing Services

G. Garcha GE Energy

D. Hohenstein
Pepperl + Fuchs Inc.
D. Jagger
Bifold-Fluid Power
J. Johnscher
Adalet PLM
F. Kent
Honeywell Inc.

P. Kovscek Industrial Scientific Corporation
J. Kuczka Killark

J. Kuczka Killark
B. Larson Turck Inc.

E. Massey Rockwell Automation

A. Mobley 3M Company

A. Page MSHA Approval & Certification Center

P. Schimmoeller
CSA International
R. Seitz
Artech Engineering
D. Wechsler
Dow Chemical Company

This standard was approved for publication by the ISA Standards and Practices Board on 27 June 2006.

NAME COMPANY

I. Verhappen, Vice President
F. Amir
Syncrude Canada Limited
E I Du Pont Company
D. Bishop
David N Bishop Consultant

M. Coppler

B. Dumortier

David N Bisnop Consul
Ametek Inc.
Schneider Electric

B. Dumortier Schneider E
W. Holland Consultant
E. Icayan ACES Inc.
A. Iverson Ivy Optiks
R. Jones Consultant

K. Lindner Endress + Hauser Process Solutions AG

V. Maggioli Feltronics Corporation
T. McAvinew Jacobs Engineering Group
A. McCauley Chagrin Valley Controls Inc.

G. McFarland Emerson Process Mgmt. Pwr & Water Solutions

R. Reimer Rockwell Automation

N. Sands E I du Pont

H. Sasajima Yamatake Corporation T. Schnaare Rosemount Inc.

J. Tatera Tatera & Associates Inc.
R. Webb Robert C. Webb PE
W. Weidman Worley Parsons
J. Weiss KEMA Inc.

M. Widmeyer Stanford Linear Accelerator Center M. Zielinski Emerson Process Management

The following members of ISA12.10 reaffirmed this standard.

NAME COMPANY

A. Engler, Chair Det Norske Veritas DNV

M. Coppler, Managing Director Ametek Inc.

S. Arnold Ametek Drexelbrook
D. Bishop David N Bishop Consultant
S. Blais EGS Electrical Group

E. Briesch Underwriters Laboratories Inc.

R. Fontaine FM Approvals

This is a preview of "ANSI/ISA 61241-18 (1...". Click here to purchase the full version from the ANSI store.

COMPANY

ANSI/ISA-61241-18 (12.10.07)-2006 (R2015) - 6 -

J. Kuczka Killark

E. LeubnerR. MasekE. MasseyCooper Crouse-HindsCSA InternationalBaldor Electric Company

T. Schnaare Rosemount Inc.

D. Wechsler Dow Chemical Company

R. Wigg E-x Solutions International Pty. Ltd.

The following members of ISA12 reaffirmed this standard in 2015.

NAME

T. Schnaare, Chair Rosemount Inc.
W. Lawrence, Vice Chair FM Approvals LLC
M. Coppler, Managing Director Det Norske Veritas Certification Inc.

R. Allen Honeywell Inc.
D. Ankele UL LLC
K. Boegli Consultant

D. Burns Shell P&T – Innovation / R&D

M. Dona Santos Ltd. T. Dubaniewicz NIOSH

D. El Tawy Solar Turbines Incorporated

W. Fiske Intertek

G. Garcha
GE Water and Power
R. Holub
The DuPont Company Inc.
P. Kovscek
Industrial Scientific Corporation
E. Leubner
Eaton's Crouse-Hinds Business

N. Ludlam

E. Massey

Eaton's Crouse-Hinds Busing
FM Approvals Ltd.

Baldor Electric Company

J. Miller Detector Electronics Corporation

A. Page Consultant

R. Seitz Artech Engineering

R. Sierra USCG

M. Spencer Columbia Gas Transmission

R. Wigg E-x Solutions International Pty. Ltd.

- 7 - ANSI/ISA-61241-18 (12.10.07)-2006 (R2015)

This standard was reaffirmed by the Standards and Practices Board on 7 September 2015.

NAME

N. Sands, Vice President

D. Bartusiak

P. Brett

E. Cosman

D. Dunn

J. Federlein

B. Fitzpatrick

J. Gilsinn

J. Hauet J. Jamison

K. P. Lindner

V. Maggioli

T. McAvinew

V. Mezzano

V. IVICZZANO

C. Monchinski

H. Sasajima T. Schnaare

1. T-1---

J. Tatera

K. Unger

I. Verhappen

W. Weidman

J. Weiss

M. Wilkins

D. Zetterberg

COMPANY

DuPont

ExxonMobil Research & Engineering

Honeywell Inc.

OIT Concepts, LLC

Phillips 66

Federlein & Assoc. Inc.

Wood Group Mustang

Kenexis Consulting KB Intelligence

Encana Corp.

Endress + Hauser Process Solutions AG

Feltronics Corp.

Instrumentation and Control Engineering, LLC

Fluor Corporation

Automated Control Concepts Inc.

Azbil Corp.

Rosemount Inc.

Tatera & Associates Inc.


Stone Technologies Inc. Orbis Engineering Field Services

WCW Consulting

Applied Control Solutions LLC

Yokogawa IA Global Marketing (USMK)

Chevron Energy Technology Co.



- 9 - ANSI/ISA-61241-18 (12.10.07)-2006 (R2015)

CONTENTS

1	Scop	PE	13	
2	Norn	Normative rReferences1		
3	Term	s and definitions	15	
4	General			
	4.1	Temperature classification	16	
	4.2	Level of protection		
	4.3	Level of protection "maD"	17	
	4.4	Level of protection "mbD"	17	
	4.5	Supply specifications	17	
5	Requirements for compounds			
	5.1	General	17	
	5.2	Specification	18	
6	Temperatures			
	6.1	General	18	
	6.2	Temperature limitation		
	6.3	Determination of the limiting temperature values	19	
7	Constructional requirements			
	7.1	General	19	
	7.2	Determination of possible faults	19	
	7.3	Switching contacts	26	
	7.4	External connections	26	
	7.5	Protection of bare live parts	26	
	7.6	Cells and batteries	27	
	7.7	Protective devices	30	
8	Type tests			
	8.1	Tests on the compound – water absorption test	31	
	8.2	Tests on the apparatus	31	
9	Routine verifications and tests			
	9.1	Visual inspections	35	
	9.2	Dielectric strength test	35	
10	Mark	ing	35	
Anr		(informative) Basic requirements for compounds for encapsulation "mD"		
	appa	ratus	37	
Anr	nex B	(normative) Allocation of test samples	39	
Anr	nex C	(normative) Test procedure during thermal cycling test	41	
Anr	nex D	(informative) United States major deviations	43	
Fig	ure 1	 Distances between free surface of compound and components or conductors 	22	
Fig	ure 2	 Distances between the wall or the free surface of the compound and the 		
		ents or conductors	23	

This is a preview of "ANSI/ISA 61241-18 (1...". Click here to purchase the full version from the ANSI store.

ANSI/ISA-61241-18 (12.10.07)-2006 (R2015) - 10 -


Figure 3 – Distances between the wall or the free surface of the compound and the components or conductors	24
Figure 4 – Minimum distances for multi-layer printed wiring boards	26
Figure A.1 – Basic requirements for compounds for encapsulation "mD" apparatus	37
Figure C.1 – Test procedure during thermal cycling test	41
Table 1 – Distances through the compound	21
Table 2 – Thickness of compound between the free surface of the compound and components or conductors	22
Table 3 – Thickness of the compound between the wall or the free surface of the compound and the components or conductors	23
Table 4 – Thickness of the compound between the wall or the free surface of the components or conductors	24
Table 5 – Minimum distances for multi-layer printed wiring boards	25
Table 6 – Permissible primary cells	28
Table 7 – Permissible secondary cells	28
Table 8 Test pressure	35
Table B.1 – Allocation of test samples	39

- 11 - ANSI/ISA-61241-18 (12.10.07)-2006 (R2015)

Foreword

The entire text of IEC 61241-18:2004 is included in this document. U.S. National Deviations are shown by strikeout through deleted text and underlining of added text. There are four annexes in this standard. Annexes B and C are normative and form part of the requirements of this standard. Annexes A and D are informative and are not considered part of this standard.

IEC 61241-18:2004 has been withdrawn and replaced by IEC 60079-18:2009, *Explosive atmospheres – Part 18: Equipment protection by encapsulation "m"*. ANSI/ISA-61241-18 (12.10.02)-2006 (R2015) is being maintained for the 2017 publication of NFPA 70: *National Electrical Code*®, in which the ISA standard is referenced.



- 13 - ANSI/ISA-61241-18 (12.10.07)-2006 (R2015)

1 Scope

This standard is to be read in conjunction with IECANSI/ISA-61241-0, the requirements of which apply to electrical apparatus protected by encapsulation and surface temperature limitation unless specifically excluded.

This part of IEC 61241standard is applicable to electrical apparatus protected by encapsulation type of protection "mD" and surface temperature limitation for use in areas where combustible dust may be present in quantities which could lead to a fire or explosion hazard. It specifies requirements for design, construction and testing of electrical apparatus, parts of electrical apparatus and Ex components where the rated voltage does not exceed 10 kV.

NOTE 1 The actual working voltage may exceed the value given above by up to 10 %.

NOTE 2 IEC 61241-14 ("Electrical apparatus for use in the presence of combustible dust — Part 14: Selection and installation") gives guidance on the selection and installation of the apparatus. Apparatus within the scope of this standard may also be subjected to additional requirements in other standards — for example, IEC ANSI/ISA-60079-0 ("Electrical apparatus for explosive gas atmospheres - Part 0: General requirements").

The application of electrical apparatus in atmospheres which may contain explosive gas as well as combustible dust, whether simultaneously or separately, requires additional protective measures.

This standard does not apply to dusts of explosives which do not require atmospheric oxygen for combustion, or to pyrophoric substances.

This standard is not applicable to electrical apparatus intended for use in underground parts of mines as well as those parts of surface installations of such mines endangered by firedamp and/or combustible dust. This standard does not take account of any risk due to an emission of flammable or toxic gas from the dust.

This standard does not include other types of protection and is only applicable to protection by encapsulation.

2 Normative rReferences

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079 7:2001, Electrical apparatus for explosive gas atmospheres Part 7: Increased safety "e"

ANSI/ISA-60079-7 (12.16.01)-2002, Electrical Apparatus for Use in Class I, Zone 1 Hazardous (Classified) Locations: Type of Protection – Increased Safety "e"

IEC 60079-11:1999, Electrical apparatus for explosive gas atmospheres - Part 11: Intrinsic safety "i"

ANSI/ISA-60079-11 (12.02.01)-2002, Electrical Apparatus for Use in Class I, Zone 1 Hazardous (Classified) Locations: Type of Protection – Intrinsic Safety "i"