



ANSI/ISEA

Z89.1-2014

American National Standard for Industrial Head Protection

ANSI/ISEA Z89.1-2014

Revision of
ANSI/ISEA Z89.1-2009

American National Standard for Industrial Head Protection

Secretariat

International Safety Equipment Association

Approved May 15, 2014

American National Standards Institute, Inc.

American National Standard

An American National Standard implies a consensus of those substantially concerned with its scope and provisions. An American National Standard is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an American National Standard does not in any respect preclude anyone, whether they have approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. American National Standards are subject to periodic review and users are cautioned to obtain the latest editions.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no persons shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of publication. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

**International Safety Equipment Association
1901 North Moore Street, Suite 808, Arlington, Virginia 22209**

Copyright ©2014 by International Safety Equipment Association
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

Foreword (This Foreword is not part of ANSI/ISEA Z89.1-2014)

Voluntary industry consensus standards recognized by the American National Standards Institute are required to be reviewed every five years to account for improvements in technology, test methods and materials, user needs and trends in use and application of products covered under the respective standard. This seventh revision of the *American National Standard for Industrial Head Protection*, ANSI/ISEA Z89.1-2014 represents an effort to accommodate characteristics of industrial head protection that end-users identified as being important as work environments change and emerging hazards are identified. This edition was prepared by the ISEA Head Protection Group whose current members include: 3M Company, Bullard, ERB Industries, Gateway Safety, Honeywell Safety Products, Kimberly-Clark Professional, MSA Safety, OccuNomix International, Protective Industrial Products Inc., and Sellstrom Manufacturing Co.

The core performance requirements remain unchanged. However, this updated version incorporates optional preconditioning at higher temperatures than the standard test temperatures. Head protection devices that meet the applicable product performance criteria after having been exposed to these higher temperatures will bear a unique mark indicating such, to provide easy identification to the user.

This standard was processed and approved using consensus procedures prescribed by the American National Standards Institute. The following organizations were contacted prior to the approval of this standard. Inclusion in this list does not necessarily imply that the organization concurred with the submittal of the proposed standard to ANSI.

Atlas Industrial Contractors
Mr. James Byrnes
Center to Protect Workers Rights
City of San Diego
Entergy
INSPEC International
International Safety Equipment Association
International Staple, Nail and Tool Association
Mr. Michael Kertis
Kimberly-Clark Professional

Laborers Health and Safety Fund of North America
National Electrical Contractors Association
National Institute for Occupational Safety and Health
Oberon Company
Safety Equipment Institute
TAUC: The Association of Union Contractors
Waste Equipment Technology Association
U.S. Department of Labor – Occupational Safety and Health Administration

Suggestions for improvement of this standard are encouraged. Contact:

ISEA
1901 N. Moore Street #808
Arlington, VA 22209
isea@safetysafetyequipment.org

This is a preview of "ANSI/ISEA Z89.1-2014". [Click here to purchase the full version from the ANSI store.](#)

Contents

SECTION	PAGE
1	Scope, Purpose and Limitations 1
1.1	Scope 1
1.2	Purpose..... 1
1.3	Limitations..... 1
1.4	Units and Tolerances 1
2	Compliance 1
3	Definitions 1
4	Types and Classes 2
4.1	Impact Types 2
4.2	Electrical Classes 2
5	Accessories and Replacement Components 3
6	Instructions and Markings 3
7	Performance Requirements 3
7.1	Requirements for Type I and Type II Helmets 3
7.2	Additional Requirements for Type II Helmets 4
7.3	Requirements for Optional Features 4
8	Testing Preparation..... 5
8.1	Test Sample Selection 5
8.2	Sequence of Testing 5
8.3	Testing Conditions 5
8.4	Test Sample Markings 5
8.5	Helmet Preconditioning..... 6
8.6	Testing Time 6
9	Headforms 6
9.1	General 6
9.2	Headform Sizes 6
9.3	Headform for Force Transmission 7
9.4	Headform for Penetration Tests..... 7
9.5	Headform for Impact Energy Attenuation Tests 7
10	Test Methods 7
10.1	Flammability..... 7
10.2	Force Transmission 8
10.3	Apex Penetration 9
10.4	Impact Energy Attenuation 9
10.5	Off-Center Penetration..... 11
10.6	Chin Strap Retention (Type II Only) 11
10.7	Electrical Insulation..... 12
10.8	High-Visibility Testing 13
11	Normative References 13

TABLES

Table 1. Color, High Visibility Helmets	4
Table 2. Sizing Chart	14
Table 3. Schedule of Tests	15

FIGURES

Figure 1. ISO Headform	17
Figure 2. Dynamic Test Line (DTL), Impact and Penetration Tests	18
Figure 3. Force Transmission Headform	19
Figure 4. Typical Impact Energy Attenuation Headform Fixture	20
Figure 5. Typical Penetration Headform Fixture	20
Figure 6. Typical Chin Strap Retention Test Apparatus	21
Figure 7. Typical Force Transmission Test Apparatus	22
Figure 8. Typical Penetration Test Apparatus.....	23
Figure 9. Penetrator	24
Figure 10. Typical Impact Energy Attenuation Apparatus	25
Figure 11. Static Test Line (STL), Electrical Insulation and Flammability Tests.....	26
Figure 12. Flammability Test Apparatus	26
Figure 13. Electrical Insulation Test Apparatus	27

APPENDICES

A Recommendations, Cautions, Use and Care	A1
B Electrical Insulation Testing	A3
C Force Transmission Testing.....	A4
D Impact Energy Attenuation Testing.....	A6

American National Standard for Industrial Head Protection

1 Scope, Purpose and Limitations

1.1 Scope

This standard establishes minimum performance and labeling requirements for protective helmets used in industrial and occupational settings under normal temperature conditions and optionally at high and low temperatures and when worn in the reversed position. It also includes requirements for high-visibility helmets and specifies test methods for evaluating all requirements.

Helmets conforming to the requirements of this standard are designated both by Type (based on location of impact force) and Class (based on electrical insulation) as well as any optional feature.

This standard does not cover bump caps, firefighting helmets or head protection devices used in recreational activities.

User cautions and recommendations on use and care of helmets are given in Appendix A of this standard.

1.2 Purpose

This standard establishes minimum performance requirements for protective helmets that reduce the forces of impact and penetration and that may provide protection from electric shock (not arc flash).

1.3 Limitations

Protective helmets reduce the amount of force from an impact blow but cannot provide complete head protection from severe impact and penetration. Helmets that meet this standard provide limited protection but should be effective against small tools, small pieces of wood, bolts, nuts, rivets, sparks and similar hazards. The use of protective helmets should never be viewed as a substitute for good safety practices and engineering controls. Alterations, attachments, or additions of accessories may affect the performance of the helmet. Helmets are designed to provide protection above the test lines, which are clearly defined in the standard. Helmets may extend below the test

lines for styling or practical purposes but no protection is to be implied below the test lines.

1.4 Units and Tolerances

In this standard, SI units of measurement are followed by an approximate imperial equivalent in parenthesis. Only the SI value shall be regarded as the requirement.

2 Compliance

Any statement(s) of compliance with this standard shall mean that the product meets all applicable performance and labeling requirements for the Type and Class. It is specifically intended that partial utilization of this standard is prohibited.

3 Definitions

accessory: A device intended to be mounted on or used with protective helmets. (See Section 5)

apex: The point on the outer surface of the shell coincident with the vertical axis of the headform when the helmet is mounted in the as-worn position according to the manufacturer's instructions.

basic plane: A plane at the level of the external auditory meatus (external ear opening) and the inferior margin of the orbit (lower edge of the eye socket).

chin strap: A strap which fits under the chin and is attached to the helmet.

component: A functional part of a complete device addressed by the performance requirements of this standard.

crown straps: The part of the suspension that passes over the head.

dynamic test line (DTL): A test line used as a boundary for conducting impact energy attenuation and off-center penetration tests.