

First edition
2002-06-01

Industrial automation systems and integration — Product data representation and exchange —

Part 232: Application protocol: Technical data packaging core information and exchange

*Systèmes d'automatisation industrielle et intégration — Représentation et
échange de données de produits —*

*Partie 232: Protocole d'application: Information centrale et échange de
paquetage de données techniques*



Reference number
ISO 10303-232:2002(E)

© ISO 2002

This is a preview of "ISO 10303-232:2002". [Click here to purchase the full version from the ANSI store.](#)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

This is a preview of "ISO 10303-232:2002". [Click here to purchase the full version from the ANSI store.](#)

Contents	Page
1 Scope	1
2 Normative references	4
3 Terms, definitions, and abbreviations	7
3.1 Terms defined in ISO 10303-1	7
3.2 Terms defined in ISO 10303-31	8
3.3 Terms defined in ISO 10303-42	8
3.4 Terms defined in ISO 10303-203	9
3.5 Other terms and definitions	10
3.6 Abbreviations	14
4 Information requirements	15
4.1 Units of functionality	16
4.1.1 data_definition_exchange	26
4.1.2 data_list	31
4.1.3 drawing	34
4.1.4 indented_data_list	36
4.1.5 index_list	40
4.1.6 other_list	42
4.1.7 parts_list	45
4.1.8 presentation	49
4.1.9 product_data_set	51
4.1.10 reference_document	54
4.2 Application objects	55
4.3 Application assertions	239
5 Application interpreted model	310
5.1 Mapping table	310
5.2 AIM EXPRESS short listing	939
6 Conformance requirements	1018
6.1 Data definition exchange for files, conformance class 1	1021
6.2 Data definition exchange for TDP elements, conformance class 2	1021
6.3 Data definition exchange for indented methods, conformance class 3	1021
6.4 Parts list, conformance class 4	1021
6.5 Data list, conformance class 5	1021
6.6 Indented data list, conformance class 6	1022
6.7 Index list, conformance class 7	1022
6.8 Other list, conformance class 8	1022
6.9 List with presentation, conformance class 9	1022
6.10 Reference document identification and drawing identification, Conformance Class 10 ..	1022
6.11 Reference document identification and drawing identification with ISO 10303-201 and ISO 10303-202 drawing presentation identification, Conformance Class 11	1023
6.12 Product data set (PDS) without presentation format, Conformance Class 12	1023
6.13 Product data set (PDS) with shading, conformance class 13	1024

6.14 Product data set (PDS) with presentation format, conformance class 14	1024
Annex A (normative) AIM EXPRESS expanded listing	1045
Annex B (normative) AIM short names of entities	1206
Annex C (normative) Implementation method specific requirements	1219
Annex D (normative) Protocol implementation conformance statement (PICS) proforma	1223
Annex E (normative) Information object registration	1225
E.1 Document identification	1225
E.2 Schema identification	1225
Annex F (informative) Application activity model	1226
F.1 Application activity model definitions	1227
F.2 Application activity model abbreviations	1248
F.3 Application activity model diagrams	1250
Annex G (informative) Application reference model	1268
Annex H (informative) AIM EXPRESS-G	1306
Annex J (informative) Computer-interpretable listings	1373
Annex K (informative) Usage Scenarios	1374
K.1 Information exchange scenarios	1374
K.2 Definitions and levels of capability for the parts list	1381
K.3 Definitions and levels of capability for the data list	1402
K.4 Definitions and levels of capability for the index list	1417
K.5 Definitions and levels of capability for the Data Definition Exchange	1429
K.6 Definitions and levels of capability for the indentured data list	1455
Bibliography	1479
Index	1480

Figures

Figure 1 — PDM information area ISO 10303-232 addresses	xi
Figure 2 — High level planning model	xii
Figure 3 — Functional usage of technical data	2
Figure 4 — Format style for date	70
Figure 5 — Graphics utilized in presenting a tabulated listing	179
Figure 6 — Page anchor location	180
Figure 7 — Standard cross sections	225
Figure C.1 — Exchange structure without ISO 10303-201 or ISO 10303-202	1220
Figure C.2 — Exchange structure with ISO 10303-505 as sheet	1221
Figure C.3 — Exchange structure with ISO 10303-505 as drawing	1222

This is a preview of "ISO 10303-232:2002". [Click here to purchase the full version from the ANSI store.](#)

Figure F.1 — A-0: develop, procure, build, use, and maintain a product	1251
Figure F.2 — A0: develop, procure, build, use, and maintain a product	1252
Figure F.3 — A2: manage, design, and support a product	1253
Figure F.4 — A22: design and analyze a product	1254
Figure F.5 — A223: perform product detail and design analysis	1255
Figure F.6 — A2232: create detail product design	1256
Figure F.7 — A22323: prepare product models and drawings	1257
Figure F.8 — A223232: create product layouts and models	1258
Figure F.9 — A223233: create product drawing data	1259
Figure F.10 — A2232332: prepare detail product item drawings	1260
Figure F.11 — A22324: build product associated lists	1261
Figure F.12 — A24: prepare product data for use	1262
Figure F.13 — A3: use and maintain a product	1263
Figure F.14 — A33: support product	1264
Figure F.15 — A331: spares procurement	1265
Figure F.16 — A223: local manufacture	1266
Figure F.17 — A333: develop modifications	1267
Figure G.1 — ARM diagram (1 of 33)	1273
Figure G.2 — ARM diagram (2 of 33)	1274
Figure G.3 — ARM diagram (3 of 33)	1275
Figure G.4 — ARM diagram (4 of 33)	1276
Figure G.5 — ARM diagram (5 of 33)	1277
Figure G.6 — ARM diagram (6 of 33)	1278
Figure G.7 — ARM diagram (7 of 33)	1279
Figure G.8 — ARM diagram (8 of 33)	1280
Figure G.9 — ARM diagram (9 of 33)	1281
Figure G.10 — ARM diagram (10 of 33)	1282
Figure G.11 — ARM diagram (11 of 33)	1283
Figure G.12 — ARM diagram (12 of 33)	1284
Figure G.13 — ARM diagram (13 of 33)	1285
Figure G.14 — ARM diagram (14 of 33)	1286
Figure G.15 — ARM diagram (15 of 33)	1287
Figure G.16 — ARM diagram (16 of 33)	1288
Figure G.17 — ARM diagram (17 of 33)	1289
Figure G.18 — ARM diagram (18 of 33)	1290
Figure G.19 — ARM diagram (19 of 33)	1291
Figure G.20 — ARM diagram (20 of 33)	1292
Figure G.21 — ARM diagram (21 of 33)	1293
Figure G.22 — ARM diagram (22 of 33)	1294
Figure G.23 — ARM diagram (23 of 33)	1295
Figure G.24 — ARM diagram (24 of 33)	1296
Figure G.25 — ARM diagram (25 of 33)	1297
Figure G.26 — ARM diagram (26 of 33)	1298
Figure G.27 — ARM diagram (27 of 33)	1299
Figure G.28 — ARM diagram (28 of 33)	1300
Figure G.29 — ARM diagram (29 of 33)	1301
Figure G.30 — ARM diagram (30 of 33)	1302
Figure G.31 — ARM diagram (31 of 33)	1303
Figure G.32 — ARM diagram (32 of 33)	1304

This is a preview of "ISO 10303-232:2002". [Click here to purchase the full version from the ANSI store.](#)

Figure G.33 — ARM diagram (33 of 33)	1305
Figure H.1 — AIM EXPRESS-G diagram (1 of 66)	1307
Figure H.2 — AIM EXPRESS-G diagram (2 of 66)	1308
Figure H.3 — AIM EXPRESS-G diagram (3 of 66)	1309
Figure H.4 — AIM EXPRESS-G diagram (4 of 66)	1310
Figure H.5 — AIM EXPRESS-G diagram (5 of 66)	1311
Figure H.6 — AIM EXPRESS-G diagram (6 of 66)	1312
Figure H.7 — AIM EXPRESS-G diagram (7 of 66)	1313
Figure H.8 — AIM EXPRESS-G diagram (8 of 66)	1314
Figure H.9 — AIM EXPRESS-G diagram (9 of 66)	1315
Figure H.10 — AIM EXPRESS-G diagram (10 of 66)	1316
Figure H.11 — AIM EXPRESS-G diagram (11 of 66)	1317
Figure H.12 — AIM EXPRESS-G diagram (12 of 66)	1318
Figure H.13 — AIM EXPRESS-G diagram (13 of 66)	1319
Figure H.14 — AIM EXPRESS-G diagram (14 of 66)	1320
Figure H.15 — AIM EXPRESS-G diagram (15 of 66)	1321
Figure H.16 — AIM EXPRESS-G diagram (16 of 66)	1322
Figure H.17 — AIM EXPRESS-G diagram (17 of 66)	1323
Figure H.18 — AIM EXPRESS-G diagram (18 of 66)	1324
Figure H.19 — AIM EXPRESS-G diagram (19 of 66)	1325
Figure H.20 — AIM EXPRESS-G diagram (20 of 66)	1326
Figure H.21 — AIM EXPRESS-G diagram (21 of 66)	1327
Figure H.22 — AIM EXPRESS-G diagram (22 of 66)	1328
Figure H.23 — AIM EXPRESS-G diagram (23 of 66)	1329
Figure H.24 — AIM EXPRESS-G diagram (24 of 66)	1330
Figure H.25 — AIM EXPRESS-G diagram (25 of 66)	1331
Figure H.26 — AIM EXPRESS-G diagram (26 of 66)	1332
Figure H.27 — AIM EXPRESS-G diagram (27 of 66)	1333
Figure H.28 — AIM EXPRESS-G diagram (28 of 66)	1334
Figure H.29 — AIM EXPRESS-G diagram (29 of 66)	1335
Figure H.30 — AIM EXPRESS-G diagram (30 of 66)	1336
Figure H.31 — AIM EXPRESS-G diagram (31 of 66)	1337
Figure H.32 — AIM EXPRESS-G diagram (32 of 66)	1338
Figure H.33 — AIM EXPRESS-G diagram (33 of 66)	1339
Figure H.34 — AIM EXPRESS-G diagram (34 of 66)	1340
Figure H.35 — AIM EXPRESS-G diagram (35 of 66)	1341
Figure H.36 — AIM EXPRESS-G diagram (36 of 66)	1342
Figure H.37 — AIM EXPRESS-G diagram (37 of 66)	1343
Figure H.38 — AIM EXPRESS-G diagram (38 of 66)	1344
Figure H.39 — AIM EXPRESS-G diagram (39 of 66)	1345
Figure H.40 — AIM EXPRESS-G diagram (40 of 66)	1346
Figure H.41 — AIM EXPRESS-G diagram (41 of 66)	1347
Figure H.42 — AIM EXPRESS-G diagram (42 of 66)	1348
Figure H.43 — AIM EXPRESS-G diagram (43 of 66)	1349
Figure H.44 — AIM EXPRESS-G diagram (44 of 66)	1350
Figure H.45 — AIM EXPRESS-G diagram (45 of 66)	1351
Figure H.46 — AIM EXPRESS-G diagram (46 of 66)	1352
Figure H.47 — AIM EXPRESS-G diagram (47 of 66)	1353
Figure H.48 — AIM EXPRESS-G diagram (48 of 66)	1354

This is a preview of "ISO 10303-232:2002". [Click here to purchase the full version from the ANSI store.](#)

Figure H.49 — AIM EXPRESS-G diagram (49 of 66)	1355
Figure H.50 — AIM EXPRESS-G diagram (50 of 66)	1356
Figure H.51 — AIM EXPRESS-G diagram (51 of 66)	1357
Figure H.52 — AIM EXPRESS-G diagram (52 of 66)	1358
Figure H.53 — AIM EXPRESS-G diagram (53 of 66)	1359
Figure H.54 — AIM EXPRESS-G diagram (54 of 66)	1360
Figure H.55 — AIM EXPRESS-G diagram (55 of 66)	1361
Figure H.56 — AIM EXPRESS-G diagram (56 of 66)	1362
Figure H.57 — AIM EXPRESS-G diagram (57 of 66)	1363
Figure H.58 — AIM EXPRESS-G diagram (58 of 66)	1364
Figure H.59 — AIM EXPRESS-G diagram (59 of 66)	1365
Figure H.60 — AIM EXPRESS-G diagram (60 of 66)	1366
Figure H.61 — AIM EXPRESS-G diagram (61 of 66)	1367
Figure H.62 — AIM EXPRESS-G diagram (62 of 66)	1368
Figure H.63 — AIM EXPRESS-G diagram (63 of 66)	1369
Figure H.64 — AIM EXPRESS-G diagram (64 of 66)	1370
Figure H.65 — AIM EXPRESS-G diagram (65 of 66)	1371
Figure H.66 — AIM EXPRESS-G diagram (66 of 66)	1372
Figure K.1 — TDP information exchange activity	1375
Figure K.2 — Information creation scenario for TDP development	1378

Tables

Table 1 — Applicability of selects and enumerations to units of functionality	17
Table 2 — Applicability of types and entities to the units of functionality	18
Table 3 — Change_identification attribute relationships	68
Table 4 — Mapping table for common	312
Table 5 — Mapping table for data_definition_exchange	389
Table 6 — Mapping table for data_list	519
Table 7 — Mapping table for drawing	566
Table 8 — Mapping table for indentured_data_list	594
Table 9 — Mapping table for index_list	694
Table 10 — Mapping table for other_list	719
Table 11 — Mapping table for parts_list	749
Table 12 — Mapping table for presentation	853
Table 13 — Mapping table for product_data_set	874
Table 14 — Mapping table for reference_document	931
Table 15 — Conformance classes	1019
Table 16 — Conformance class elements	1024
Table K.2.1 — Levels of capability for PL selects and enumerations	1383
Table K.2.2 — Levels of capability for PL application objects and attributes	1384
Table K.3.1 — Levels of capability for DL selects and enumerations	1404
Table K.3.2 — Levels of capability for DL application objects and attributes	1405
Table K.4.1 — Levels of capability for IL selects and enumerations	1419
Table K.4.2 — Levels of capability for IL application objects and attributes	1419
Table K.5.1 — Parent child relationships used in indenture list types	1432
Table K.5.2 — Levels of capability for DDE, selects, and enumerations	1435
Table K.5.3 — Levels of capability for DDE application objects and attributes	1438
Table K.6.1 — Parent child relationships used in indenture list types	1458

This is a preview of "ISO 10303-232:2002". [Click here to purchase the full version from the ANSI store.](#)

Table K.6.2 — Levels of capability for IDL selects, and enumerations	1461
Table K.6.3 — Levels of capability for IDL application objects and attributes	1463

This is a preview of "ISO 10303-232:2002". Click here to purchase the full version from the ANSI store.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 10303 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10303-232 was prepared by Technical Committee ISO/TC 184, *Industrial automation systems and integration*, Subcommittee SC 4, *Industrial data*.

This International Standard is organized as a series of parts, each published separately. The structure of this standard is described in ISO 10303-1.

Each part of this International Standard is a member of one of the following series: description methods, implementation methods, conformance testing methodology and framework, integrated generic resources, integrated application resources, application protocols, abstract test suites, application interpreted constructs, and application modules. This part is a member of the application protocols series.

A complete list of parts of ISO 10303 is available from the Internet:

<<http://www.nist.gov/sc4/editing/step/titles/>>

Should further parts of ISO 10303 be published, they will follow the same numbering pattern.

Annexes A, B, C, D and E form a normative part of this part of ISO 10303. Annexes F, G, H, J and K are for information only.

Introduction

ISO 10303 is an International Standard for the computer-interpretable representation of product information and for the exchange of product data. The objective is to provide a neutral mechanism capable of describing products throughout their lifecycle. This mechanism is suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and as a basis for archiving.

This part of ISO 10303 is a member of the application protocol series. This part of ISO 10303 specifies an application protocol (AP) for packaging product data so that configuration controlled access and data exchanges can be achieved among Product Data Management (PDM) systems.

This part of ISO 10303 identifies specific groupings of product information for the access or exchange of data, such as part lists and drawings. An integrated packing list of these product information groups can be captured by this part of ISO 10303 which satisfies data accountability requirements during data access or a data exchange. The actual format of the data being accessed or exchanged may be through ISO 10303 applications protocols (including this part of ISO 10303), through other ISO standards that define computer file formats, or any other computer file format that is agreed to by parties involved in the data access or data exchange agreement. This capability will satisfy the industrial need to communicate and share the total design definition of a product from an overall product data configuration structure perspective among organizations, partners, vendors, and customers. Portions of product data can be exchanged with the knowledge of where that portion belongs in the overall product data configuration structure. The goal of this part of ISO 10303 is to provide an information structure wherein product information can be electronically captured and managed from both a product information item perspective and a document based perspective, such as in PDM systems.

Current PDM systems being installed in industry manage documents from a product view point. No ISO 10303 Application Protocol addresses a document configuration for product data structures. This part of ISO 10303 addresses this document configuration structure void. Enterprises and industries that have large infrastructures that rely on document based management systems will utilize this part of ISO 10303 to migrate from their current implementations into a configuration control of product data from a product item perspective.

There are two aspects to this part of ISO 10303. The first is the packaging of product data for exchange or access. The second is to provide the exchange requirements of individual product data groupings focusing on associated list information such as data list, index list, indented data list, and parts list.

The packaging aspect provides the requirements for collecting, organizing, and managing the exchange of a complex set of data files or database views representing the different product data groupings that identify and define a product. These packaging aspects reside in a PDM's underlying metadata. A product data grouping defines a particular view of product information and may be identified and managed as a document, or a product data set or a unique view within a database. Drawings, Associated Lists, and Reference Documents are considered product data groupings. The practice of packaging product data into groupings is called an Engineering Data Package or a Technical Data Package (TDP). As a result of this packaging, this part of ISO 10303 defines the interoperation of other parts of ISO 10303 (for example, ISO 10303-203 and ISO 10303-202) and the managed inclusion of a mixed set of standards for representation of the various TDP elements, such as simple product data groupings.

This is a preview of "ISO 10303-232:2002". [Click here to purchase the full version from the ANSI store.](#)

Figure 1 is the high level functions of a PDM system. The areas enclosed in Figure 1 identify the information this part of ISO 10303 will support.




Figure 1 — PDM information area ISO 10303-232 addresses

Figure 2 is a high level planning model that describes some of the basic information concepts and their relationships contained in this part of ISO 10303. These concepts and relationships include the following:

- identification of a product and the relationship of that product to its constituents;
- identification of the TDP elements and the relationship of those TDP elements to each other;
- identification of the relationship between a product and its TDP element or the relationship among products and their TDP elements;
- the documentation of formal change level and release status of product information and the TDP elements for the product information;
- the definition and presentation of associated list information;
- the packaging of the TDP elements for access or exchange.

NOTE 1 Annex K provides comprehensive descriptions for many of the capabilities this part of ISO 10303 provides.

This is a preview of "ISO 10303-232:2002". Click here to purchase the full version from the ANSI store.




Figure 2 — High level planning model

This application protocol defines the context, scope, and information requirements for the content and exchange of technical data packages and specifies the integrated resources necessary to satisfy these requirements.

NOTE 2 Technical data packages may define products, component parts, assemblies, and their related documentation. TDPs are not confined to mechanical definitions of a product, but may define TDPs that define functionality of a product, TDPs that define concepts for a product, or TDPs that define form and fit of a product.

NOTE 3 This part of ISO 10303 may define interoperation of other ISO 10303 APs within a TDP.

NOTE 4 This part of ISO 10303 may identify the co-existence of ISO 10303 APs with different data representations for the same product information.

NOTE 5 This part of ISO 10303 may identify product data stored in other computer data file formats and the relationship of the data contained in the file with other product data contained in other computer data files.

This is a preview of "ISO 10303-232:2002". [Click here to purchase the full version from the ANSI store.](#)

Application protocols provide the basis for developing implementations of ISO 10303 and abstract test suites for the conformance testing of AP implementations.

Clause 1 defines the scope of the application protocol and summarizes the functionality and data covered by the AP. Clause 3 lists the words defined in this part of ISO 10303 and gives pointers to words defined elsewhere. An application activity model that is the basis for the definition of the scope is provided in annex F. The information requirements of the application are specified in clause 4 using terminology appropriate to the application. A graphical representation of the information requirements, referred to as the application reference model, is given in annex G.

Resource constructs are interpreted to meet the information requirements. This interpretation produces the application interpreted model (AIM). This interpretation, given in 5.1, shows the correspondence between the information requirements and the AIM. The short listing of the AIM specifies the interface to the integrated resources and is given in 5.2. Note that the definitions and EXPRESS provided in the integrated resources for constructs used in the AIM may include select list items and subtypes which are not imported into the AIM. The expanded listing given in annex A contains the complete EXPRESS for the AIM without annotation. A graphical representation of the AIM is given in annex H. Additional requirements for specific implementation methods are given in annex C.

NOTE 6 ISO 10303 standards are referenced throughout the documentation of the requirements of this part of ISO 10303. This part utilizes ISO 10303 standards through the use of application interpreted constructs.