Third edition 2013-03-01

Cigarettes — Determination of nicotine in smoke condensates — Gaschromatographic method

Cigarettes — Dosage de la nicotine dans les condensats de fumée — Méthode par chromatographie en phase gazeuse



Reference number ISO 10315:2013(E)

ISO 10315:2013(E)

This is a preview of "ISO 10315:2013". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

| Contents | | | Page | |
|----------|---------------------------------------------------------------------|---------------------------------------------------------------------------------|----------|--|
| Fore | word | | iv | |
| Intro | ductio | on | v | |
| 1 | Scop | oe | 1 | |
| 2 | Nori | mative references | 1 | |
| 3 | Principle | | | |
| 4 | Reagents | | 1 | |
| 5 | Appa | aratus | 2 | |
| 6 | Procedure | | | |
| | 6.1 | Test portion | | |
| | 6.2 | Setting up the apparatus | 3 | |
| | 6.3 | Calibration of the gas chromatograph | 3 | |
| | 6.4 | Determination | 3 | |
| 7 | Expi | ression of results | 3 | |
| 8 | Rep | eatability and reproducibility | 3 | |
| 9 | Alternative gas-chromatographic procedures and analysis precautions | | | |
| | 9.1 | General | | |
| | 9.2 | Alternative columns | | |
| | 9.3 | Injection systems | | |
| | 9.4 | Alternative internal standards | 5 | |
| 10 | Test | report | 5 | |
| Anne | x A (in | nformative) Use of this method with the gas-chromatographic determination of wa | ter 6 | |
| Bibli | ograpl | hy | 7 | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10315 was prepared by Technical Committee ISO/TC 126, Tobacco and tobacco products.

This third edition cancels and replaces the second edition (ISO 10315:2000), which has been technically revised. It also incorporates the Amendment ISO 10315:2000/Amd 1:2011 and the Technical Corrigendum ISO 10315:2000/Cor 1:2000.

Introduction

This International Standard may be considered as part of a set produced by ISO/TC 126 which describes the determination of total and nicotine-free dry particulate matter (NFDPM) in cigarette smoke condensates. The set comprises:

ISO 3308, ISO 3402, ISO 4387, ISO 8243, ISO 10315, and ISO 10362-1.

A related International Standard, ISO 3400, determines total alkaloids, whereas this International Standard determines only nicotine by virtue of the gas-chromatographic separation. Occasionally, differences can occur because of minor amounts of alkaloids other than nicotine in some types of tobacco.

Annex A provides information about the use of this method in conjunction with or simultaneously with the gas-chromatographic method of water determination specified in ISO 10362-1.

A bibliography is provided.

No machine smoking regime can represent all human smoking behaviour:

- it is recommended that cigarettes also be tested under conditions of a different intensity of machine smoking than those specified in this International Standard;
- machine smoking testing is useful to characterize cigarette emissions for design and regulatory purposes, but communication of machine measurements to smokers can result in misunderstandings about differences in exposure and risk across brands;
- smoke emission data from machine measurements may be used as inputs for product hazard assessment, but they are not intended to be nor are they valid as measures of human exposure or risks. Communicating differences between products in machine measurements as differences in exposure or risk is a misuse of testing using ISO standards.