Second edition 2021-08

Geometrical product specifications (GPS) — Acceptance and reverification tests for coordinate measuring systems (CMS) —

Part 10: Laser trackers

Spécification géométrique des produits (GPS) — Essais de réception et de vérification périodique des systèmes à mesurer tridimensionnels (SMT) —

Partie 10: Laser de poursuite



ISO 10360-10:2021(E)

This is a preview of "ISO 10360-10:2021". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents			Page
Fore	word		iv
Intro	ductio	on	v
1	Scop	ıe	1
2	Nori	native references	1
3	Terms and definitions		1
4	Sym	bols	6
5	Rated operating conditions		
	5.1 Environmental conditions		7
	5.2 Operating conditions		
6	Acceptance tests and reverification tests		
	6.1 6.2	General Probing size and form errors	
	0.2	6.2.1 Principle	
		6.2.2 Reference artefact	8
		6.2.3 Procedure	
	6.3	6.2.4 Derivation of test results Location errors (two-face tests)	
	0.3	6.3.1 Principle	
		6.3.2 Reference artefact	
		6.3.3 Procedure	
	<i>c</i> 4	6.3.4 Derivation of test results	
	6.4	Length errors	
		6.4.2 Principle	
		6.4.3 Reference artefacts	
		6.4.4 Procedure	
		6.4.5 Derivation of test results	
7	Conformity with specification		
	7.1 7.2	Acceptance tests	
		Reverification tests	
8		lications	18
	8.1 8.2	Acceptance testReverification test	
	8.3	Interim check	
9	Alte	rnative unformatted presentation of symbols	19
		formative) Forms	
	_	ormative) Calibrated test lengths	
	-	ormative) Thermal compensation of workpieces	
		formative) Specification of MPEs	
		formative) Interim testing	
	•	ormative) Testing of a stylus and retroreflector combination (SRC)	
		ormative) Testing of an optical distance sensor and retroreflector combination	
		R)	42
Anne	ex H (in	formative) Relation to the GPS matrix model	45
Bibli	ograpl	ıy	46

iii

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 290, *Dimensional and geometrical product specification and verification*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 10360-10:2016), which has been technically revised.

The main changes to the previous edition are as follows:

- the number of lengths tested has been reduced;
- user-selectable positions for two-face testing have been added;
- more guidance on interim testing has been added;
- symbol E_{Uni} revised to E_{Vol} .

A list of all parts in the ISO 10360 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO 14638). It influences chain link F of the chain of standards on size, distance, form, orientation, location and run-out.

The ISO/GPS matrix model given in ISO 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

More detailed information on the relation of this document to other standards and the GPS matrix model can be found in $\underline{\text{Annex } H}$.

The objective of this document is to provide a well-defined testing procedure for:

- a) laser tracker manufacturers to specify performance by maximum permissible errors (MPEs); and
- b) to allow testing of these specifications using calibrated and traceable test lengths, test spheres and flats.

The benefits of these tests are that the measured result has a direct traceability to the unit of length, the metre, and that it gives information on how the laser tracker will perform on similar length measurements.

This document is distinct from ISO 10360-2, which is for coordinate measuring machines (CMMs) equipped with contact probing systems, in that the orientation of the calibrated test lengths reflects the different instrument geometry and error sources within the instrument.