Second edition 2006-02-15

Freight thermal containers — Remote condition monitoring

Conteneurs à caractéristiques thermiques — Système de pilotage à distance des groupes frigorifiques



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Cont	Contents Page		
Forewordiv			
Introdu	ntroductionv		
1	Scope	. 1	
2	Normative references		
3	Terms and definitions		
4	Performance requirements		
4.1 4.2	General		
4.2 4.2.1	Requirements		
4.2.1	Performance function		
4.2.3	Performance constraints		
-			
5	System compatibility requirements	. 9	
5.1	General		
5.2 5.2.1	Communications protocol		
5.2.1 5.2.2	MMU to MDCU communications		
5.2.3	MDCU to LRCD communications		
5.2.4	MDCU to HRCD communications		
5.3	MMU/Device communications		
5.3.1	Headers		
5.3.2	Other MMU/Device messages		
5.4	Low data rate physical requirements — LDCU to LRCD	51	
5.4.1	Frequency		
5.4.2	Modulation method		
5.4.3	Baud rate		
5.4.4	Transmission mode		
5.4.5	Injection mode		
5.4.6	Receiver sensitivity		
5.4.7 5.4.8	Non-transmission Impedance		
5.4.8 5.4.9	Bit synchronization Carrier setup time		
5.4.9 5.4.10	Out-of-band filtering for HDR compatibility		
5.5	High data rate physical requirements — HDCU to HRCD		
5.5.1	Modulation method — Broad band		
5.5.2	Transmission mode		
5.5.3	Injection mode		
5.5.4	Output/input impedance		
5.5.5	Power density function		
5.5.6	Synchronization method		
5.5.7	Demodulation method		
5.5.8	Receiver sensitivity		
5.5.9	Data link protocol	54	
5.5.10	Out-of-band filtering requirements for "LDR" compatibility	61	
Riblion	Ribliography 64		

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10368 was prepared by Technical Committee ISO/TC 104, *Freight containers*, Subcommittee SC 2, *Specific purpose containers*.

This second edition cancels and replaces the first edition (ISO 10368:1992), which has been technically revised.

Introduction

In revising this International Standard, material relating to the RCD/Controller interface has been deleted as it is not relevant to the powerline interface, and the section on data logging formats has been deleted as it is not used in the industry. Where necessary, other smaller additions, deletions and corrections have been applied.

The International Organization for Standardization (ISO) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the low and high data rate systems given in 5.4 and 5.5 respectively. ISO takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured ISO that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO. (The declarations have not yet been received by ISO.) For the low data rate system, information may be obtained from:

Thermo King Corporation, 314 W 90th Street Minneapolis, Minnesota 55420 USA

For the high data rate system, information may be obtained from:

Adaptive Networks Incorporated 1505 Commonwealth Ave. Suite 30 Brighton, Massachusetts 02135 USA

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. ISO shall not be held responsible for identifying any or all such patent rights.