

This is a preview of "ISO 10414-2:2011". [Click here to purchase the full version from the ANSI store.](#)

Second edition  
2011-06-15

---

---

## **Petroleum and natural gas industries — Field testing of drilling fluids —**

### **Part 2: Oil-based fluids**

*Industries du pétrole et du gaz naturel — Essais in situ des fluides de forage —*

*Partie 2: Fluides à base d'huiles*



Reference number  
ISO 10414-2:2011(E)

© ISO 2011

This is a preview of "ISO 10414-2:2011". [Click here to purchase the full version from the ANSI store.](#)



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

This is a preview of "ISO 10414-2:2011". Click here to purchase the full version from the ANSI store.

## Contents

Page

Foreword .....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	2
3 Terms and definitions .....	2
4 Symbols and abbreviated terms .....	3
4.1 Symbols.....	3
4.2 Abbreviated terms .....	9
5 Determination of drilling fluid density (mud weight).....	10
5.1 Principle.....	10
5.2 Apparatus.....	10
5.3 Procedure.....	10
5.4 Calculation .....	10
6 Alternative method for determination of drilling fluid density .....	12
6.1 Principle.....	12
6.2 Apparatus .....	12
6.3 Procedure.....	13
6.4 Calculation .....	14
7 Viscosity and gel strength.....	14
7.1 Principle.....	14
7.2 Determination of viscosity using the Marsh funnel.....	14
7.3 Determination of viscosity and gel strength using a direct-reading viscometer .....	15
8 Static filtration .....	18
8.1 Principle.....	18
8.2 High-temperature/high-pressure test up to 175 °C (350 °F).....	18
8.3 High-temperature/high-pressure test 175 °C (350 °F) up to and including 230 °C (450 °F).....	21
9 Retort test for oil, water and solids concentrations .....	23
9.1 Principle.....	23
9.2 Apparatus.....	24
9.3 Procedure — Volumetric method .....	25
9.4 Calculation — Volumetric method.....	26
9.5 Procedure — Gravimetric method .....	27
9.6 Calculation — Gravimetric method .....	29
9.7 Calculation — Volume fractions of oil, water and solids .....	30
10 Chemical analysis of oil-based drilling fluids .....	32
10.1 Principle.....	32
10.2 Reagents and apparatus.....	33
10.3 Base alkalinity demand, $V_B$ .....	34
10.4 Whole-drilling-fluid alkalinity, $V_K$ .....	35
10.5 Whole-drilling-fluid chloride concentration.....	37
10.6 Whole-drilling-fluid calcium concentration .....	38
11 Electrical stability test.....	39
11.1 Principle.....	39
11.2 Apparatus.....	39
11.3 Equipment calibration/performance test .....	40
11.4 Procedure.....	40

This is a preview of "ISO 10414-2:2011". [Click here to purchase the full version from the ANSI store.](#)

<b>12</b>	<b>Lime, salinity and solids calculations .....</b>	<b>41</b>
<b>12.1</b>	<b>Principle.....</b>	<b>41</b>
<b>12.2</b>	<b>Apparatus .....</b>	<b>42</b>
<b>12.3</b>	<b>Whole-drilling-fluid calculations .....</b>	<b>42</b>
<b>12.4</b>	<b>Aqueous phase calculations .....</b>	<b>44</b>
<b>12.5</b>	<b>Soluble and insoluble whole-drilling-fluid sodium chloride calculations .....</b>	<b>48</b>
<b>12.6</b>	<b>Calculation — Solids in the whole drilling fluid .....</b>	<b>49</b>
<b>Annex A (informative)</b>	<b>Measurement of shear strength using shearometer tube .....</b>	<b>54</b>
<b>Annex B (informative)</b>	<b>Determination of oil and water retained on cuttings.....</b>	<b>56</b>
<b>Annex C (informative)</b>	<b>Determination of aqueous-phase activity of emulsified water using an electrohygrometer .....</b>	<b>61</b>
<b>Annex D (informative)</b>	<b>Determination of aniline point .....</b>	<b>64</b>
<b>Annex E (informative)</b>	<b>Lime, salinity and solids calculations.....</b>	<b>67</b>
<b>Annex F (informative)</b>	<b>Sampling, inspection and rejection of drilling materials .....</b>	<b>88</b>
<b>Annex G (informative)</b>	<b>Rig-site sampling .....</b>	<b>90</b>
<b>Annex H (informative)</b>	<b>Determination of cutting activity by the Chenevert method .....</b>	<b>93</b>
<b>Annex I (informative)</b>	<b>Chemical analysis of active sulfides by the Garrett gas train method .....</b>	<b>97</b>
<b>Annex J (informative)</b>	<b>Calibration and verification of glassware, thermometers, viscometers, retort kit cup and drilling fluid balances .....</b>	<b>102</b>
<b>Annex K (informative)</b>	<b>High-temperature/high-pressure filtration testing of oil-based drilling fluids using the permeability plugging apparatus and cells equipped with set-screw secured end caps .....</b>	<b>107</b>
<b>Annex L (informative)</b>	<b>High-temperature/high-pressure filtration testing of oil-based drilling fluids using the permeability plugging apparatus and cells equipped with threaded end caps .....</b>	<b>117</b>
<b>Annex M (informative)</b>	<b>Compatibility of elastomeric materials with non-aqueous-based drilling fluids .....</b>	<b>127</b>
<b>Annex N (informative)</b>	<b>Sand content procedure for non-aqueous fluids .....</b>	<b>131</b>
<b>Annex O (informative)</b>	<b>Identification and monitoring of weight-material sag .....</b>	<b>132</b>
<b>Annex P (informative)</b>	<b>Oil-based drilling fluid report form.....</b>	<b>155</b>
<b>Bibliography .....</b>		<b>156</b>

This is a preview of "ISO 10414-2:2011". [Click here to purchase the full version from the ANSI store.](#)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10414-2 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for the petroleum, petrochemical and natural gas industries*, Subcommittee SC 3, *Drilling and completion fluids, and well cements*.

This second edition cancels and replaces the first edition (ISO 10414-2:2002), which has been technically revised.

ISO 10414 consists of the following parts, under the general title *Petroleum and natural gas industries — Field testing of drilling fluids*:

- *Part 1: Water-based fluids*
- *Part 2: Oil-based fluids*

## Introduction

This part of ISO 10414 is based on API RP 13B-2:2005, *Recommended practice for field testing of oil-based drilling fluids*.

As with any laboratory procedure requiring the use of potentially hazardous chemicals and equipment, the user is expected to have received proper training and knowledge in the use and disposal of these potentially hazardous materials. The user is responsible for compliance with all applicable local, regional and national requirements for worker and local health, safety and environmental liability.

In this part of ISO 10414, quantities expressed in the International System (SI) of units are also, where practical, expressed in United States Customary (USC) units in parentheses for information. The units do not necessarily represent a direct conversion of SI units to USC units, or USC units to SI units. Consideration has been given to the precision of the instrument making the measurement. For example, thermometers are typically marked in one degree increments, thus temperature values have been rounded to the nearest degree.

Calibrating an instrument refers to ensuring the accuracy of the measurement. Accuracy is the degree of conformity of a measurement of a quantity to its actual or true value. Accuracy is related to precision, or reproducibility, of a measurement. Precision is the degree to which further measurements or calculations will show the same or similar results. Precision is characterized in terms of the standard deviation of the measurement. The results of calculations or a measurement can be accurate but not precise, precise but not accurate, neither accurate nor precise, or both accurate and precise. A result is valid if it is both accurate and precise.