

This is a preview of "ISO 10426-3:2019". Click here to purchase the full version from the ANSI store.

Second edition
2019-08

Petroleum and natural gas industries — Cements and materials for well cementing —

Part 3: Testing of deepwater well cement formulations

*Industries du pétrole et du gaz naturel — Ciments et matériaux pour
la cimentation des puits —*

Partie 3: Essais de formulations de ciment pour puits en eau profonde



Reference number
ISO 10426-3:2019(E)

© ISO 2019



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

This is a preview of "ISO 10426-3:2019". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword	iv
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Supplements to API RP 10B-3, 2nd edition (2016)	2
4.1 General requirements.....	2
4.2 Procedure for compressive strength determination.....	2
4.3 Thickening-time schedule determination.....	2
4.3.1 Testing method and procedures for a casing or liner without a liner-top packer or non-expandable liner hanger system.....	2
4.3.2 Testing method for a liner with a liner-top packer or expandable liner hanger system.....	2
4.3.3 Testing method for open-hole or closed-hole plug.....	2
4.3.4 Thickening-time test procedure.....	2
4.3.5 Testing method for continuous-pumping squeeze cementing.....	3
4.3.6 Testing method for hesitating-pumping squeeze cementing.....	3
Bibliography	4

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 3, *Drilling and completion fluids, and well cements*.

This second edition cancels and replaces the first edition (ISO 10426-3:2003), which has been technically revised.

This document supplements API RP 10B-3, 2nd edition (2016).

The technical requirements of this document and API RP 10B-3 used to be identical. In the meantime, API RP 10B-3 has been technically revised as API RP 10B-3, 2nd edition (2016). The purpose of this document is to bring this document up-to-date, by referencing the current edition of API RP 10B-3 and adding supplementary content.

The main changes compared to the previous edition are as follows:

- A clause on numerical pressure and temperature simulation has been added in order to allow accurate determination of the pressure and temperature schedules required for the various tests;
- Strength determination at the casing shoe, the mudline, potential flow zones, top-of-liner and open- or cased hole plug and squeeze locations is treated separately;
- Directions for sonic strength testing data reporting have been included;
- The laboratory procedures for both sonic and destructive strength measurements have been expanded;
- A clause has been added on thickening time simulations for liner cementations with and without the use of either liner-top packers or expandable liner hangers.

A list of all parts in the ISO 10426 series can be found on the ISO website.

This is a preview of "ISO 10426-3:2019". [Click here to purchase the full version from the ANSI store.](#)

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The test methods contained in this document, though generally based on ISO 10426-2, consider the specialized sampling/testing requirements and unique downhole temperature profiles found in deepwater wells. ISO 10426-2 contains no applicable well simulation schedules for deepwater cementing operations.

In a deepwater cementing environment, several factors impact the thermal history of the cement slurry. These factors include: water depth, mud-line temperature, geothermal gradient, the presence or absence of a drilling riser, drilling fluid temperature, ocean current velocity, presence of thermoclines (layers of ocean water separated by temperature), ambient sea-surface temperature, cement mix-water temperature, bulk cement temperature, cement mixing rate, cement heat of hydration, displacement rate, prior circulating and static event history, drill pipe size and mass, casing size and mass, and hole size.

In this way, the testing of the cement formulation can reflect as closely as possible the actual temperature profile found during field cementing operations.

Numerical modelling can be used to determine the relative magnitude of the input variables so that "most likely" and "less likely" scenarios of temperature history can be assessed. The values of some input variables might not be known precisely, and a range of possible values needs to be employed. Physical laboratory testing can then be conducted at "most likely" conditions, with some additional testing at "less likely" conditions to determine the sensitivity to well conditions. Sound engineering judgement can then be applied to assess the risks.

These procedures serve not only for the testing of well cements under deepwater well conditions but can also be used in those circumstances where low seafloor temperatures are found at shallow water depths.

Well cements that can be used in deepwater well cementing can include those of ISO Classes A, C, G or H (as given in ISO 10426-1^[1]), high-alumina cement, appropriate foamed cements, various types of ductile cement compositions, etc.

In this document, where practical, United States customary (USC) units are included in parentheses for information.