

This is a preview of "ISO 10601:2007". [Click here to purchase the full version from the ANSI store.](#)

Second edition
2007-03-01

Micaceous iron oxide pigments for paints — Specifications and test methods

*Pigments d'oxyde de fer micacé pour peintures — Spécifications
et méthodes d'essai*



Reference number
ISO 10601:2007(E)

© ISO 2007

This is a preview of "ISO 10601:2007". [Click here to purchase the full version from the ANSI store.](#)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO 10601:2007". [Click here to purchase the full version from the ANSI store.](#)

Contents

Page

Foreword.....	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Classification	2
5 Required characteristics and their tolerances	2
6 Sampling	3
7 Assessment of thin-flake content	3
8 Test report	4

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10601 was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*, Subcommittee SC 2, *Pigments and extenders*.

This second edition cancels and replaces the first edition (ISO 10601:1993), which has been technically revised.

The main technical changes are:

- a) the description of the grades has been changed and the grade "non-lamellar" deleted;
- b) the requirements for the residue on sieve have been changed.

This is a preview of "ISO 10601:2007". [Click here to purchase the full version from the ANSI store.](#)

Introduction

Micaceous iron oxide pigments were previously included in ISO 1248 (classified in the colour group “grey with metallic sheen”) but are explicitly excluded from the revised edition published in 2006. In this revised edition of ISO 10601, the requirements for micaceous iron oxide pigment have been defined more clearly and relate to an essentially lamellar particle shape.

Micaceous iron oxide pigments can vary in composition, particle size range, and particle shape depending on whether they are produced synthetically or, if a refined natural oxide, on the location where the ore was mined.

The primary use of micaceous iron oxide is in protective coatings for steelwork, and for optimum performance the pigment should have a high content of thin flake-like particles. The protective action is ascribed to the close packing of pigment platelets within the paint film, forming overlapping layers that lie roughly parallel to the substrate. This impedes penetration of corrosion promoters, reduces ultra-violet degradation of the binder and improves film strength. For less critical requirements, micaceous iron oxide pigment with a lower content of thin flakes may be acceptable. Therefore in this International Standard, micaceous iron oxide pigments are classified into two groups according to their thin-flake content as determined by microscopic examination (see Table 1).

For the purposes of this International Standard, pigments with a lamellar-particle content below 50 % are not considered to be “micaceous” or classified as “lamellar”.