

Fourth edition 2018-04

Spheroidal graphite cast irons — Classification

Fontes à graphite sphéroïdal — Classification



Reference number ISO 1083:2018(E)

ISO 1083:2018(E)

This is a preview of "ISO 1083:2018". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents			Page
Forew	ord		v
Intro	duction		vi
1	Scope		1
2	•	ative references	
3	Terms and definitions		
4	Ü	nation	
5	Order information		
6	Manu	facture	3
7	Requirements		
	7.1	General	
	7.2	Ferritic to pearlitic spheroidal graphite cast irons	
		7.2.1 Test pieces machined from cast samples.	3
		7.2.2 Test pieces machined from samples cut from a casting	5
		7.2.3 Classification by hardness	
		7.2.4 Graphite structure	
	7.0	7.2.5 Matrix structure	
	7.3	Solid solution strengthened ferritic spheroidal graphite cast irons	
		7.3.1 Test pieces machined from cast samples	6
		7.3.2 Test pieces machined from samples cut from a casting	
		7.3.3 Classification by hardness	
		7.3.4 Graphite structure7.3.5 Matrix structure	
8	Sampling		
	8.1 General		
	8.2	Cast samples	
		8.2.1 Size of cast samples	
		8.2.2 Frequency and number of tests	
		8.2.3 Separately cast samples	
		8.2.4 Side-by-side cast samples	
		8.2.5 Cast-on samples	
		8.2.6 Test pieces machined from cast samples	
	8.3 Samples cut from a casting		
	8.4	Formation of test units and number of tests	
		8.4.1 Examples of test units	
		8.4.2 Number of tests per test unit	14
9	Test methods		
	9.1	Tensile test	
	9.2	Impact test	
	9.3	Hardness test	
	9.4	Graphite structure examination	
10	Retests		
10	10.1 Need for retests		
	10.1	Test validity	
	10.2	Non-conforming test results	
	10.4 Heat treatment of samples and castings		
		•	1 /
Annex		ormative) Additional information on solid solution strengthened ferritic	10
	-	oidal graphite cast irons	1g
Annex		mative) Relationship between the elongation values obtained when using test	
	piece	s with $L_0 = 5 \times d$ and $L_0 = 4 \times d$	21

ISO 1083:2018(E)

This is a preview of "ISO 1083:2018". Click here to purchase the full version from the ANSI store.

Annex C (informative) Fracture mechanical approach to spheroidal graphite cast irons	22
Annex D (informative) Guidance values for mechanical properties measured on test pieces machined from samples cut from the castings	24
Annex E (informative) Classification as a function of hardness	26
Annex F (informative) Nodularity	29
Annex G (informative) Additional information on mechanical and physical properties	30
Annex H (informative) Sectioning procedure for cast samples	34
Annex I (informative) Cross-references of grade designations from this document to other standard grades of spheroidal graphite cast irons	35
Bibliography	36

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 25, Cast irons and pig irons.

This fourth edition cancels and replaces the third edition (ISO 1083:2004), which has been technically revised with the following changes:

- solid-solution strengthened ferritic spheroidal graphite cast irons grades have been added;
- side-by-side cast samples have been added;
- several definitions have been added;
- the relation between mechanical properties and wall thickness has been added;
- figures for separately cast or side-by-side cast samples have been updated;
- the tensile test piece figure has been updated and the Charpy V-notched impact test piece figure has been removed;
- Annex A has been partially reworded;
- Annex C has been entirely reworded;
- Annex D has been developed;
- Annex E has become informative;
- Annex G has been developed;
- Annex H has been added.

Introduction

The properties of spheroidal graphite cast irons depend on their structure.

Spheroidal graphite cast irons covered by this document are divided into two groups:

- a) ferritic to pearlitic spheroidal graphite cast irons;
- b) solid-solution strengthened ferritic spheroidal graphite cast irons.

The mechanical properties of the material can be evaluated on machined test pieces prepared from the following:

- separately cast samples;
- side-by-side cast samples;
- cast-on samples;
- samples cut from a casting.

The material grade is defined by mechanical properties measured on machined test pieces prepared from cast samples.

If hardness is a requirement of the purchaser as being important for the application, then <u>Annex E</u> provides means for its determination.

It is well known that tensile properties and hardness of spheroidal graphite cast irons are interrelated. When considered by the purchaser as being important for the application, both tensile and hardness properties may be specified.

Some material grades can be suitable for pressure applications.

Further technical data on spheroidal graphite cast irons is given in Annexes C and G.