

First edition
2002-06-01

Acoustics and vibration — Laboratory measurement of vibro-acoustic transfer properties of resilient elements —

Part 3: Indirect method for determination of the dynamic stiffness of resilient supports for translatory motion

Acoustique et vibrations — Mesurage en laboratoire des propriétés de transfert vibro-acoustique des éléments élastiques —

Partie 3: Méthode indirecte pour la détermination de la raideur dynamique en translation des supports élastiques



Reference number
ISO 10846-3:2002(E)

© ISO 2002

This is a preview of "ISO 10846-3:2002". [Click here to purchase the full version from the ANSI store.](#)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

This is a preview of "ISO 10846-3:2002". Click here to purchase the full version from the ANSI store.

Contents

	Page
Foreword.....	iv
Introduction.....	v
1 Scope	1
2 Normative references	2
3 Terms and definitions	3
4 Principles.....	5
5 Requirements for apparatus.....	6
5.1 Normal translations	6
5.2 Transverse translations	10
5.3 Suppression of unwanted vibrations	11
6 Criteria for adequacy of the test arrangement	15
6.1 Frequency range.....	15
6.2 Determination of upper frequency limit f_3.....	16
6.3 Flanking transmission.....	19
6.4 Unwanted input vibrations.....	20
6.5 Accelerometers	21
6.6 Force transducers	21
6.7 Summation of signals	21
6.8 Analysers.....	21
7 Test procedures.....	21
7.1 Installation of the test elements.....	21
7.2 Mounting and connection of accelerometers.....	22
7.3 Mounting and connections of the vibration exciter	22
7.4 Source signal	22
7.5 Measurements.....	22
7.6 Test for linearity.....	23
8 Evaluation of test results	24
8.1 Evaluation of dynamic transfer stiffness.....	24
8.2 One-third-octave-band values of the frequency averaged dynamic transfer stiffness.....	24
8.3 Presentation of one-third-octave-band results	25
8.4 Presentation of narrow-band data	25
9 Information to be recorded.....	26
10 Test report	26
Annex A (informative) Transfer stiffness related to rotatory vibration components.....	28
Annex B (informative) Effect of symmetry on the transfer stiffness matrix	36
Annex C (informative) Static load-deflection curve.....	37
Bibliography.....	38

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 10846 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10846-3 was prepared jointly by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*, and ISO/TC 108, *Mechanical vibration and shock*.

ISO 10846 consists of the following parts, under the general title *Acoustics and vibration — Laboratory measurement of vibro-acoustic transfer properties of resilient elements*:

- *Part 1: Principles and guidelines*
- *Part 2: Dynamic stiffness of elastic supports for translatory motion — Direct method*
- *Part 3: Indirect method for determination of the dynamic stiffness of resilient supports for translatory motion*
- *Part 4: Dynamic stiffness of elements other than resilient supports for translatory motion*
- *Part 5: Driving point method for determination of the low frequency dynamic stiffness of elastic supports for translatory motion*

Annexes A, B and C of this part of ISO 10846 are for information only.

This is a preview of "ISO 10846-3:2002". [Click here to purchase the full version from the ANSI store.](#)

Introduction

Passive vibration isolators of various kinds are used to reduce the transmission of vibrations. Examples are automobile engine mounts, resilient supports for buildings, resilient mounts and flexible shaft couplings for shipboard machinery and small isolators in household appliances.

This part of ISO 10846 specifies an indirect method for measuring the dynamic transfer stiffness function of linear resilient supports. This includes resilient supports with non-linear static load-deflection characteristics provided that the elements show an approximate linearity for vibrational behaviour for a given static preload. This part of ISO 10846 belongs to a series of International Standards on methods for the laboratory measurement of vibro-acoustic properties of resilient elements, which also includes parts on measurement principles and on a direct and a driving point method. ISO 10846-1 provides global guidance for the selection of the appropriate International Standard.

The laboratory conditions described in this part of ISO 10846 include the application of static preload, where appropriate.

The results of the indirect method are useful for isolators, which are used to reduce the transmission of structureborne sound (primarily frequencies above 20 Hz). The method does not characterize isolators completely, which are used to attenuate low frequency vibration or shock excursions.