

Third edition
2022-11

Biological evaluation of medical devices —

Part 2: Animal welfare requirements

*Évaluation biologique des dispositifs médicaux —
Partie 2: Exigences relatives à la protection des animaux*



Reference number
ISO 10993-2:2022(E)

© ISO 2022



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

This is a preview of ISO 10993-2:2022. [Click here to purchase the full version from the ANSI store.](#)

Contents	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirements	3
4.1 General.....	3
4.2 Justification for animal tests.....	4
4.3 Competence of personnel.....	5
4.4 Planning and performance of animal tests.....	5
4.4.1 General.....	5
4.4.2 Re-use.....	5
4.5 Test strategy — Sequence of in vitro and in vivo tests.....	6
4.6 Animal care and accommodation.....	6
4.6.1 General.....	6
4.6.2 Restraint.....	6
4.6.3 Surgical procedures.....	6
4.7 Humane end points.....	7
4.7.1 General.....	7
4.7.2 Euthanasia.....	7
4.8 Study documentation.....	7
4.9 Validity of test results and mutual acceptance of data.....	8
Annex A (informative) Rationale for the development of this document	9
Annex B (informative) Further suggestions for replacing, reducing and refining animal tests	13
Bibliography	14

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 194, *Biological and clinical evaluation of medical devices*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 206, *Biocompatibility of medical and dental materials and devices*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 10993-2:2006), which has been technically revised.

The main changes are as follows:

- laboratory animal veterinarian and their responsibilities and authority have been clarified;
- requirements for trained veterinary care staff have been added;
- ILAR Guide, IAAC and AAALAC International have been added;
- aseptic methods, monitoring, pharmaceutical grade of chemical usage for surgery have been added.

A list of all parts in the ISO 10993 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This is a preview of ISO 10993-2:2022. [Click here to purchase the full version from the ANSI store.](#)

Introduction

The goal of the ISO 10993 series is the protection of humans in the context of the use of medical devices.

This document supports the goal of the ISO 10993 series by promoting good science through paying proper regard to maximizing the use of scientifically sound non-animal tests and by ensuring that those animal tests performed to evaluate the biological properties of materials used in medical devices are conducted humanely according to recognized ethical and scientific principles.

The application of such humane experimental techniques, including high standards of animal care and accommodation, both help to ensure the scientific validity of safety testing and enhance the welfare of the animals used.