Third edition 2018-03

# Plastics — Differential scanning calorimetry (DSC) —

Part 6:

Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT)

Plastiques — Analyse calorimétrique différentielle (DSC) —

Partie 6: Détermination du temps d'induction à l'oxydation (OIT isotherme) et de la température d'induction à l'oxydation (OIT dynamique)



## ISO 11357-6:2018(E)

This is a preview of "ISO 11357-6:2018". Click here to purchase the full version from the ANSI store.



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents			Page
Fore	word		iv
Intr	oductio	on	v
1	Scop	oe	1
2	Normative references		
		ns and definitions	
	Principle		
4	4.1	General	2
	4.2 4.3	Oxidation induction time (isothermal OIT)	
5	Apparatus and materials		3
	5.1	General	3
	5.2	DSC instrument	
	5.3	Crucibles	
	5.4 5.5	FlowmeterOxygen	
	5.6	Air	
	5.7	Nitrogen	
	5.8	Gas-selector switch and regulators	
6	Test specimens		4
	6.1	General	4
	6.2	Specimens from compression-moulded plates	
	6.3	Specimens from injection-moulded plates or melt flow extrudates	
	6.4	Specimens from finished parts	4
7	Test	conditions and specimen conditioning	5
8	Calil	oration	
	8.1	Oxidation induction time (isothermal OIT)	
	8.2	Oxidation induction temperature (dynamic OIT)	5
9	Procedure		5
	9.1	Setting up the instrument	
	9.2	Loading the test specimen into the crucible	
	9.3	Insertion of crucibles	
	9.4 9.5	Nitrogen, air and oxygen flowSensitivity adjustment	
	9.5 9.6	Performance of measurement	
	7.0	9.6.1 Oxidation induction time (isothermal OIT)	
		9.6.2 Oxidation induction temperature (dynamic OIT)	
	9.7	Cleaning	
10	Expression of results		8
11	Prec	Precision and bias	
12	Test report		
Rihl	ingranl	nv	12

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 5, *Physical-chemical properties*.

This third edition cancels and replaces the second edition (ISO 11357-6:2008), which has been technically revised. The main changes compared to the previous edition are as follows:

- the normative references in <u>Clause 2</u> have been updated;
- techniques for purge gas flow control have been extended.

A list of all parts in the ISO 11357 series can be found on the ISO website.

# Introduction

The measurement of oxidation induction time or temperature described in this document provides a tool to assess the conformity of the material tested to a given formulation of plastics compounds, but it is not intended to provide the concentration of antioxidant. Different antioxidants can have different oxidation induction times or temperatures. Due to interaction of the antioxidant with other substances in the formulation, different oxidation induction times or temperatures can result even with products having the same type and concentration of antioxidant.