

This is a preview of "ISO 11365:2017". Click here to purchase the full version from the ANSI store.

First edition 2017-09

# Petroleum and related products — Requirements and guidance for the maintenance of triaryl phosphate ester turbine control fluids

Pétrole et produits connexes — Exigences et recommandations pour la maintenance des fluides de régulation de turbines à base d'esters phosphates de triaryle



Reference number ISO 11365:2017(E)

### ISO 11365:2017(E)

This is a preview of "ISO 11365:2017". Click here to purchase the full version from the ANSI store.



### COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org This is a preview of "ISO 11365:2017". Click here to purchase the full version from the ANSI store.

COI	ntent	S	Page	
Fore	word		v	
Intro	oductio	n	vi	
1	Scop	e	1	
2	•	native references		
3	Terms and definitions			
4	Description of triaryl phosphate ester fluids			
5	Health and safety precautions			
	5.1 5.2	Fluid handlingWaste disposal		
6		hazards		
6	6.1	General points		
	6.2	Methods of extinguishing fires		
7	Compatibility of materials			
	7.1	Seals, paints and gaskets	3	
	7.2	Electrical cable insulation	4	
8	Factors affecting service life			
	8.1	General		
	8.2 8.3	System designSystem operating conditions		
	8.4	System maintenance		
	8.5	Fluid contamination	5	
		8.5.1 General		
	8.6 8.7	8.5.2 Air		
		8.5.4 Particulates		
		8.5.5 Mineral oil		
		8.5.6 Metal soaps		
		8.5.7 Chlorinated materials		
		Fluid condition monitoringFluid purification		
	8.8	Fluid top up		
9	Deliv	very and storage	7	
10	Flush	ning the system	7	
11		l sampling		
	11.1	General		
	11.2	Containers		
	11.3	Sampling in service		
		11.3.1 General 11.3.2 Sampling points		
		11.3.3 Precautions to be taken when sampling from a line		
		11.3.4 Sampling from a tank or reservoir		
	11.4	Sampling of fresh fluid		
	11.5	Labelling		
12	Recommended procedures for fluid monitoring			
	12.1 12.2	Appearance and colourWater content		
	12.3	Neutralization number (Acid number - AN)		
	12.4	Fluid cleanliness	12	
	12.5	Direct current resistivity (volume resistivity)	13	

# ISO 11365:2017(E)

# This is a preview of "ISO 11365:2017". Click here to purchase the full version from the ANSI store.

Bibliography			
	14.2	Trend analysis	18
	14.1	General	16
14	Examination of used fluid		16
10	13.1	Acceptance tests for new fluid	
13	Examination of new fluid		15
		Foaming	14
	12.9	Air release	14
	12.8	Viscosity	14
	12.7	Mineral oil content	13
	12.6	Chlorine content	13

This is a preview of "ISO 11365:2017". Click here to purchase the full version from the ANSI store.

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>

This document was prepared by Technical Committee ISO/TC 28, *Petroleum and related products, fuels and lubricants from natural or synthetic sources*, Sub-committee SC 4, *Classifications and specifications*.

This first edition of ISO 11365 cancels and replaces ISO/TS 11365:2011.

### ISO 11365:2017(E)

This is a preview of "ISO 11365:2017". Click here to purchase the full version from the ANSI store.

## Introduction

Many turbine manufacturers or electrical power utilities have standardized requirements for the maintenance of triaryl phosphate ester hydraulic control fluids in service. A comparison of these requirements has made it possible to develop this document. However, the recommendations given in this document are for guidance and should not be considered as absolute. When interpreting results and deciding action, account has to be taken of various factors such as the conditions of use, the type of equipment, and the general trend in fluid characteristics.