

This is a preview of "ISO 11443:2014". [Click here to purchase the full version from the ANSI store.](#)

Third edition
2014-04-01

Plastics — Determination of the fluidity of plastics using capillary and slit-die rheometers

Plastiques — Détermination de la fluidité au moyen de rhéomètres équipés d'une filière capillaire ou plate



Reference number
ISO 11443:2014(E)

© ISO 2014

This is a preview of "ISO 11443:2014". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO 11443:2014". [Click here to purchase the full version from the ANSI store.](#)

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 General principles	4
5 Apparatus	4
5.1 Test device	4
5.2 Temperature control	9
5.3 Measurement of temperature and calibration	9
5.4 Measurement of pressure and calibration	10
5.5 Measurement of the volume flow rate of the sample	11
6 Sampling	11
7 Procedure	11
7.1 Cleaning the test device	11
7.2 Selection of test temperatures	11
7.3 Preparation of samples	12
7.4 Preheating	13
7.5 Determination of the maximum permissible test duration	13
7.6 Determination of test pressure at constant volume flow rate: Method 2	13
7.7 Determination of volume flow rate at constant test pressure: Method 1	13
7.8 Waiting periods during measurement	14
7.9 Measurement of extrudate swelling	14
8 Expression of results	15
8.1 Volume flow rate	15
8.2 Apparent shear rate	15
8.3 Apparent shear stress	16
8.4 True shear stress	17
8.5 True shear rate	21
8.6 Viscosity	22
8.7 Determination of extrudate swelling	22
9 Precision	23
10 Test report	24
10.1 General	24
10.2 Test conditions	24
10.3 Flow characteristics	25
10.4 Visual examination	26
Annex A (informative) Method of correcting for the influence of H/B on the apparent shear rate	27
Annex B (informative) Measurement errors	29
Annex C (informative) Uncertainties in the determination of shear viscosity by capillary extrusion rheometry testing	30
Bibliography	36

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 61, *Plastics*, Subcommittee SC 5, *Physical-chemical properties*.

This third edition cancels and replaces the second edition (ISO 11443:2005), of which it constitutes a minor revision with the following changes:

- polybutene-1 (PB-1) with typical temperature range of 150 °C to 230 °C has been added in [Table 3](#);
- normative references have been updated.