

First edition  
1999-09-15

---

---

## Plastics — Methods for determining the density of non-cellular plastics —

### Part 3: Gas pycnometer method

*Plastiques — Méthodes pour déterminer la masse volumique des plastiques non alvéolaires —*

*Partie 3: Méthode utilisant un pycnomètre à gaz*



Reference number  
ISO 1183-3:1999(E)

This is a preview of "ISO 1183-3:1999". [Click here to purchase the full version from the ANSI store.](#)

## Contents

<b>1 Scope .....</b>	<b>1</b>
<b>2 Terms, definitions, symbols, units and abbreviated terms .....</b>	<b>1</b>
<b>3 Principle .....</b>	<b>2</b>
<b>4 Apparatus and materials .....</b>	<b>3</b>
<b>5 Test specimens .....</b>	<b>3</b>
<b>6 Calibration .....</b>	<b>3</b>
<b>7 Procedure and calculation .....</b>	<b>4</b>
<b>8 Precision .....</b>	<b>4</b>
<b>9 Test report .....</b>	<b>4</b>
<b>Annex A (informative) Two-chamber pressure-measuring pycnometer.....</b>	<b>6</b>

© ISO 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization  
Case postale 56 • CH-1211 Genève 20 • Switzerland  
Internet iso@iso.ch

Printed in Switzerland

This is a preview of "ISO 1183-3:1999". [Click here to purchase the full version from the ANSI store.](#)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 1183-3 was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 5, *Physical-chemical properties*. Together with the other parts (see below), it cancels and replaces ISO 1183:1987, which has been technically revised.

ISO 1183 consists of the following parts under the general title, *Plastics — Methods for determining the density of non-cellular plastics*:

- *Part 1: Immersion method, pycnometer method and titration method*
- *Part 2: Density gradient column method*
- *Part 3: Gas pycnometer method*

Annex A of this part of ISO 1183 is for information only.

This is a preview of "ISO 1183-3:1999". [Click here to purchase the full version from the ANSI store.](#)

## Introduction

This part of ISO 1183 is one of a series dealing with methods of measuring the density of solid non-cellular plastics. The values obtained using this part of ISO 1183 are expected to be comparable to those obtained using the other parts.

Density measurements may be used to investigate variations in the physical structure or the molecular order of materials. Such measurements are widely used to determine the degree of crystallinity of polymers. In addition, they may be used to determine the amount of filler present.

The density of a plastic material may depend on any conditioning or thermal treatment which the material has undergone.

The physical structure of a polymer can change with time and temperature. Its volume is also a temperature-dependent property. This means that the density may vary with time and/or temperature.