

This is a preview of "ISO 12219-1:2012". [Click here to purchase the full version from the ANSI store.](#)

First edition
2012-07-15

Interior air of road vehicles —

Part 1:

Whole vehicle test chamber — Specification and method for the determination of volatile organic compounds in cabin interiors

Air intérieur des véhicules routiers —

Partie 1: Enceinte d'essai pour un véhicule complet — Spécification et méthode de détermination des composés organiques volatils dans les habitacles d'automobiles



Reference number
ISO 12219-1:2012(E)

© ISO 2012

This is a preview of "ISO 12219-1:2012". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

This is a preview of "ISO 12219-1:2012". [Click here to purchase the full version from the ANSI store.](#)

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Apparatus and materials	3
5 Principle	4
6 Requirements of the whole vehicle test chamber, test vehicle and measurement procedures ...	5
6.1 Requirements for the whole vehicle test chamber	5
6.2 Requirements for the test vehicle	7
6.3 Requirements for VOC and carbonyl compound air sampling and measurement methods	7
6.4 Blank measurements	8
7 Standard test procedure	9
7.1 General	9
7.2 Pre-arrangements and preconditioning of the whole vehicle test chamber and the vehicle and performing the field blanks	9
7.3 Detailed description of the test procedure	10
8 Calculation, presentation of results, and precision and uncertainty	12
9 Performance characteristics	12
10 Quality assurance/quality control	12
Annex A (informative) Whole vehicle test chamber	13
Annex B (informative) Temperature measuring points for parking mode	14
Annex C (informative) Test report	15
Annex D (informative) Very volatile organic compounds, volatile organic compounds, and semi-volatile organic compounds	20
Annex E (normative) Overview of the number of samples to be taken	21
Bibliography	22

This is a preview of "ISO 12219-1:2012". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 12219-1 was prepared by Technical Committee ISO/TC 146, *Air quality*, Subcommittee SC 6, *Indoor air*, in collaboration with Technical Committee ISO/TC 22, *Road vehicles*.

ISO 12219 consists of the following parts, under the general title *Interior air of road vehicles*:

- *Part 1: Whole vehicle test chamber — Specification and method for the determination of volatile organic compounds in cabin interiors*
- *Part 2: Screening method for the determination of the emissions of volatile organic compounds from vehicle interior parts and materials — Bag method*
- *Part 3 Screening method for the determination of the emissions of volatile organic compounds from vehicle interior parts and materials — Micro-scale chamber method*
- *Part 4: Screening method for the determination of the emissions of volatile organic compounds from vehicle interior parts and materials — Small chamber method*

The following part is under preparation:

- *Part 5: Screening method for the determination of the emissions of volatile organic compounds from vehicle interior parts and materials — Static chamber method*

This is a preview of "ISO 12219-1:2012". [Click here to purchase the full version from the ANSI store.](#)

Introduction

Volatile organic compounds (VOCs) are widely used in industry and can be emitted by many everyday products and materials. They have attracted attention in recent years because of their impact on indoor air quality. After homes and workplaces, people spend a lot of time in their vehicles. It is important to determine the material emissions of interior parts and to reduce them to an acceptable level, if required. Therefore it is necessary to obtain comprehensive and reliable information about the types of organic compounds in the interior air of vehicles and also their concentrations.

This part of ISO 12219 outlines a method of measuring the types and levels of VOCs in vehicle cabin air under controlled conditions. It describes requirements for a whole vehicle test chamber and a test protocol. Measurements are carried out according to ISO 16000-6 (VOCs) and ISO 16000-3 (carbonyl compounds).

There are several national test methods available for measuring in-vehicle air quality, e.g. References [2][3]. However, this part of ISO 12219 requires a fixed heating radiation system whereas the methods of References [2][3] define a fixed temperature programme.

Before setting a fixed radiation density for heating the test vehicle, several validation measurements were performed (Reference [1]).

ISO 16000-3, ISO 16000-5,^[6] ISO 16000-6, ISO 16000-9,^[7] ISO 16000-10,^[8] ISO 16000-11,^[9] ISO 16000-24,^[10] ISO 16000-25,^[11] as well as ISO 16017-1 and ISO 16017-2^[12] also focus on volatile organic compound (VOC) measurements.