

This is a preview of "ISO 12945-3:2014". [Click here to purchase the full version from the ANSI store.](#)

First edition  
2014-07-01

---

---

## **Textiles- Determination of the fabric propensity to surface pilling, fuzzing or matting —**

### **Part 3: Random tumble pilling method**

*Textiles - Détermination de la propension des étoffes à l'ébouriffage en surface et au boulochage —*

*Partie 3: Méthode de boulochage par projections aléatoires dans une chambre cylindrique*



Reference number  
ISO 12945-3:2014(E)

© ISO 2014

This is a preview of "ISO 12945-3:2014". Click [here](#) to purchase the full version from the ANSI store.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

This is a preview of "ISO 12945-3:2014". Click here to purchase the full version from the ANSI store.

## Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Principle</b> .....	<b>2</b>
<b>5 Apparatus and auxiliary materials</b> .....	<b>2</b>
5.1 Apparatus.....	2
5.2 Auxiliary materials.....	3
<b>6 Conditioning and testing atmosphere</b> .....	<b>4</b>
<b>7 Preparation of test specimens</b> .....	<b>4</b>
7.1 Pretreatment.....	4
7.2 Sampling.....	5
7.3 Fixation of specimen edges.....	5
7.4 Number of specimens and marking.....	5
<b>8 Preparation of apparatus</b> .....	<b>5</b>
8.1 Polychloroprene liners.....	5
<b>9 Procedure</b> .....	<b>5</b>
<b>10 Assessment of pilling and/or fuzzing and/or matting</b> .....	<b>6</b>
<b>11 Results</b> .....	<b>7</b>
<b>12 Test report</b> .....	<b>7</b>
<b>Annex A (normative) Checking of apparatus and preparation of liners</b> .....	<b>9</b>
<b>Annex B (informative) Alternative procedure</b> .....	<b>10</b>
<b>Annex C (informative) Rationale</b> .....	<b>11</b>
<b>Bibliography</b> .....	<b>13</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 38, *Textiles*, Subcommittee SC 24, *Conditioning atmospheres and physical tests for textile fabrics*.

ISO 12945 consists of the following parts, under the general title *Textiles — Determination of fabric propensity to surface pilling, fuzzing or matting*:

- *Part 1: Pilling box method*
- *Part 2: Modified Martindale method*
- *Part 3: Random tumble pilling method*

This is a preview of "ISO 12945-3:2014". [Click here to purchase the full version from the ANSI store.](#)

## Introduction

Pills are formed when fibres on a fabric surface “tease out” and become entangled during wear. Such surface deterioration is generally undesirable, but the degree of consumer tolerance for a given level of pilling will depend on the garment type and fabric end use.

Generally, the level of pilling which develops is determined by the rates of the following parallel processes:

- a) fibre entanglement leading to pill formation;
- b) development of more surface fibre;
- c) fibre and pill wear-off.

The rates of these processes depend on the fibre, yarn, and fabric properties. Examples of extreme situations are found in fabrics containing strong fibres versus fabric containing weak fibres. A consequence of the strong fibre is a rate of pill formation that exceeds the rate of wear-off. This results in an increase of pilling with an increase of wear. With a weak fibre, the rate of pill formation competes with the rate of wear-off. This would result in a fluctuation of pilling with an increase of wear. There are other constructions where surface fibre wear-off occurs before pill formation. Each of these examples demonstrates the complexity of evaluating the surface change on different types of fabric.

The ideal laboratory test would accelerate the wear processes a), b), and c) by exactly the same factor and would be universally applicable to all fibre, yarn, and fabric types. No such test has been developed. However, a test procedure has been established in which fabrics can be ranked in the same order of fuzzing and pilling propensity as is likely to occur in end use wear.

Particular attention is drawn to [Annex A](#) which gives advice on the maintenance and checking of the apparatus and liners. It is recommended that [Annex A](#) be studied prior to carrying out the procedure.

In Bibliography, some listed national standards have been taken into consideration as they refer to the use of the equipment, on which this part of ISO 12945 is based.