

This is a preview of "ISO 13584-31:1999". Click here to purchase the full version from the ANSI store.

First edition
1999-12-15

Industrial automation systems and integration — Parts library —

Part 31: Implementation resources: Geometric programming interface

Systèmes d'automatisation industrielle et intégration — Bibliothèque de composants —

Partie 31: Ressources de mise en application: Interface de programmation géométrique



Reference number
ISO 13584-31:1999(E)

© ISO 1999

This is a preview of "ISO 13584-31:1999". Click here to purchase the full version from the ANSI store.

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

This is a preview of "ISO 13584-31:1999". Click here to purchase the full version from the ANSI store.

Contents	Page
1 SCOPE AND FIELD OF APPLICATION	1
2 NORMATIVE REFERENCES.....	1
3 TERMS, DEFINITIONS AND ABBREVIATIONS.....	2
3.1 Terms defined in ISO 13584-10.....	2
3.2 Other terms and definitions.....	3
3.3 Abbreviations	3
4 FUNDAMENTAL CONCEPTS.....	4
4.1 Requirement for parametrics capabilities.....	4
4.2 Exchange format for parametric shape description	4
4.3 Internal representation of the data created in the receiving CAD system.....	4
4.4 Library supplier and LMS user responsibility	5
4.5 Compatibility	5
4.6 Geometry representation accuracy	5
5 INTERFACE PRESENTATION	7
5.1 Specification and conformance.....	7
5.1.1 Allowed levels of implementation	7
5.1.2 Simulation of missing entities	7
5.2 Interface tables.....	7
5.3 Creation of product model data.....	8
5.3.1 Reference coordinate system of a view (OVC)	8
5.3.2 Geometrical units in the OVC	9
5.3.3 Content of a view	9
5.3.4 Temporary database.....	9
5.3.5 Hidden line removal process	10
5.3.6 The representation process	11
5.4 Entities structure.....	12
5.4.1 Group structure in the TDB	12
5.4.2 Structure of the entities sent to the CAD system	13
5.5 Geometrical or structured entity name	13
5.6 Coordinate system and transformation.....	13
5.7 Interface error state	14
5.8 Error handling.....	14
5.8.1 Error handling methodology	14
5.8.2 Error messages	15
6 LOGICAL MODEL OF THE TARGET MODELLING SYSTEM	18
6.1 Geometric representation item.....	18
6.1.1 api_abstract_schema.....	20

6.1.1.1	API_ABSTRACT_SCHEMA constant definition: Geometry representation accuracy.....	20
6.1.2	API_ABSTRACT_SCHEMA type definition : Fundamentals of product description and support	21
6.1.2.1	Identifier	21
6.1.2.2	Label	21
6.1.2.3	Text.....	21
6.1.2.4	Length_measure.....	22
6.1.2.5	Plane_angle_measure.....	22
6.1.2.6	Positive_length_measure	22
6.1.2.7	Positive_plane_angle_measure	22
6.1.2.8	Parameter_value.....	23
6.1.2.9	Message.....	23
6.1.2.10	Reference.....	23
6.1.3	API_ABSTRACT_SCHEMA type definition : Geometric and topological representations	23
6.1.3.1	Dimension_count.....	23
6.1.3.2	Transition_code.....	24
6.1.3.3	Preferred_surface_curve_representation	24
6.1.3.4	Trimming_preference	25
6.1.3.5	Axis2_placement.....	25
6.1.3.6	Curve_on_surface	25
6.1.3.7	Pcurve_or_surface	26
6.1.3.8	Trimming_select.....	26
6.1.3.9	Vector_or_direction	26
6.1.4	API_ABSTRACT_SCHEMA type definition: Geometry models	26
6.1.4.1	Boolean_operand	26
6.1.4.2	Boolean_operator	27
6.1.4.3	Csg_primitive	27
6.1.4.4	Csg_select	27
6.1.4.5	Geometric_set_select.....	28
6.1.5	API_ABSTRACT_SCHEMA type definition: api specific types for structuring.....	28
6.1.5.1	Api_grouped_item	28
6.1.5.2	Api_set_item	28
6.1.6	API_ABSTRACT_SCHEMA entities definition : Fundamentals of product description and support	29
6.1.6.1	Shape_representation	29
6.1.6.2	Group.....	29
6.1.6.3	Group_assignment	30
6.1.6.4	External_source	30
6.1.6.5	Pre_defined_item	30
6.1.6.6	Externally_defined_item	31
6.1.7	API_ABSTRACT_SCHEMA entity definition: Representation structures	31
6.1.7.1	Representation_context.....	31
6.1.7.2	Representation_item	32
6.1.7.3	Representation	32
6.1.7.4	Representation_map	34
6.1.7.5	Mapped_item	34
6.1.8	API_ABSTRACT_SCHEMA entity definition: Geometric representation structures	35
6.1.8.1	Geometric_representation_context.....	35
6.1.8.2	Geometric_representation_item.....	35
6.1.9	API_ABSTRACT_SCHEMA entity definition: Geometric mathematical entities.....	37
6.1.9.1	Point.....	37
6.1.9.2	Cartesian_point	37
6.1.9.3	Direction.....	38
6.1.9.4	Vector	38
6.1.9.5	Placement.....	39
6.1.9.6	Axis1_placement.....	40
6.1.9.7	Axis2_placement_2d	40
6.1.9.8	Axis2_placement_3d	41
6.1.10	API_ABSTRACT_SCHEMA entity definition: Geometric curves entities.....	43
6.1.10.1	Curve	43
6.1.10.2	Line	43
6.1.10.3	Bounded_curve	44
6.1.10.4	Trimmed_curve	45

6.1.10.5	Composite_curve.....	47
6.1.10.6	Composite_curve_segment	48
6.1.10.7	Surface_curve	49
6.1.10.8	Composite_curve_on_surface	51
6.1.10.9	Bounded_surface_curve	52
6.1.11	API_ABSTRACT_SCHEMA entity definition: Geometric conic entities.....	52
6.1.11.1	Conic.....	52
6.1.11.2	Circle.....	53
6.1.11.3	Ellipse	54
6.1.11.4	Hyperbola	56
6.1.11.5	Parabola.....	57
6.1.12	API_ABSTRACT_SCHEMA entity definition: api specific basic curves	59
6.1.12.1	Api_line	59
6.1.12.2	Api_circular_arc.....	60
6.1.13	API_ABSTRACT_SCHEMA entity definition: api specific conic arcs	60
6.1.13.1	Api_elliptical_arc	61
6.1.13.2	Api_hyperbolic_arc	62
6.1.13.3	Api_parabolic_arc.....	62
6.1.14	API_ABSTRACT_SCHEMA entity definition: curve entities	63
6.1.14.1	Polyline	63
6.1.14.2	Api_contour	64
6.1.15	API_ABSTRACT_SCHEMA entity definition: fill area.....	66
6.1.15.1	Annotation_fill_area.....	67
6.1.16	API_ABSTRACT_SCHEMA entity definition : Geometric surface entities	69
6.1.16.1	Surface.....	69
6.1.16.2	Elementary_surface.....	69
6.1.16.3	Plane.....	70
6.1.16.4	Bounded_surface.....	70
6.1.16.5	Curve_bounded_surface.....	71
6.1.16.6	Boundary_curve	72
6.1.16.7	Outer_boundary_curve	73
6.1.17	API_ABSTRACT_SCHEMA entity definition : api specific surface entities	73
6.1.17.1	Api_planar_surface.....	73
6.1.18	API_ABSTRACT_SCHEMA entity definition : Geometric solid entities.....	75
6.1.18.1	Solid_model	75
6.1.18.2	Csg_solid.....	75
6.1.18.3	Boolean_result	76
6.1.18.4	Csg_primitive	76
6.1.18.4.1	Sphere.....	77
6.1.18.4.2	Right_circular_cone.....	77
6.1.18.4.3	Right_circular_cylinder	78
6.1.18.4.4	Torus.....	78
6.1.18.4.5	Block	79
6.1.18.4.6	Right-angular_wedge	79
6.1.18.5	Swept_area_solid	80
6.1.18.6	Extruded_area_solid	81
6.1.18.7	Revolved_area_solid	81
6.1.18.8	Half_space_solid	83
6.1.19	API_ABSTRACT_SCHEMA entity definition : api specific entities for structuring	83
6.1.19.1	Api_group	83
6.1.19.2	Api_group_assignment	84
6.1.19.3	Api_set	84
6.1.19.4	Api_set_assignment.....	85
6.2	Visual appearance of geometric representation items	85
6.2.1	API_ABSTRACT_SCHEMA type definition : Visual presentation	86
6.2.1.1	Presentation_style_select	86
6.2.1.2	Null_style	86
6.2.1.3	Size_select.....	87
6.2.1.4	Curve_font_or_scaled_curve_font_select	87
6.2.1.5	Curve_style_font_select	87
6.2.1.6	Fill_style_select.....	88
6.2.2	API_ABSTRACT_SCHEMA type definition : api specific types for visual presentation.....	88

6.2.2.1	Virtual_height_ratio	88
6.2.3	API_ABSTRACT_SCHEMA entities definition : Visual presentation.....	88
6.2.3.1	Styled_item	88
6.2.3.2	Presentation_style_assignment	89
6.2.3.3	Externally_defined_style.....	90
6.2.3.4	Curve_style	90
6.2.3.5	Fill_area_style	91
6.2.3.6	Fill_area_style_hatching.....	92
6.2.3.7	One_direction_repeat_factor	93
6.2.3.8	Colour	94
6.2.3.9	Pre_defined_size.....	94
6.2.3.10	Pre_defined_curve_font.....	94
6.2.3.11	Pre_defined_colour.....	95
6.2.3.12	Annotation_occurrence	95
6.2.3.13	Annotation_fill_area_occurrence.....	96
6.2.4	API_ABSTRACT_SCHEMA entities definition : externally-defined styles for visual presentation.....	96
6.2.4.1	Api_externally_defined_point_style	97
6.2.4.2	Api_externally_defined_curve_style	98
6.2.4.3	Api_externally_defined_fill_area_style.....	99
6.2.4.4	Api_externally_defined_surface_style.....	99
6.2.5	API_ABSTRACT_SCHEMA entities definition : pre-defined styles for visual presentation	100
6.2.5.1	Api_pre_defined_hatch_width.....	100
6.2.5.2	Api_pre_defined_hatch_curve_font.....	101
6.2.5.3	Api_pre_defined_hatch_colour	101
6.2.5.4	Api_pre_defined_occlusion_style.....	102
6.2.5.5	Api_pre_defined_virtually_sent_style.....	103
6.3	API_ABSTRACT_SCHEMA function definition	103
6.3.1	API_ABSTRACT_SCHEMA function definition : Geometric and topological representations ...	103
6.3.1.1	Dimension_of	103
6.3.1.2	Associated_surface	104
6.3.1.3	Base_axis.....	104
6.3.1.4	Build_2axes.....	105
6.3.1.5	Build_axes	106
6.3.1.6	Orthogonal_complement	106
6.3.1.7	First_proj_axis.....	107
6.3.1.8	Second_proj_axis.....	108
6.3.1.9	Cross_product	108
6.3.1.10	Dot_product.....	109
6.3.1.11	Normalise	110
6.3.1.12	Scalar_times_vector	111
6.3.1.13	Vector_sum	112
6.3.1.14	Vector_difference	113
6.3.1.15	Constraints_composite_curve_on_surface.....	114
6.3.1.16	Get_basis_surface.....	115
6.3.1.17	List_to_array.....	116
6.3.1.18	Make_array_of_array.....	116
6.3.2	API_ABSTRACT_SCHEMA function definition: Support resources.....	117
6.3.2.1	Bag_to_set	117
6.3.3	API_ABSTRACT_SCHEMA function definition: Representation structures	118
6.3.3.1	Acyclic_mapped_representation.....	118
6.3.3.2	Item_in_context.....	119
6.3.3.3	Using_representations.....	120
6.3.4	API_ABSTRACT_SCHEMA function definition: api specific functions.....	121
6.3.4.1	Tree_api_group_structure.....	121
6.3.4.1.1	Assigned_api_group	123
6.3.4.2	Tree_api_set_structure.....	123
6.3.4.2.1	Assigned_api_set	124
6.3.4.3	Api_legal_style_number	125
6.4	API_ABSTRACT_SCHEMA global rules.....	127
6.4.1	Unique_shape_representation	127

7 INTERFACE FUNCTIONAL SPECIFICATION	127
7.1 Notational conventions	127
7.1.1 Function representation	127
7.1.2 Data type representation.....	129
7.1.3 Entity names and abbreviations.....	129
7.1.4 Function names.....	130
7.2 Logical description of the interface functions and FORTRAN binding.....	131
8 INTERFACE TABLES.....	131
8.1 Interface description table.....	131
8.2 Interface status table	131
9 DIMENSIONS OF INTERFACE IMPLEMENTATION	132
9.1 Minimal dimensions of the different interface buffers and structured data types.....	132
ANNEX A (NORMATIVE) LOGICAL DESCRIPTION OF THE INTERFACE FUNCTIONS AND FORTRAN BINDINGS.....	133
ANNEX B (NORMATIVE) INFORMATION OBJECT REGISTRATION.....	325
Bibliography.....	326
Index.....	327

Figures

Figure 1 — Absolute coordinate system of a part (parts supplier defined)	9
Figure 2 — Geometric representation items defined in the interface	18
Figure 3 — Axis2 placement 3D.....	43
Figure 4 — Composite curve	48
Figure 5 — Circle.....	54
Figure 6 — Ellipse	55
Figure 7 — Hyperbola.....	57
Figure 8 — Parabola.....	58
Figure 9 — Filling of annotation fill areas	68
Figure 10 — Curve bounded surface.....	72
Figure 11 — Right-angular_wedge and its attributes.....	80
Figure 12 — Revolved area solid.....	82
Figure 13 — Fill area style hatching.....	92
Figure 14 — One direction repeat factor	94
Figure A. 1 — Function: Dir_2_Pnt	152
Figure A. 2 — Function: Dir_2_Dir_Angle	154
Figure A. 3 — Function: A1p_Gen	157
Figure A. 4 — Function: A1p_Pnt.....	159

Figure A. 5 — Function: A2p_3_Pnt.....	161
Figure A. 6 — Function: A2p_2_Dir (in a 3D view)	163
Figure A. 7 — Function: A2p_2_Dir (in a 2D view)	164
Figure A. 8 — Function: A2p_2_Dir_Xy.....	165
Figure A. 9 — Function: Pnt_Cartesian_Relative	170
Figure A. 10 — Function: Pnt_Polar_Relative	173
Figure A. 11 — Function: Pnt_Cylinder_Relative	175
Figure A. 12 — Function: Pnt_Intersection_2_Ent (in a 3D-view)	179
Figure A. 13 — Function: Pnt_Tangential_Arc	181
Figure A. 14 — Function: Pnt_Projection_Ent	184
Figure A. 15 — Function: Pnt_Projection_A2p	186
Figure A. 16 — Function: Lin_2_Pnt	188
Figure A. 17 — Function: Lin_Pnt_Length_Dir	189
Figure A. 18 — Function: Lin_Tangential_Arc	191
Figure A. 19 — Function: Lin_Tangential_2_Arc	193
Figure A. 20 — Function: Lin_Chamfer_2_Lin.....	195
Figure A. 21 — Function: Circle_Rad_A2p.....	197
Figure A. 22 — Function: Arc_3_Pnt (in a 3D view)	199
Figure A. 23 — Function: Arc_3_Pnt (in a 2D view)	199
Figure A. 24 — Function: Arc_Rad_2_Angle_A2p.....	201
Figure A. 25 — Function: Arc_Rad_3_Pnt.....	204
Figure A. 26 — Function: Arc_Rad_2_Pnt_A2p	206
Figure A. 27 — Function: Arc_Fillet_2_Ent (lin/lin).....	209
Figure A. 28 — Function: Arc_Fillet_2_Ent (arc/arc)	210
Figure A. 29 — Function: Arc_Tangential_2_Ent.....	213
Figure A. 30 — Function: Arc_Rad_2_Ent.....	217
Figure A. 31 — Function: Arc_3_Ent.....	221
Figure A. 32 — Function: Ellipse_2_Diameter_A2p.....	223
Figure A. 33 — Function: Elc_Gen.....	225
Figure A. 34 — Function: Hyp_Gen	227
Figure A. 35 — Function: Par_Gen	229

Figure A. 36 — Function: Fsh_Gen.....	236
Figure A. 37 — Function: Hatch_Afa.....	237
Figure A. 38 — Function: Sph_Gen	240
Figure A. 39 — Function: Con_Gen	242
Figure A. 40 — Function: Cyl_Gen	243
Figure A. 41 — Function: Tor_Gen	245
Figure A. 42 — Function: Blk_Gen.....	246
Figure A. 43 — Function: Wdg_Gen	248
Figure A. 44 — Function: Union_Sld.....	249
Figure A. 45 — Function: Intersection_Sld.....	251
Figure A. 46 — Function: Difference_Sld.....	252
Figure A. 47 — Function: Sld_Extrusion	254
Figure A. 48 — Function: Sld_Revolution	255
Figure A. 49 — Function: Sld_Pipe	258
Figure A. 50 — Function: Mirror_Ent (3D view).....	267
Figure A. 51 — Function: Mirror_Ent (2D view).....	267
Figure A. 52 — Function: Dup_Mirror_Ent	269
Figure A. 53 — Function: Chg_Orientation_Ent	276
Figure A. 54 — Function: Chg_Sense_Ent.....	277
Figure A. 55 — Function: Homotetia_Ent.....	278
Figure A. 56 — Function: Start_Angle_Arc.....	289
Figure A. 57 — Function: End_Angle_Arc.....	290
Figure A. 58 — Function: Ref_Sys_3_Pnt (3D view)	292
Figure A. 59 — Function: Ref_Sys_2_Dir (in a 2D view)	294

Tables

Table 1 — Input error messages	15
Table 2 — Geometry error messages	16
Table 3 — System error messages	17
Table 4 — Entity structure error messages.....	17
Table 5 — Presentation style error messages	17

Table 6 — Language binding error messages	17
Table 7 — Externally defined point styles	97
Table 8 — Shapes of the externally defined point styles	97
Table 9 — Externally defined curve styles	98
Table 10 — Externally defined fill area styles.....	99
Table 11 — Externally defined surface style	99
Table 12 — Pre_defined hatch line width	100
Table 13 — Line segment and space lengths for Pre_defined hatch curve font.....	101
Table 14 — Pre_defined hatching colour	101
Table 15 — Pre_defined hidden line style	102
Table 16 — Simple data types	129
Table 17 — Short names for entity types	130
Table 18 — Short names for collections of entity types	130
Table 19 — Abbreviations used for function names	131
Table 20 — Interface description table.....	131
Table 21 — Interface status table.....	132
Table 22 — Dimensions of Interface implementation	132
Table A. 1 — Mapping of logical data types	133
Table A. 2 — List of interface functions according interface level 1	135
Table A. 3 — List of interface functions according interface level 2.....	140
Table A. 4 — List of interface functions according interface level 3.....	140
Table A. 5 — Short name strings for ENTNAM	285

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

International Standard ISO 13584-31 was prepared by Technical Committee ISO/TC 184, *Industrial automation system and integration*, Subcommittee SC4, *Industrial data and global manufacturing programming languages*.

ISO 13584 consists of the following parts under the general title *Industrial automation systems and integration - Parts library*:

- Part 1, Overview and fundamental principles;
- Part 10, Conceptual description: Conceptual model of parts library;
- Part 20, Logical resource: Logical model of expressions;
- Part 24, Logical resource: Logical model of supplier library;
- Part 26, Logical resource: Supplier identification;
- Part 31, Implementation resource: Geometric programming interface;
- Part 42, Description methodology: Methodology for structuring part families;
- Part 101, View exchange protocol: Geometric view exchange protocol by parametric program;
- Part 102, View exchange protocol: View exchange protocol by ISO 10303 conforming specification.

The structure of this International Standard is described in ISO 13584-1. The numbering of the parts of this International Standard reflects its structure:

- Parts 10 to 19 specify the conceptual descriptions,
- Parts 20 to 29 specify the logical resources,
- Parts 30 to 39 specify the implementation resources,
- Parts 40 to 49 specify the description methodology,
- Parts 50 to 59 specify the conformance testing,
- Parts 100 to 199 specify the view exchange protocol,

— Parts 500 to 599 specify the standardised content.

Should further parts of ISO 13584 be published, they will follow the same numbering pattern.

Annexes A and B form an integral part of this part of ISO 13584.

Annex B is for information only.

Introduction

ISO 13584 is an International Standard for the computer-interpretable representation and exchange of part library data. The objective is to provide a neutral mechanism capable of transferring parts library data, independent of any application that is using a parts library data system. The nature of this description makes it suitable not only for the exchange of files containing parts, but also as a basis for implementing and sharing databases of parts library data.

This International Standard is organized as a series of parts, each published separately. The parts of ISO 13854 fall into one of the following series: conceptual descriptions, logical resources, implementation resources, description methodology, conformance testing, view exchange protocol, and standardised content. The series are described in ISO 13584-1. This part of ISO 13584 is a member of the (implementation resources) series .

This part of ISO 13584 specifies an interface to enable the creation of product model data inside an user system from an application program that is independent of the target user system.

This interface may be used, outside the context of standardized parts library data, to permit the development of application programs that are independent of the target CAD system. In the context of ISO 10303, this interface may be implemented on the top of the SDAI interface to provide constrained geometry construction facilities.

In the context of parts library data, conforming to the ISO 13584 Standard series, the product model data creation process is an application program provided by parts library suppliers, that creates geometric model inside the user system. The interface ensures its independancy from the target user system.