Fourth edition 2020-05

Petroleum and natural gas industries — Corrosion-resistant alloy seamless tubular products for use as casing, tubing, coupling stock and accessory material — Technical delivery conditions

Industries du pétrole et du gaz naturel — Produits tubulaires sans soudure en acier allié résistant à la corrosion utilisés comme tubes de cuvelage, tubes de production, tubes-ébauches pour manchons et matériau pour accessoires — Conditions techniques de livraison



Reference number ISO 13680:2020(E)

ISO 13680:2020(E)

This is a preview of "ISO 13680:2020". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

CO	ntent	S	Page
Fore	eword		vii
Intr	oductio	n	viii
1	Scon	e	1
2	-	native references	
3	Tern 3.1	ns, definitions, abbreviated terms and symbols	
	3.1	Terms and definitions	
	3.3	Symbols	
4		pral	
4	4.1	Dual normative references	
	4.2	Units of measurement	
5	Infor	mation supplied by the purchaser	
6	Mani	ufacturing process	11
Ü	6.1	Melting practices	
	6.2	Product manufacturing process	
	6.3	Pipe end sizing	
	6.4	Straightening	
	6.5	Process requiring validation	
	6.6 6.7	Traceability	
	6.8	Process for update of alloys and/or grades	
7		, ,	
7	Mate 7.1	rial requirements Chemical composition	
	7.1	Tensile properties	
	7.3	Hardness properties	
	7.4	Charpy V-notch test properties — General requirements	
		7.4.1 Evaluation of test results	13
		7.4.2 Critical thickness	
		7.4.3 Specimen size, orientation and hierarchy	
		7.4.4 Alternative size impact test specimens Sub-size test specimens	
		7.4.6 Test temperature	
	7.5	Charpy V-notch — Absorbed energy requirements for coupling stock and	
		accessory material — All grades	14
		7.5.1 General	
		7.5.2 Requirements for all grades	
	7.6	Charpy V-notch — Absorbed energy requirements for pipe — All grades	
	7.7 7.8	Flattening requirementsCharpy V-notch test properties at low temperature for group 2	
	7.0	7.8.1 General	
		7.8.2 Evaluation of test results	
		7.8.3 Selection of test specimens	17
		7.8.4 Test temperature	
	7 .0	7.8.5 Absorbed energy requirements	
	7.9	Corrosion properties	
		7.9.1 General	
	7.10	Microstructure properties	
		7.10.1 Group 1	
		7.10.2 Group 2	
		7.10.3 Groups 3 and 4	
	7.11	Surface condition	18

	7.12	Defects	19
		7.12.1 Pipe	19
		7.12.2 Coupling stock and accessory material	19
		7.12.3 Process control plan	
8	Dime	ensions, masses and tolerances	19
U	8.1	Outside diameter, wall thickness and mass	
	8.2	Length	
	8.3	Tolerances	
	0.0	8.3.1 Tolerance on outside diameter, wall thickness and mass	
		8.3.2 Inside diameter, <i>d</i>	
		8.3.3 Straightness	
		8.3.4 Drift requirements	
	8.4	Product ends	
9	Inche	ection and testing	21
	9.1	Test equipment	
	9.2	Type and frequency of tests	
	9.3	Testing of chemical composition	
	7.0	9.3.1 Chemical analysis	
		9.3.2 Test method	
		9.3.3 Chromium depletion test — Groups 2, 3 and 4	
	9.4	Testing of mechanical characteristics	
	,,,	9.4.1 Test lot	
		9.4.2 Selection and preparation of samples and test pieces	
	9.5	Tensile test	
		9.5.1 Orientation and size of test pieces	
		9.5.2 Test method	
		9.5.3 Invalidation of test	
		9.5.4 Retest	22
	9.6	Hardness test	23
		9.6.1 Test pieces	
		9.6.2 Test method	23
		9.6.3 Invalidation of tests	
		9.6.4 Periodic checks of hardness-testing machines	
		9.6.5 Verification of hardness-testing machines and indenters	
		9.6.6 Retests	
	9.7	Impact or flattening test	
		9.7.1 Test pieces	
		9.7.2 Frequency of testing	
		9.7.3 Impact test method	
		9.7.4 Flattening test method	
		9.7.5 Impact test retest	
		9.7.6 Flattening test retest	
	0.0	9.7.7 Invalidation of tests	
	9.8	Impact test at low temperature for group 2	
	9.9	Pitting corrosion test for group 2	
	9.10	Microstructural examination	
		9.10.1 Test pieces	
		9.10.2 Test method	
	0 1 1	9.10.3 Retest	
	9.11	Dimensional testing	
		9.11.1 General 9.11.2 Outside diameter	
		9.11.3 Wall thickness at end of products 9.11.4 Wall thickness of product body	
	9.12	Drift test	
	9.14	9.12.1 Non-upset and external upset pipe	
		9.12.2 Internal upset pipe	
		IIIOI IIAI APOOL PIPO	J 1

		9.12.3 Drift mandrel coating	
	9.13	Length	
	9.14	Straightness	
	9.15	Mass determination	
	9.16	Visual inspection 9.16.1 General	
		9.16.2 Pipe body, coupling stock and accessory material	
		9.16.3 Pipe ends	
		9.16.4 Disposition	
	9.17	Non-destructive examination	
	7.17	9.17.1 General	
		9.17.2 NDE personnel	
		9.17.3 Products	
		9.17.4 Pup joints	
		9.17.5 Untested ends	
		9.17.6 Upset ends	
		9.17.7 Reference standards	
		9.17.8 NDE system capability records	34
		9.17.9 All product group 1	35
		9.17.10 Full-body NDE of product — Groups 2, 3 and 4	35
		9.17.11 Pipe, coupling stock and accessory material requiring further evaluation	35
		9.17.12 Evaluation of indications (prove-up)	
		9.17.13 Disposition of pipe containing defects	36
		9.17.14 Disposition of coupling stock and accessory material containing defects	
	9.18	Positive material identification	37
10	Surfa	ce treatment	38
	10.1	Group 1	
	10.2	Groups 2, 3 and 4	
4.4		•	
11		ing	
	11.1	General Gelevin gode identification	
	11.2 11.3	Colour-code identification	
	11.3	Marking informative for couplings, pup joints and accessories after threading	
12	Surfa	ce protection — Group 1	40
13	Docu	ments	41
		Electronic media	
	13.2	Retention of records	
	13.3	Test certificates	41
14	Hand	ling, packaging and storage	12
14	14.1	General	
	14.2	Handling	
	14.3	Packaging	
	11.0	14.3.1 General	
		14.3.2 Identification	
	14.4	Storage	
A	A (
Anne	x A (no	rmative) Tables in SI units	44
	-	rmative) Figures in SI (USC) units	
Anne	x C (no	rmative) Tables in USC units	73
	-	rmative) Purchaser inspection	
		rmative) Cleanliness requirements	
	-	rmative) Coupling blanks and accessory material from bar	
Anne	x G (no	rmative) Product specification level 2 (PSL-2)	115

ISO 13680:2020(E)

This is a preview of "ISO 13680:2020". Click here to purchase the full version from the ANSI s	(nere to purchase the full version from the ANSI store.
--	--

Annex H (normative) Standardized manufacturing procedure qualification test	117
Annex I (informative) Photographic examples of microstructures, groups 2, 3 and 4	121
Rihliogranhy	125

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 5, *Casing, tubing and drill pipe*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 12, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This fourth edition cancels and replaces the third edition (ISO 13680:2010), which has been technically revised. The main changes compared to the previous edition are as follows:

- change of title and scope so that it includes accessory material and group 5;
- deletion of <u>Annex F</u>;
- addition of new <u>Annex F</u>, <u>Annex H</u> and <u>Annex I</u>;
- update of warning statement;
- complete revision of the technical content.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Users of this document should be aware that further or differing requirements can be needed for individual applications. This document is not intended to inhibit a vendor from offering, or the purchaser from accepting, alternative equipment or engineering solutions for the individual application. This is particularly relevant to innovative or developing technology. Where an alternative is offered, it is the responsibility of the vendor to identify any variations from this document and provide details.

In this document, the following verbal forms are used:

- a) "shall" indicates a requirement;
- b) "should" indicates a recommendation;
- c) "may" indicates a permission;
- d) "can" indicates a possibility or a capability.

Information marked as "NOTE" is for guidance in understanding or clarifying the associated requirement. "Notes to entry" used in <u>Clause 3</u> provide additional information that supplements the terminological data and can contain provisions relating to the use of a term.