Second edition 2013-07-15

## Safety of machinery — Pressuresensitive protective devices —

Part 3:

# General principles for design and testing of pressure-sensitive bumpers, plates, wires and similar devices

Sécurité des machines — Dispositifs de protection sensibles à la pression —

Partie 3: Principes généraux de conception et d'essai des pare-chocs, plaques, câbles et dispositifs analogues sensibles à la pression



Reference number ISO 13856-3:2013(E)



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents	Page
Foreword	iv
Introduction	<b>v</b>
1 Scope	1
2 Normative references	
3 Terms and definitions	
<ul> <li><b>4</b> Requirements for design and testing</li> <li>4.1 General</li> </ul>	
4.2 Basic requirements	
4.3 Specific requirements for pressure-sensitive bumpers	
4.4 Specific requirements for pressure-sensitive plates	16
4.5 Specific requirements for pressure-sensitive wires (trip wires)	16
5 Marking	17
5.1 General	
5.2 Labels	
5.3 Marking of the control unit	
5.4 Marking of the sensor	17
6 Information for selection and use	
6.1 General	
<ul><li>6.2 Essential data for selection of suitable pressure-sensitive protective device</li><li>6.3 Information for use</li></ul>	
7 Verification of requirements	21
7.1 Verification of requirements applicable to all pressure-sensitive protective devices covered by this part of ISO 13856	21
7.2 Verification of requirements for pressure-sensitive bumpers only	
7.3 Verification of requirements for pressure-sensitive plates only	
7.4 Verification of requirements for pressure-sensitive wires only	32
7.5 Other tests	33
Annex A (normative) Timing diagrams for pressure-sensitive bumpers, plates, wires and simil devices with/without reset	
Annex B (informative) Device characteristics — Explanatory remarks and recommendations	38
Annex C (informative) Design guidance	
Annex D (informative) Application guidance	
Annex E (informative) Commissioning and inspection	
Bibliography	

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 13856-3 was prepared by Technical Committee ISO/TC 199, *Safety of machinery* and by Technical Committee CEN/TC 114, *Safety of machinery* in collaboration.

This second edition cancels and replaces the first edition (ISO 13856-3:2006), which has been technically revised.

ISO 13856 consists of the following parts, under the general title *Safety of machinery* — *Pressure-sensitive protective devices*:

- Part 1: General principles for design and testing of pressure-sensitive mats and pressure-sensitive floors
- Part 2: General principles for design and testing of pressure-sensitive edges and pressure-sensitive bars
- Part 3: General principles for design and testing of pressure-sensitive bumpers, plates, wires and similar devices

### Introduction

The structure of safety standards in the field of machinery is as follows:

- a) Type-A standards (basic safety standards) giving basic concepts, principles for design, and general aspects that can be applied to all machinery;
- b) Type-B standards (generic safety standards) dealing with one safety aspect or one type of safeguard that can be used across a wide range of machinery:
  - type-B1 standards on particular safety aspects (e.g. safety distances, surface temperature, noise);
  - type-B2 standards on safeguards (e.g. two-hand controls, interlocking devices, pressuresensitive devices, guards);
- c) Type-C standards (machine safety standards) dealing with detailed safety requirements for a particular machine or group of machines.

This document is a type-B2 standard as stated in ISO 12100.

The requirements of this document can be supplemented or modified by a type-C standard.

For machines which are covered by the scope of a type-C standard and which have been designed and built according to the requirements of that standard, the requirements of that type-C standard take precedence.

The safeguarding of machinery (see ISO 12100:2010, 3.21) can be achieved by many different means. These means include guards which prevent access to the hazard zone by means of a physical barrier (for example, interlocking guards according to ISO 14119 or fixed guards according to ISO 14120) and protective devices (for example, electro-sensitive protective equipment according to IEC 61496-1 or pressure-sensitive protective devices according to this part of ISO 13856).

Type-C standards makers and designers of machinery/installations should consider the best way to achieve the required level of safety taking into account the intended application and the results of the risk assessment (see ISO 12100).

The required solution can also be to combine several of these different means. The machinery/installation supplier and the user examine together carefully the existing hazards and constraints before making their decision on the choice of safeguarding.

Pressure-sensitive protective devices are used in a wide range of applications with different conditions of use relating, for example, to extremes of loading or electrical, physical and chemical environments. They are interfaced with machine controls to ensure that the machine reverts to a safe condition if the sensitive protective equipment is actuated.

This part of ISO 13856 is restricted to the design of pressure-sensitive protective devices so that they can be used when the risk assessment carried out by the machine manufacturer and/or relevant type-C standard, when available, shows this to be appropriate.

This part of ISO 13856 does not specify the dimensions and the configuration of the effective sensing surface of the pressure-sensitive protective devices in relation to any particular application. However, there is a requirement for the manufacturer of any safeguard to provide sufficient information to enable the user (i.e. the machinery manufacturer and/or user of the machinery) to specify an adequate arrangement.

The forces for the activation of the pressure-sensitive protection devices specified in this part of ISO 13856 are based on the information available at the time of publication. These forces will be kept under review so that the results of further research into forces that can be applied to the human body without causing significant injury can be taken into account. While these forces provide a practical means for the design and testing of the pressure-sensitive device, they cannot prevent injury in all applications. When specifying the actuating force for a specific device or application many factors should be taken into account. These include the contact area, the contact speed, the material used and the part of the body affected.