First edition 2000-04-01

Textiles — Tear properties of fabrics —

Part 3:

Determination of tear force of wing-shaped test specimens (Single tear method)

Textiles — Propriétés de déchirement des étoffes —

Partie 3: Détermination de la force de déchirure des éprouvettes croissants (Méthode de la déchirure unique)



ISO 13937-3:2000(E)

This is a preview of "ISO 13937-3:2000". Click here to purchase the full version from the ANSI store.

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 13937 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 13937-3 was prepared by the European Committee for Standardization (CEN) in collaboration with ISO Technical Committee TC 38, *Textiles*, Subcommittee SC 24, *Conditioning atmospheres and physical tests for textile fabrics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Throughout the text of this standard, read "...this European Standard..." to mean "...this International Standard...".

ISO 13937 consists of the following parts, under the general title *Textiles* — *Tear properties of fabrics*:

- Part 1: Determination of tear force using ballistic pendulum method (Elmendorf)
- Part 2: Determination of tear force of trouser-shaped test specimens (Single tear method)
- Part 3: Determination of tear force of wing-shaped test specimens (Single tear method)
- Part 4: Determination of tear force of tongue-shaped test specimens (Double tear test)

Annexes A, B and C of this part of ISO 13937 are for information only.

© ISO 2000 – All rights reserved

Contents

Forewo	ord	. V
Introdu	ction	vi
1	Scope	. 1
2	Normative references	. 1
3	Terms and definitions	. 1
4	Principle	. 2
5	Sampling	. 2
6	Apparatus	. 2
7	Atmosphere for conditioning and testing	. 3
8	Preparation of test specimens	. 3
9	Procedure	. 4
10	Calculation and expression of results	. 6
11	Test report	. 7
Annex	A (informative) Suggested procedure for sampling	. 8
Annex B (informative) Example of pattern for cutting out test specimens from the laboratory sample9		
Annex	C (informative) Sample calculation of tear force	10
Bibliogi	raphy	11

Foreword

The text of EN ISO 13937-3:2000 has been prepared by Technical Committee CEN/TC 248 "Textiles and textile products", the secretariat of which is held by BSI, in collaboration with Technical Committee ISO/TC 38 "Textiles".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2000, and conflicting national standards shall be withdrawn at the latest by October 2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

© ISO 2000 – All rights reserved

ISO 13937-3:2000(E)

This is a preview of "ISO 13937-3:2000". Click here to purchase the full version from the ANSI store.

Introduction

EN ISO 13937 has been prepared as a part of several test methods for the determination of certain mechanical properties of textiles using mainly tensile-testing machines, e.g. tensile properties, seam tensile properties, tear properties, seam slippage. Test requirements for these standards agree where appropriate. The results obtained by one of the methods should not be compared with those obtained by other methods. Annex D lists test methods standardized in this context.

EN ISO13937 specifies methods for the determination of tear force of fabrics. Part 1 describes a ballistic pendulum method, parts 2 to 4 describe methods using tensile-testing machines.