Second edition 2013-10-01

# Safety of machinery — Interlocking devices associated with guards — Principles for design and selection

Sécurité des machines — Dispositifs de verrouillage associés à des protecteurs — Principes de conception et de choix



Reference number ISO 14119:2013(E)

### ISO 14119:2013(E)

This is a preview of "ISO 14119:2013". Click here to purchase the full version from the ANSI store.



# COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Coı	Contents Pa,						
Fore	word		v				
Intr	oductio	on	vi				
1	Scop	ne	1				
2	Nori	native references	1				
3		Terms and definitions					
4	_	Operating principles and typical forms of interlocking devices associated with guards					
	4.1	General					
	4.2	Principles of guard interlocking without guard locking	8				
	4.3	Principles of guard interlocking with guard locking					
5	Requirements for the design and the installation of interlocking devices with and with						
	<b>guar</b> 5.1	d locking					
	5.1	Arrangement and fastening of position switches					
	5.3	Arrangement and fastening of actuators	12				
	5.4	Actuation modes of interlocking devices					
	5.5	Interface to control systems					
	5.6 5.7	Mechanical stopAdditional requirements on guard locking devices					
6	Selection of an interlocking device.						
	6.1	General					
	6.2	Selection of a guard locking device					
	6.3	Environmental conditions considerations					
7	Design to minimize defeat possibilities of interlocking devices						
	7.1	General	21				
	7.2	Additional measures to minimize defeat possibilities of interlocking devices					
8		rol requirements					
	8.1 8.2	General Assessment of faults					
	8.3	Prevention of common cause failures					
	8.4	Release of guard locking device					
	8.5	Fault exclusion					
	8.6	Logical series connection of interlocking devices					
	8.7	Electrical and environmental conditions					
9	Information for use						
	9.1 9.2	General Information for use given by the manufacturer of interlocking devices					
	9.3	Information for use given by the manufacturer of the machine	30				
Ann	<b>ex A</b> (in	formative) <b>Type 1 interlocking device — Examples</b>					
		formative) Type 2 interlocking device — Examples					
		formative) Type 3 interlocking device — Example					
		formative) Type 4 interlocking devices — Examples					
Ann	ex E (in	formative) Examples of other interlocking devices	48				
Ann	<b>ex F</b> (in	formative) Example of guard locking devices	49				
Ann	<b>ex G</b> (in	formative) Application examples of interlocking devices used within a					
	safe	ty function	55				
Ann	<b>ex H</b> (in	formative) Motivation to defeat interlocking device	61				

# ISO 14119:2013(E)

This is a	preview of "ISO	14119:2013".	Click here to	ourchase the full	version from the	ANSI store.
i i iio io a	PICTICAL OF ICC	1 11 10.2010 .		paronaco uno ran	VOIOIOII II OIII UIO	7 11 101 OLOTO.

Annex I (informative) Examples for maximum static action forces	66
Rihlingranhy	68

# Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 199, Safety of machinery.

This second edition cancels and replaces the first edition (ISO 14119:1998), which has been technically revised. It also incorporates Amendment ISO 14119:1998/Amd 1:2007. The main changes from the previous edition comprise

- an improved structure as a result of the differentiation and definition of four types of interlocking devices,
- a description of their technology and their typical characteristics in annexes,
- "defeat in a reasonably foreseeable manner" defined and considered,
- the measures required to minimize defeat possibilities, and
- the consideration of new technologies and the addition of informative Annexes G, H and I.

# Introduction

The structure of safety standards in the field of machinery is as follows:

- a) Type-A standards (basic safety standards) giving basic concepts, principles for design, and general aspects that can be applied to all machinery;
- b) Type-B standards (generic safety standards) dealing with one safety aspect or one type of safeguard that can be used across a wide range of machinery:
  - Type-B1 standards on particular safety aspects (e.g. safety distances, surface temperature, noise);
  - Type-B2 standards on safeguards (e.g. two-hand controls, interlocking devices, pressuresensitive devices, guards);
- c) Type-C standards (machine safety standards) dealing with detailed safety requirements for a particular machine or group of machines.

This document is a type-B2 standard as stated in ISO 12100.

The requirements of this document can be supplemented or modified by a type-C standard.

For machines which are covered by the scope of a type-C standard and which have been designed and built according to the requirements of that standard, the requirements of that type-C standard take precedence.

This International Standard has been prepared to give guidance to machinery designers and writers of product safety standards on how to design and select interlocking devices associated with guards.

Relevant clauses of this International Standard, used alone or in conjunction with provisions from other standards, may be used as a basis for verification procedures for the suitability of a device for interlocking duties.

The informative Annexes A to F describe the technology and the typical characteristics of the defined 4 types of interlocking devices. Other solutions may be adopted, provided that they comply with the principles of this standard. The informative Annexes G to I give information on particular aspects like interlocking devices used within safety functions, risk assessment considering the motivation to defeat and static action forces. ISO/TR 24119 is under preparation and will give information on the masking of faults in series connection of interlocking devices.